

PACKAGED THERMAL OXIDIZERS

Gas Processing Applications



BURNERS | FLARES | THERMAL OXIDIZERS
VAPOR CONTROL | RENTALS | AFTERMARKET



PACKAGED THERMAL OXIDIZERS

Fully engineered. Immediately available.

Zeeco designs and delivers the most reliable and efficient combustion and environmental solutions for gas processing applications. Zeeco's horizontal or vertical packaged thermal oxidizer systems can handle all BTEX emissions, glycol vent gas and/or amine stripper acid gas streams with a 99.999% destruction efficiency. With more than 20 global locations, numerous manufacturing facilities, and an engineering brain trust that is simply unmatched, Zeeco delivers the right thermal oxidizer for your process conditions.

We work in your window.

Zeeco's packaged thermal oxidizers are available **off the shelf** or for **rental applications**, and can be delivered in as fast as a week.. Mounted on a pre-piped, prewired skid, our units require only minimal field assembly for fast installation. Quick response, on-site engineering, 24/7 support, and technical consultation are always available, even after installation.

The Zeeco difference.

Zeeco is a worldwide leader in combustion and environmental solutions with thousands of installations to our name. For more than 35 years, Zeeco has tackled the most challenging projects to help industries operate safer and cleaner. Globally local with comprehensive aftermarket service and support, and a team of engineers dedicated to your mission, Zeeco is the natural choice to improve operations and reduce your carbon footprint.



ZEECO® thermal oxidizers reliably and safely destroy BTEX and amine acid gas streams with 99.999% DRE

Systems that solve complex problems, simply.

Safety – NFPA 86 compliant, designed for Class 1, Division 2 area classification minimum, SIL 2 Burner Management System.

Delivery – Always in stock or in production. Spare parts on-hand for quick delivery. Equipment rental available for fast, temporary demands.

Simplicity – Mounted on a pre-piped, prewired skid with minimal field assembly.

Reliability – More than 35 years of experience designing industrial-scale combustion solutions, including large thermal oxidizers. Recognized combustion industry leader that stands behind our equipment.

Compliance – Guaranteed destruction and removal efficiencies of 99.999 percent.

Flexibility – Each unit comes with all necessary internal hardware required to handle any waste or combination of wastes without cutting or welding. Units are skid-mounted and easy to relocate.



ZEECO® Z-HTO Horizontal Thermal Oxidizer

Design Features

- ZEECO burner specifically designed for acid gas, glycol vent gas, flash gas
- ZEECO Burner Management System (BMS) PLC, instruments, controls, and HMI at local control panel
- Combustion air blower with variable frequency drive
- Full rain shield prevents acid gas condensation
- Greater than 99.999% DRE
- NFPA 86 compliance

Options Available

- Detonation arrestor
- Knockout drum
- Waste block valves
- Process control system (minimal outside control interface required)
- ZEECO Guardian™ Wireless Remote Monitoring System (cellular accessibility)



ZEECO® Z-VTO Vertical Thermal Oxidizer

ZEECO Packaged Thermal Oxidizers

	Additional Features	Capacity*	
		Acid Gas from Amine Stripper	BTEX/Glycol Vent Gas/ Flash
Horizontal Thermal Oxidizer Z-HTO	<ul style="list-style-type: none"> • Personnel protection • 25' Stack discharge elevation • Completely skid-mounted • Easily transportable • Minimal assembly & hookup 	Up to 2.0 MMSCFD	Up to 6.0 MMBTU
Vertical Thermal Oxidizer Z-VTO	<ul style="list-style-type: none"> • 30' stack discharge elevation • Completely skid-mounted • Easily transportable • Minimal assembly & hookup 	Up to 1.8 MMSCFD	Up to 5.3 MMBTU
Vertical Thermal Oxidizer with stack extension Z-VTO-SE	<ul style="list-style-type: none"> • 60' stack discharge elevation • Completely skid-mounted • Easily transportable • Minimal assembly & hookup 	Up to 2.6 MMSCFD	Up to 7.75 MMBTU
Large Vertical Thermal Oxidizer Z-XLTO	<ul style="list-style-type: none"> • 70' stack discharge elevation 	Up to 5.1 MMSCFD	Up to 14.5 MMBTU

*Capacity based on 13.0 Btu/SCF acid gas and fuel quality glycol vent / flash gas, *LHV>600 Btu/SCF



The Zeeco Difference

By concentrating on what we do best, Zeeco has grown into a worldwide leader in combustion and environmental solutions. We are a privately held company whose ownership stays highly involved in daily operations, with upper management comprised of the world's leading combustion experts.

When you call Zeeco, we answer. When you make a request, you get a quick, efficient response. We are lean and efficient, able to make decisions quickly, without bureaucracy and red tape. Our sales, engineering, and purchasing groups work hand-in-hand to deliver highly competitive quotes and heroic turnaround times. We stand ready and willing to travel anywhere in the world to discuss upcoming projects firsthand, and to ensure that every existing project runs seamlessly.



Visit zeeco.com/contact for additional Global Location contact information



Choose to work with our dedicated, flexible, and innovative team, and you won't be disappointed. Call or email us today to request a quote or to learn more about our proprietary combustion systems.

Zeeco Headquarters
22151 East 91st Street
Broken Arrow, OK 74014

Learn more at zeeco.com

✉ sales@zeeco.com

☎ +1 (918) 258 8551

©2022 Zeeco, Inc. All Rights Reserved.

ZEECO® and the Flaming Z logo are registered trademarks of Zeeco, Inc. in the U.S.A.



REGISTERED
ISO 9001: 2015

Certification applies to
Zeeco Headquarters.