


Slings





Model: EE Type III

Polyester web sling with flat eyes each end

Features:

- Heavy duty polyester 9800 lb. webbing with UV inhibitors
- Orange vinyl tag with clear vinyl cover to protect data
- Extra eye protection available with buffer web lined eyes
- 3-7% stretch with polyester
- Proof testing available upon request
- Design factor of 5 to 1



WARNING

See web sling warnings page
for warnings and inspection criteria

How to order:


- Combine model, length in feet, and type

Width	Part Number			Eye Width	Eye Length	Rated Capacities in Pounds		
	Model	Length	Type			Choker	Vertical	Vertical Basket
1"	01EE1PX	*	III	1"	9"	1,280	1,600	3,200
1"	01EE2PX	*	III	1"	9"	2,480	3,100	6,200
1"	01EE4PX	*	III	1"	12"	4,400	5,500	11,000
2"	02EE1PX	*	III	2"	9"	2,480	3,100	6,200
2"	02EE2PX	*	III	2"	9"	4,960	6,200	12,400
2"	02EE4PX	*	III	2"	12"	8,800	11,000	22,000
3"	03EE1PX	*	III	1-1/2"	9"	3,760	4,700	9,400
3"	03EE2PX	*	III	1-1/2"	12"	7,040	8,800	17,600
3"	03EE4PX	*	III	1-1/2"	18"	13,160	16,450	32,900
4"	04EE1PX	*	III	1-1/2"	12"	4,960	6,200	12,400
4"	04EE2PX	*	III	1-1/2"	12"	8,800	11,000	22,000
4"	04EE4PX	*	III	2"	18"	16,320	20,400	40,800
6"	06EE1PX	*	III	2"	14"	7,440	9,300	18,600
6"	06EE2PX	*	III	2"	14"	13,200	16,500	33,000
6"	06EE4PX	*	III	3"	20"	24,480	30,600	61,200
8"	08EE1PX	*	III	3"	18"	9,400	11,750	23,500
8"	08EE2PX	*	III	3"	18"	18,200	22,750	45,500
8"	08EE4PX	*	III	4"	24"	36,400	45,500	91,000
10"	10EE1PX	*	III	4"	22"	11,760	14,700	29,400
10"	10EE2PX	*	III	4"	22"	22,720	28,400	56,800
10"	10EE4PX	*	III	5"	28"	45,440	56,800	113,600
12"	12EE1PX	*	III	5"	26"	14,120	17,650	35,300
12"	12EE2PX	*	III	5"	26"	27,280	34,100	68,200
12"	12EE4PX	*	III	6"	32"	54,560	68,200	136,400

Note:

- Also available in the Tuffy Products Brand. Customer should specify when ordering.





EE Type IIIC

Polyester web sling with flat buffer web lined eyes each end

Features:

- Heavy duty polyester 9800 lb. webbing with UV inhibitors
- Orange vinyl tag with clear vinyl cover to protect data
- Extra eye protection available with buffer web lined eyes
- 3-7% stretch with polyester
- Proof testing available upon request
- Design factor of 5 to 1



WARNING

See web sling warnings page
for warnings and inspection criteria

How to order:


- Combine model, length in feet, and type

Width	Part Number w/ Buffer Web Lined Eyes			Eye Width	Eye Length	Rated Capacities in Pounds		
	Model	Length	Type			Choker	Vertical	Vertical Basket
1"	01EE1PX	*	IIIC	1"	9"	1,280	1,600	3,200
1"	01EE2PX	*	IIIC	1"	9"	2,480	3,100	6,200
1"	01EE4PX	*	IIIC	1"	12"	4,400	5,500	11,000
2"	02EE1PX	*	IIIC	2"	9"	2,480	3,100	6,200
2"	02EE2PX	*	IIIC	2"	9"	4,960	6,200	12,400
2"	02EE4PX	*	IIIC	2"	12"	8,800	11,000	22,000
3"	03EE1PX	*	IIIC	1-1/2"	9"	3,760	4,700	9,400
3"	03EE2PX	*	IIIC	1-1/2"	12"	7,040	8,800	17,600
3"	03EE4PX	*	IIIC	1-1/2"	18"	13,160	16,450	32,900
4"	04EE1PX	*	IIIC	1-1/2"	12"	4,960	6,200	12,400
4"	04EE2PX	*	IIIC	1-1/2"	12"	8,800	11,000	22,000
4"	04EE4PX	*	IIIC	2"	18"	16,320	20,400	40,800
6"	06EE1PX	*	IIIC	2"	14"	7,440	9,300	18,600
6"	06EE2PX	*	IIIC	2"	14"	13,200	16,500	33,000
6"	06EE4PX	*	IIIC	3"	20"	24,480	30,600	61,200
8"	08EE1PX	*	IIIC	3"	18"	9,400	11,750	23,500
8"	08EE2PX	*	IIIC	3"	18"	18,200	22,750	45,500
8"	08EE4PX	*	IIIC	4"	24"	36,400	45,500	91,000
10"	10EE1PX	*	IIIC	4"	22"	11,760	14,700	29,400
10"	10EE2PX	*	IIIC	4"	22"	22,720	28,400	56,800
10"	10EE4PX	*	IIIC	5"	28"	45,440	56,800	113,600
12"	12EE1PX	*	IIIC	5"	26"	14,120	17,650	35,300
12"	12EE2PX	*	IIIC	5"	26"	27,280	34,100	68,200
12"	12EE4PX	*	IIIC	6"	32"	54,560	68,200	136,400

Note:

- Also available in the Tuffy Products Brand. Customer should specify when ordering.





EE Type IV

Polyester web sling with twisted eyes each end

Features:

- Heavy duty polyester 9800 lb. webbing with UV inhibitors
- Orange vinyl tag with clear vinyl cover to protect data
- Extra eye protection available with buffer web lined eyes
- 3-7% stretch with polyester
- Proof testing available upon request
- Design factor of 5 to 1

How to order:

- Combine model, length in feet, and type

WARNING


See web sling warnings page
for warnings and inspection criteria

Width	Part Number			Eye Width	Eye Length	Rated Capacities in Pounds		
	Model	Length	Type			Choker	Vertical	Vertical Basket
1"	01EE1PX	*	IV	1"	9"	1,280	1,600	3,200
1"	01EE2PX	*	IV	1"	9"	2,480	3,100	6,200
1"	01EE4PX	*	IV	1"	12"	4,400	5,500	11,000
2"	02EE1PX	*	IV	2"	9"	2,480	3,100	6,200
2"	02EE2PX	*	IV	2"	9"	4,960	6,200	12,400
2"	02EE4PX	*	IV	2"	12"	8,800	11,000	22,000
3"	03EE1PX	*	IV	1-1/2"	9"	3,760	4,700	9,400
3"	03EE2PX	*	IV	1-1/2"	12"	7,040	8,800	17,600
3"	03EE4PX	*	IV	1-1/2"	18"	13,160	16,450	32,900
4"	04EE1PX	*	IV	1-1/2"	12"	4,960	6,200	12,400
4"	04EE2PX	*	IV	1-1/2"	12"	8,800	11,000	22,000
4"	04EE4PX	*	IV	2"	18"	16,320	20,400	40,800
6"	06EE1PX	*	IV	2"	14"	7,440	9,300	18,600
6"	06EE2PX	*	IV	2"	14"	13,200	16,500	33,000
6"	06EE4PX	*	IV	3"	20"	24,480	30,600	61,200
8"	08EE1PX	*	IV	3"	18"	9,400	11,750	23,500
8"	08EE2PX	*	IV	3"	18"	18,200	22,750	45,500
8"	08EE4PX	*	IV	4"	24"	36,400	45,500	91,000
10"	10EE1PX	*	IV	4"	22"	11,760	14,700	29,400
10"	10EE2PX	*	IV	4"	22"	22,720	28,400	56,800
10"	10EE4PX	*	IV	5"	28"	45,440	56,800	113,600
12"	12EE1PX	*	IV	5"	26"	14,120	17,650	35,300
12"	12EE2PX	*	IV	5"	26"	27,280	34,100	68,200
12"	12EE4PX	*	IV	6"	32"	54,560	68,200	136,400

Note:

- Also available in the Tuffy Products Brand. Customer should specify when ordering.





EE Type IVC

Polyester web sling with twisted buffer lined eyes each end

Features:

- Heavy duty polyester 9800 lb. webbing with UV inhibitors
- Orange vinyl tag with clear vinyl cover to protect data
- Extra eye protection available with buffer web lined eyes
- 3-7% stretch with polyester
- Proof testing available upon request
- Design factor of 5 to 1

How to order:

- Combine model, length in feet, and type



WARNING


See web sling warnings page
for warnings and inspection criteria

Width	Part Number w/ Buffer Web Lined Eyes			Eye Width	Eye Length	Rated Capacities in Pounds		
	Model	Length	Type			Choker	Vertical	Vertical Basket
1"	01EE1PX	*	IVC	1"	9"	1,280	1,600	3,200
1"	01EE2PX	*	IVC	1"	9"	2,480	3,100	6,200
1"	01EE4PX	*	IVC	1"	12"	4,400	5,500	11,000
2"	02EE1PX	*	IVC	2"	9"	2,480	3,100	6,200
2"	02EE2PX	*	IVC	2"	9"	4,960	6,200	12,400
2"	02EE4PX	*	IVC	2"	12"	8,800	11,000	22,000
3"	03EE1PX	*	IVC	1-1/2"	9"	3,760	4,700	9,400
3"	03EE2PX	*	IVC	1-1/2"	12"	7,040	8,800	17,600
3"	03EE4PX	*	IVC	1-1/2"	18"	13,160	16,450	32,900
4"	04EE1PX	*	IVC	1-1/2"	12"	4,960	6,200	12,400
4"	04EE2PX	*	IVC	1-1/2"	12"	8,800	11,000	22,000
4"	04EE4PX	*	IVC	2"	18"	16,320	20,400	40,800
6"	06EE1PX	*	IVC	2"	14"	7,440	9,300	18,600
6"	06EE2PX	*	IVC	2"	14"	13,200	16,500	33,000
6"	06EE4PX	*	IVC	3"	20"	24,480	30,600	61,200
8"	08EE1PX	*	IVC	3"	18"	9,400	11,750	23,500
8"	08EE2PX	*	IVC	3"	18"	18,200	22,750	45,500
8"	08EE4PX	*	IVC	4"	24"	36,400	45,500	91,000
10"	10EE1PX	*	IVC	4"	22"	11,760	14,700	29,400
10"	10EE2PX	*	IVC	4"	22"	22,720	28,400	56,800
10"	10EE4PX	*	IVC	5"	28"	45,440	56,800	113,600
12"	12EE1PX	*	IVC	5"	26"	14,120	17,650	35,300
12"	12EE2PX	*	IVC	5"	26"	27,280	34,100	68,200
12"	12EE4PX	*	IVC	6"	32"	54,560	68,200	136,400

Note:

- Also available in the Tuffy Products Brand. Customer should specify when ordering.





EN Type V
endless web sling

Features:

- Heavy duty polyester 9800 lb. webbing with UV inhibitors
- Orange vinyl tag with clear vinyl cover to protect data
- More stability when choked
- 3-7% stretch with polyester
- Proof testing available upon request
- Design factor of 5 to 1

How to order:

- Combine model, length in feet, and type


! WARNING

See web sling warnings page
for warnings and inspection criteria

Width	Part Number			Rated Capacities in Pounds		
	Model	Length	Type	Choker	Vertical	Vertical Basket
1"	01EN1PX	*	V	2,560	3,200	6,400
1"	01EN2PX	*	V	4,960	6,200	12,400
2"	02EN1PX	*	V	4,960	6,200	12,400
2"	02EN2PX	*	V	9,920	12,400	24,800
3"	03EN1PX	*	V	7,520	9,400	18,800
3"	03EN2PX	*	V	14,080	17,600	35,200
4"	04EN1PX	*	V	9,920	12,400	24,800
4"	04EN2PX	*	V	17,600	22,000	44,000
6"	06EN1PX	*	V	14,880	18,600	37,200
6"	06EN2PX	*	V	26,400	33,000	66,000

Note:

- Also available in the Tuffy Products Brand. Customer should specify when ordering.



RE Type VI

Polyester reversed eye sling with buffer web wear pad in body and in each eye

Features:

- Heavy duty polyester on 9800 lb. webbing with UV inhibitors
- Orange vinyl tag with clear vinyl cover to protect data
- Buffer web wear pad both sides of the entire length of body for abrasion resistance
- 3-7% stretch with polyester
- Proof testing available upon request
- Design factor of 5 to 1

How to order:

- Combine model, length in feet, and type


WARNING

See web sling warnings page
for warnings and inspection criteria

Body Width	Part Number			Eye Width	Eye Length	Rated Capacities in Pounds		
	Model	Length	Type			Choker	Vertical	Vertical Basket
2"	01RE1PX	*	VI	1"	9"	2,560	3,200	6,400
2"	01RE2PX	*	VI	1"	12"	4,960	6,200	12,400
4"	02RE1PX	*	VI	1"	12"	4,960	6,200	12,400
4"	02RE2PX	*	VI	2"	18"	9,920	12,400	24,800
4"	02RE3PX	*	VI	2"	18"	13,700	17,200	34,400
4"	02RE4PX	*	VI	2"	18"	17,600	22,000	44,000
6"	03RE1PX	*	VI	1-1/2"	14"	7,520	9,400	18,800
6"	03RE2PX	*	VI	1-1/2"	18"	14,080	17,600	35,200
6"	03RE3PX	*	VI	3"	20"	20,200	25,200	50,500
6"	03RE4PX	*	VI	3"	24"	26,320	32,900	65,800


Note:

- Also available in the Tuffy Products Brand. Customer should specify when ordering.



2B-MEE

2 leg polyester web bridle with master link and standard eyes



2B-MHH

2 leg polyester web bridle with master link and web hooks



3B-MEE

3 leg polyester web bridle with master link and standard eyes



3B-MHH

3 leg polyester web bridle with master link and web hooks

Features:

- Heavy duty polyester 9800 lb. webbing with UV inhibitors
- Orange vinyl tag with clear vinyl cover to protect data
- Alloy master link with 45° indicator marks
- Standard eyes or WS-320 web hooks on bottom
- Proof testing available upon request
- Design factor of 5 to 1



WARNING

See web sling warnings page for warnings and inspection criteria

How to order:

- Combine model, length in feet, and type

Width	Part Number			Part Number			Master Link Size	WS-320 Web Hook Size	Rated Capacities in Pounds		
	Model w/ Eyes only	Length	Type	Model w/ Hooks	Length	Type			60°	45°	30°
1"	2B01EE1X	*	MEE	2B01EE1X	*	MHH	3/4"	1"	2,800	2,300	1,600
1"	2B01EE2X	*	MEE	2B01EE2X	*	MHH	3/4"	1"	5,400	4,400	3,100
2"	2B02EE1X	*	MEE	2B02EE1X	*	MHH	1"	2"	5,400	4,400	3,100
2"	2B02EE2X	*	MEE	2B02EE2X	*	MHH	1"	2"	10,700	8,800	6,200
3"	2B03EE1X	*	MEE	2B03EE1X	*	MHH	1-1/4"	3"	8,100	6,600	4,700
3"	2B03EE2X	*	MEE	2B03EE2X	*	MHH	1-1/4"	3"	15,200	12,400	8,800

Note:


- Rated capacity based on both legs carrying the load equally
- See weights page for weights

Width	Part Number			Part Number			Master Link Size	WS-320 Web Hook Size	Rated Capacities in Pounds		
	Model w/ Eyes only	Length	Type	Model w/ Hooks	Length	Type			60°	45°	30°
1"	3B01EE1X	*	MEE	3B01EE1X	*	MHH	1"	1"	4,100	3,300	2,400
1"	3B01EE2X	*	MEE	3B01EE2X	*	MHH	1"	1"	8,000	6,500	4,600
2"	3B02EE1X	*	MEE	3B02EE1X	*	MHH	1-1/4"	2"	8,000	6,500	4,600
2"	3B02EE2X	*	MEE	3B02EE2X	*	MHH	1-1/4"	2"	16,100	13,100	9,300
3"	3B03EE1X	*	MEE	3B03EE1X	*	MHH	1-1/2"	3"	12,200	9,900	7,000
3"	3B03EE2X	*	MEE	3B03EE2X	*	MHH	1-1/2"	3"	22,800	18,600	13,200

Notes:

- Also available in the Tuffy Products Brand. Customer should specify when ordering.





4B-MEE

4 leg polyester web bridle with master link and standard eyes



4B-MHH

4 leg polyester web bridle with master link and web hooks

Features:

- Heavy duty polyester 9800 lb. webbing with UV inhibitors
- Orange vinyl tag with clear vinyl cover to protect data
- Alloy master link with 45° indicator marks
- Standard eyes or WS-320 web hooks on bottom
- Proof testing available upon request
- Design factor of 5 to 1

How to order:

- Combine model, length in feet, and type

WARNING

See web sling warnings page for warnings and inspection criteria

Width	Part Number			Part Number			Master Link Size	WS-320 Web Hook Size	Rated Capacities in Pounds		
	Model w/ Eyes only	Length	Type	Model w/ Hooks	Length	Type			60°	45°	30°
1"	4B01EE1X	*	MEE	4B01EE1X	*	MHH	1-1/4"	1"	5,500	4,500	3,200
1"	4B01EE2X	*	MEE	4B01EE2X	*	MHH	1-1/4"	1"	10,700	8,700	6,200
2"	4B02EE1X	*	MEE	4B02EE1X	*	MHH	1-1/2"	2"	10,700	8,700	6,200
2"	4B02EE2X	*	MEE	4B02EE2X	*	MHH	1-1/2"	2"	21,400	17,500	12,400
3"	4B03EE1X	*	MEE	4B03EE1X	*	MHH	1-3/4"	3"	16,200	13,200	9,400
3"	4B03EE2X	*	MEE	4B03EE2X	*	MHH	1-3/4"	3"	30,400	24,800	17,600

Note:

- Rated capacity based on all four legs carrying the load equally
- Also available in the Tuffy Products Brand. Customer should specify when ordering.



Hose Handling Slings



Custom Web Slings



Web Slings with Rigging Hardware



CHS Type I - Steel Choker and Basket Fitting



BHS Type II - Steel Basket Fittings



CHA Type I - Aluminum Choker and Basket Fitting, single ply only



BHA Type II - Aluminum Basket Fittings, single ply only




Web Sling with Galvanized Web Sling Shackles each end



Web Sling with Galvanized Pear Links each end




Web Sling with Crosby Sling Saver Web Connector each end



⚠ WEB SLING WARNINGS

When inspecting a web sling, it shall be taken out of service immediately and returned for repair or replacement when any of the below defects are present.

Missing or illegible sling identification (tag)		Fittings that are pitted, corroded, cracked, bent, twisted, gouged, or broken	
Acid or caustic burn		Damaged hooks per ASME B30.10	
Melting or charring of any part of the sling		Damaged rigging hardware per ASME B30.26	
Holes, tears, cuts, abrasive wear, or snags that expose core yarns			
Broken or worn stitching in load bearing splices			
Excessive abrasive wear			
Knots in any part of the sling			
Discoloration and brittle or stiff areas on any part of the sling, which may mean chemical or ultraviolet/sunlight damage			

and... Any condition that causes doubt about the continued use of the sling