Thermo Fisher s c | E N T | F | C

Unlocking more blood cancer insights with NGS

Oncomine hemato-oncology research solutions

ion torrent

Each year, an estimated 1.28 million people are diagnosed with a blood cancer, accounting for nearly 7% of all new cancer cases worldwide.¹

Hematological disorders are complex, heterogeneous diseases with many oncogenic drivers and subtypes. Acute malignancies are very aggressive and can proliferate rapidly. Getting fast, accurate, and meaningful insights is essential in helping to advance our understanding of these disorders.

Traditionally, the study of myeloid and lymphoid malignancies involved numerous single-gene tests, multiple technologies, and fragmented workflows, which can be very time-consuming and laborious.

Next-generation sequencing (NGS) overcomes these challenges by enabling labs to detect all relevant genetic alterations simultaneously in a massively parallel fashion. NGS generally provides higher sensitivity, larger scale, and the ability to detect novel aberrations compared to traditional methods.


Oncomine Solutions help accelerate the path to answers

Gain more detailed insights faster and easier with Oncomine[™] Solutions. Our NGS platforms provide complete workflows that seamlessly take you from biological sample to annotated variant report. Access a broad menu of assays enabling key research applications to meet the needs of your lab. Integrated software tools simplify and automate informatics and reporting to ease the interpretation of results. As your partner, we will support you every step of the way.


The power of NGS with workflow simplicity for any lab

Our sequencing platforms are designed to be easy, so that any lab can access the power of NGS even those with no prior experience. NGS workflow automation provides push-button simplicity to deliver results quickly with little hands-on time required.

Genexus System Specimen to report in a single day with a hands-off, automated workflow



The Ion Torrent[™] Genexus[™] System is the first turnkey NGS solution that automates the specimen-to-report workflow and delivers results in a single day with just two user touchpoints.



Ion GeneStudio S5 System Scalable, targeted NGS to support small and large projects



The Ion GeneStudio[™] S5 System combined with the Ion Chef[™] Instrument is a scalable, targeted NGS workhorse with wide application breadth and throughput capability, and the ultimate customization flexibility.

1. Hyuna Sung, PhD, et al., *Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries (CA: A Cancer Journal for Clinicians*, 2021), https://acsjournals.onlinelibrary.wiley.com/doi/epdf/10.3322/caac.21660.

An assay portfolio designed to cover the spectrum of hemato-oncology research applications

Ion Torrent[™] Oncomine[™] assays are powering molecular testing in leading labs the world over. Whether you're interested in genomic profiling for myeloid or lymphoid malignancies or immune repertoire analysis, we provide a comprehensive suite of tools to help simplify and expedite your path to answers.

Choose the NGS research solution you need from a partner committed to your success.

The Oncomine hematology-oncology research assay portfolio

Genomic profiling



- Myeloid
- Ion Torrrent[™] Oncomine[™] Myeloid Research Assay
- Ion Torrent[™] Oncomine[™] Myeloid Assay GX v2
- Ion Torrent[™] Oncomine[™] Myeloid MRD Assay (RUO)*



Young adults and children

 Ion Torrent[™] Oncomine[™] Childhood Cancer Research Assay

Lymphoid

Ion Torrent[™] Oncomine[™] Lymphoma Panel


Immune repertoire analysis

Clonality and rare clone detection

- Ion Torrent[™] Oncomine[™] BCR Pan-Clonality Assay
- Ion Torrent[™] Oncomine[™] BCR IGH-SR Assay
- Ion Torrent[™] Oncomine[™] IGH FR3(d)-J Assay
- Ion Torrent[™] Oncomine[™] IGH FR2-J Assay
- Ion Torrent[™] Oncomine[™] TCR Pan-Clonality Assay
- Ion Torrent[™] Oncomine[™] TCR Beta-SR Assay
- Ion Torrent[™] Oncomine[™] TCR Beta-LR Assay

Somatic hypermutation

- Ion Torrent[™] Oncomine[™] BCR IGHV Leader-J Assay
- Ion Torrent[™] Oncomine[™] BCR IGH-LR Assay
- Ion Torrent[™] Oncomine[™] IGH FR1-J Assay





Discover our suite of hematology-oncology research NGS assays

Oncomine Myeloid Assay GX v2-achieve overnight myeloid results

The Oncomine Myeloid Assay GX v2 on the Genexus System provides a comprehensive report of myeloid mutations in as little as one day. A highly automated workflow lets you go from specimen to report with only 20 minutes of hands-on time. Sequence both DNA and RNA inputs to reliably detect all important mutations associated with myeloid malignancies.

Key features of the Oncomine Myeloid Assay GX v2

Applications	Assay inputs	Gene targets	TAT	Performance	System
Genomic profiling, gene fusion analysis	As little as 10 ng of input DNA or RNA	28 hotspot genes (DNA)	<27 hours	≥99% sensitivity	24 or 96 reactions with the Genexus System
	per pool from whole blood, peripheral blood	17 full genes (DNA)		≥99% specificity	
	leukocytes (PBLs), or bone marrow	30 fusion driver genes (RNA)			


Automated end-to-end workflow





Sample type

- ✓ Whole blood
- ✓ Peripheral blood leukocytes
- ✓ Bone marrow



✓ Automated end-to-end workflow, including extraction, quantification, library preparation, sequencing, variant calling, and reporting*



Ion Torrent[™] Oncomine[™] Reporter

✓ Annotated variant report with biomarkers linked to relevant evidence from public data sources

Oncomine Myeloid Research Assay-analyze DNA and RNA simultaneously

The Oncomine Myeloid Research Assay is a comprehensive assay that enables simultaneous assessment of both DNA and RNA in a single step.

- Profile 40 key DNA target genes and 29 fusion driver genes (~700 unique gene fusions)
- Gain critical insights into challenging targets, such as FLT3-ITD and CEBPA
- Access a simple workflow that delivers clear, concise, and customized reports

Key features of the Oncomine Myeloid Research Assay

Applications	Assay inputs	Gene targets	ТАТ	Performance	System
Detection of somatic mutations, including SNVs, indels, gene fusions, and tandem duplications	As little as 10 ng of input DNA or RNA per pool from blood or bone marrow	40	1–3 days	Expected variant detection down to 5% allele frequency with 99% confidence	24 or 96 reactions on the Ion GeneStudio S5 System

* The specimen-to-report workflow will be available for RNA samples once the total RNA purification kits are available in approximately early 2022.





Oncomine Myeloid MRD Assay (RUO) – quickly detect measurable residual disease with high sensitivity**

The Oncomine Myeloid MRD Assay (RUO) will help detect and track measurable residual disease (MRD) to advance hematological research.

- Simultaneously profile multiple targets that are highly relevant to myeloid malignancy MRD studies
- Using Ion AmpliSeq[™] HD chemistry with unique molecular tag (UMT) technology and dual bar codes, you can detect clones with high sensitivity, as low as 0.1% allele frequency

Oncomine Childhood Cancer Research Assay-study cancers in children and young adults comprehensively

The Oncomine Childhood Cancer Research Assay is designed for comprehensive genomic profiling of cancers affecting children and young adults.

- Profile 203 unique genes and thousands of fusions to help advance the future of pediatric oncology
- Target key genes relevant to leukemia research\



Key features of the Oncomine Childhood Cancer Research Assay

Applications	Assay inputs	Gene targets	TAT	Performance	System
Genomic profiling	As little as 10 ng/pool input DNA or RNA per library from FFPE tissue, blood, or bone marrow	203	2–3 days	≥99% specificity ≥99% sensitivity	Ion GeneStudio S5 System

Oncomine Lymphoma Panel-robust performance for your lymphoma studies


The Oncomine Lymphoma Panel contains 25 key genes associated with all major B cell lymphomas.

- Easily tailor the assay to fit your specific research needs with additional genes from the inventory of pre-validated designs
- Get robust performance for key genes like BCL2, MYD88, and CARD11, starting with as little as 10 ng of nucleic acid

Key features of the Oncomine Lymphoma Panel

Applications	Assay inputs	Gene targets	TAT	Performance	System
Genomic profiling	20 ng input DNA from FFPE	25	2–3 days	≥99% specificity	Ion GeneStudio
	tissue, blood, bone marrow			≥99% sensitivity	S5 System

MYELOID AND LYMPHOID




Immune repertoire research solutions Clonality and rare clone detection assays

Oncomine BCR Pan-Clonality Assay—assess clonality and detect rare clones

This powerful and sensitive NGS assay can accurately assess clonality and detect rare clones in a range of B cell malignancy sample types.

- Sequence multiple receptor targets in a single reaction: IGH, IGK, and IGL rearrangements, as well as kappadeleting element (KDE) rearrangements
- Enables reliable results with >90% positive clonality detection rates
- Detect rare B cell clones with high sensitivity and an ultralow limit of detection down to 10⁻⁶



A BCR heavy chain (IGH)




Figure 1. Oncomine BCR Pan-Clonality Assay primer design.

Oncomine TCR Pan-Clonality Assay-detect low-frequency T cell clones

The Oncomine TCR Pan-Clonality Assay specifically interrogates the CDR3 region of the T cell receptor (TCR) beta and gamma chains.

- Detect low-frequency T cell clones with sensitivity down to 10⁻⁶
- Target the FR3-J regions of the TCR beta chain and TCR gamma chain with one assay




Figure 2. Oncomine TCR Pan-Clonality Assay primer design.



Somatic hypermutation research assays

Oncomine BCR IGHV Leader-J Assay-measure SHM precisely

With the Oncomine BCR IGHV Leader-J Assay, you can accurately measure the level of somatic hypermutation (SHM) in the *IGHV* genes with the ultralow substitution error rate of the Ion Torrent[™] platform. Sequence from the leader to joining region of the BCR *IGHV* gene to assess SHM frequency. The assay adheres to recommendations by the European Research Initiative on CLL (ERIC), and these standards aid in the understanding of the biological relevance for immunogenetic analysis. Use this assay to accurately measure the level of SHM in the *IGHV* genes with an ultralow substitution error rate.

We offer a comprehensive family of immune repertoire assays to suit the needs of different laboratories. This portfolio includes a number of secondary testing assays to help maximize the overall clone detection rate.

- Sequence from the leader to joining region of the BCR IGHV gene
- Get appropriate coverage of the leader region, as recommended by the European Research Initiative on CLL (ERIC)

BCR IGH chain





Figure 3. Oncomine BCR IGHV Leader-J Assay primer design.



Immune repertoire assay summary

Assay	Target(s)	Nucleic acid input	Sample types	Application(s)	
Oncomine BCR Pan-Clonality Assay	BCR, IGH, IGK, IGL, KDE/ C _{int} , (FR3-J)	gDNA			
Oncomine BCR IGH-SR Assay	BCR IGH (FR3-J)	gDNA, RNA			
Oncomine IGH FR3(d)-J Assay	BCR IGH (FR3(d)-J)	gDNA	Whole blood; bone marrow; PBLs [†] ; PBMCs [†] ; sorted cells; fresh, frozen and FFPE-preserved tissue samples	Clonality, rare clone detection	
Oncomine IGH FR2-J Assay	BCR IGH (FR2-J)	gDNA			
Oncomine TCR Pan-Clonality Assay	TCRB, TCRG (FR3-J)	gDNA	-		
Oncomine BCR IGHV Leader-J Assay	BCR IGH (Leader-J)	gDNA	Whole blood, bone marrow, PBLs, PBMCs, sorted cells		
Oncomine BCR IGH-LR Assay	BCR IGHV (FR1-C)	Non-FFPE RNA	Whole blood, bone marrow, PBLs,	Somatic hypermutation	
Oncomine IGH FR1-J Assay	BCR IGH (FR1-J)	Non-FFPE RNA	PBMCs, fresh and frozen specimens		

[†] PBLs: peripheral blood leukocytes; PBMCs: peripheral blood mononuclear cells.




Visit oncomine.com/clonality for more information on these assays

Software solutions


Ion Reporter Software – bioinformatics designed for accuracy and simplicity

Ion Reporter[™] Software simplifies your bioinformatics analysis and enables you to get high-quality data by automatically prioritizing and annotating variants.

- Efficient-fast upload and access to your data
- Secure—protection and security features for your data, including e-signatures, audits, and records management
- Automated-push-button data analysis with preconfigured workflows
- **Convenient**—service, support, and software for one year, providing unlimited data analyses from multiple Ion Torrent[™] sequencers



Oncomine Reporter—curated knowledgebase and reporting software Oncomine Reporter provides customizable, annotated variant reports with links to relevant evidence from public data sources.





Are you ready to get started?

Our precision oncology consultants are ready to develop a hematology-oncology strategy that will work for your research needs.



ion torrent

For Research Use Only. Not for use in diagnostic procedures. © 2021 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. COL34521 1121