

# THE #1 MANUFACTURER OF WIRE HARNESS ASSEMBLY STATIONS



The EWH Electric Height Adjustable Wire Harness assembly benches are designed for the ergonomic assembly of wire harnesses. The unit comes with a 72" x 36" platform capable of holding boards from 24" wide to 24" long up to 48" wide x 96" long. The platform comes with an adjustable front rail that captivates boards from .250" thick to .750" thick. The EWH features a 60 degree electric foot pedal operated tilt with 600 pounds capacity. When the EWH is fully tilted the front edge of the board adjusts from 24.5" to 40.5" via foot pedal.

PART NO.	DESCRIPTION	Wgt.(lbs)
EWH7236	Wire harness table with a 72"L x x36" W platform to hold wire harness assembly	327
72"Lx36"W	boards. With electric height adjustment and electric tilt.	027



Our EWH and MWH Wire Harness benches also ship as part of our "Bench in a Box"Series. Each bench is packaged individually with it's own set of assembly instructions, hardware kit and harness bench.

> Use Part # BIB21 for MWH7236 Use Part # BIB22 for EWH7236

Wire Harness Station 84" long x 42" deep when 3" high front and rear lip are flat. Solid Maple Work surface pivots up to 90 degrees locks in five positions. Work surface adjusts via pull pin from 32" to 44" high in 4" increments when in the flat position. Horizontal leg slides in 7" on either side for storage.





# THE #1 MANUFACTURER OF WIRE HARNESS ASSEMBLY STATIONS

DP4880DS - Open Frame 48" wide z 80" high wi Lwo horizontal leg#.

ride open frame adjuølø from 30" to 36" hig 10 work øurface. Extendø 24" from open fram

L - Wetal Back Slop 48" long to be front edge of Flexline top support fram barness board.

2) NO/FLTSNT48 - Flexline

PART NO.	DESCRIPTION	Wgt.(lbs)
WH8442/SK	Wire harness table with a 84"L x 42" deep platform to hold wire harness assembly boards. With manual tilt and manual pull pin height adjustment. 3" folding lip front and rear	286
84"Lx42"Deep	boards. With manual tilt and manual puil pin height aujust nem. 3 Tolding lip nont and real	
	The FLWH4880 Allows you to adjust the surface height from 28" to 34" via pull-pin adjustment. Adjustable front lip can be bolted to the end of the cantilever support or adjusted inwards in 1" increments to change the pitch of	ntilever arms rom frame. ianel accepts

the board.

Single sided or double sided

PART NO.	DESCRIPTION	Wgt.(Ibs)
FLWH4880S 48"Lx80"Hx30.25"	Flexline wire harness bench. 80"high x 48" wide x 30.25" deep. Cantilever arms adjust from 28" to 34" on 1" increments. Front lip adjusts in on 1" increments. Single Sided	110
FLWH4880S	Flexline wire harness bench. 80"high x 48" wide x 30.25" deep. Cantilever arms	145
48"Lx80"Hx57.75"	adjust from 28" to 34" on 1" increments. Front lip adjusts in on 1" increments. Double Sided	

Pro-Line Ergoline hand crank height adjustable work bench, with built in 90 degree electric tilt. Included with the tilt is our adjustable front lip to captivate the wire harness board.

The work surface adjusts up and down via hand crank and the tilt works via foot pedal.

Shown with optional, louvered bin arms, uprights, overhead light with tool balancer, personal fan and steel board to attach drawings with magnets.



PART NO.	DESCRIPTION	Wgt.(lbs)
EL6030/WH48/90	Hand crank height adjustable work bench 60"L x 30"D to 42"H. Price includes	195
60"x30"x30"/42	48"x 30" 90 degree electric tilt section with front lip.	
ABH-1/E	Articulating Bin Arm, painted steel louvered panel 17"H x18"W extends up to	35
17"x18"x30"	30" from upright with extra arm to extend past harness frame.	





### ELECTRIC HEIGHT ADJUSTABLE WIRE HARNESS BENCH 96" LONG X 36" DEEP and 48" deep. WHEN FULLY TILTED FRONT EDGE OF FRAME IS 24.5" FROM FLOOR AND ADJUSTS UP TO 40.5". PRICE INCLUDES FRONT LIP TO CAPTIVATE BOARD. FOOT PEDAL OPERATION HEIGHT ADJUSTABLE.

#### The 36" deep model features a dual motor tilt system and the 48" model features dual motor tilt and quad motor lift.

PART NO.	DESCRIPTION	Wgt.(lbs)
EWH9636	Wire harness table with a $96$ L $\times$ $36$ W platform to hold wire harness assembly boards. With electric height adjustment and electric tilt.	436
96"Long x 36" EWH9648	Wire harness table with a 96"L x 48"W platform to hold wire harness assembly boards.	489
96"Long x 48" deep		

# Up to 40' long wire harness bench



Joinable Wire Harness Station 96" long x 48" deep x 29.250" high when in the flat. Unit adjusts via an electric lead screw. Price includes an 80 degree electric tilt. Both height and tilt adjustment to work via foot pedal. Price includes Master control box that allows benches to be bolted together, any of the connected benches can be designated as master and the balance of the connected benches to work in unison with the master.

#### THIS UNIT SHIPS ASSEMBLED ONLY.

PART NO.	DESCRIPTION	Wgt.(lbs)
WHJ9648/80/EX	Wire harness table with a $96$ "L x $48$ " W platform to hold wire harness assembly	286
84"Lx42"Deep	boards. Electric height adjustment with 80 degree tilt, can be connected together.	200



The MWH Manual Height Adjustable Wire Harness assembly benches are designed for the ergonomic assembly of wire harnesses. The unit comes with a 72" x 36" platform capable of holding boards from 24" wide to 24" long up to 48" wide x 96" long. The platform comes with an adjustable front rail that captivates boards from .250" thick to .750" thick. The MWH7236 features a 60 degree 13 position 150 pound capacity tilt. The MWH9636 features a 250 pound capacity.

PART NO.	DESCRIPTION	Wgt.(Ibs)
MWH7236	Wire harness table with a 72"L x x36" W platform to hold wire harness assembly boards. With hand crank height adjustment and manual tilt.	240
72"Lx36"W MWH9636	Wire harness table with a 96"L $\times \times$ 36" W platform to hold wire harness assembly	240
96"Lx36"W	boards. With hand crank height adjustment and manual tilt.	240
PCN6696TR	Pivoting tool tray counter balanced to stay level as frame is tilted. 96" long x 6"	65
96"Lx6"Dx6"H	deep $\times$ 6" high. Painted steel to match frame	
PCN6672TR	Pivoting tool tray counter balanced to stay level as frame is tilted. 72" long x 6"	65
72"Lx6"Dx6"H	deep x 6" high. Painted steel to match frame	
CPMWH	Connecting Bracket for the Manual Wire Harness bench, allows for the MWH	2
2"x4"x.090	to be bolted together. Set of 4. MUST BE ORDERED INITIALLY, CANNOT BE AN ADD ON	E



Email: Bench@1proline.com www.1proline.com Pro-Line 10 Avco Rd Haverhill MA 01835 PH (800) 739-9067 FX (978) 374 4885