Digital Theatre+ Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.4)

Name of Product/Version: Digital Theatre+

Report Date: September 2021

Product Description: The Digital Theatre+ product is an educational website providing video, audio, image, text and PDF media covering a wide variety of theatrical productions and related education topics.

Contact Information: support@digitaltheatreplus.com

Notes:

Digital Theatre+ does not provide any software, closed functionality or authoring tools.

The Digital Theatre+ product has been evaluated for WCAG 2.0 Level AAA Conformance.

Evaluation Methods Used: Manual and automated reviews by Digital Theatre+ using: Web Developer Tools in Firefox and Chrome, <u>Lighthouse</u> for automatic performance testing, aXe for code analysis, MacOS VoiceOver [and a screen reader] for assistive technologies.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (Yes)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (Yes)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11)	(No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.8.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	Web: Text alternatives are controlled via the Content Publishing system. Alternate text is required in the Content Publishing system, but human error may result in the text not being meaningful. Please notify support@digitaltheatre.com if you find any issues.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		Web: The product does not currently have alternatives for video or audio time-based media or an audio track for video. The product does have some transcripts for audio recordings, however this is not a standard feature of the website.

1.2.2 Captions (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.2 (Web)		Web:
 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 	Web: Partially supports	At the time of writing 91% of videos which include speech now have captions. DigitalTheatre+ aims to have 100% of videos available with captions. Digital Theatre+ has a policy that any new video with speech must include captions at time of publishing.
• 602.3 (Support Docs)		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Does not support	Web: The product does not provide audio description tracks or alternative media for pre-recorded video.
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software)	Web: Supports	Information and relationships are programmatically determined or can be conveyed through text.

• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.3.2 Meaningful Sequence (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.2 (Web)		
• 10.1.3.2 (Non-web document)		
• 11.1.3.2.1 (Open Functionality Software)		
• 11.1.3.2.2 (Closed Software)	Mah. Cupports	The product's content has a correct and meaningful
• 11.8.2 (Authoring Tool)	Web: Supports	reading sequence.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.3.3 Sensory Characteristics (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.3 (Web)		
 10.1.3.3 (Non-web document) 		
 11.1.3.3 (Open Functionality Software) 	Web: Supports	The product does not include information that relies
• 11.1.3.3 (Closed Software)	1 7	solely on sensory characteristics.
• 11.8.2 (Authoring Tool)		Bolely on Sensony Characteristics.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		

• 602.3 (Support Docs)		
• 602.5 (δαμμοίτ Δους)		
1.4.1 Use of Color (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.1 (Web)		
• 10.1.4.1 (Non-web document)		
• 11.1.4.1 (Open Functionality Software)		
• 11.1.4.1 (Closed Software)	Web: Supports	Colour is not used as the only visual means of conveying
• 11.8.2 (Authoring Tool)		meaning and information.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.2 Audio Control (Level A)		
Also applies to:		
EN 301 549 Criteria	IMAN, SIINNOLLS	The product does not contain any audio that plays automatically.
• 9.1.4.2 (Web)		
• 10.1.4.2 (Non-web document)		
 11.1.4.2 (Open Functionality Software) 		
• 11.1.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.1.1 Keyboard (Level A)		
Also applies to:		The product allows full functionality and operability
EN 301 549 Criteria	IMAN, SIINNOLLE	through a keyboard interface.
• 9.2.1.1 (Web)		linough a keyboard interface.
• 10.2.1.1 (Non-web document)		

	Г	
• 11.2.1.1.1 (Open Functionality Software)		
• 11.2.1.1.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.1.2 No Keyboard Trap (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.1.2 (Web)		
• 10.2.1.2 (Non-web document)		
 11.2.1.2 (Open Functionality Software) 		
• 11.2.1.2 (Closed Software)	Make Companie	The country of the state of the
• 11.8.2 (Authoring Tool)	Web: Supports	The product does not include any keyboard traps.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		[_.
• 9.2.1.4 (Web)		Web:
• 10.2.1.4 (Non-web document)	Web: Supports	<u> </u>
• 11.2.1.4.1 (Open Functionality Software)		The letter M is used to toggle muting audio or video, but
• 11.2.1.4.2 (Closed Software)		this only happens when the media player is in focus.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		

Revised Section 508 – Does not apply		
2.2.1 Timing Adjustable (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.1 (Web)		
• 10.2.2.1 (Non-web document)		
• 11.2.2.1 (Open Functionality Software)		
• 11.2.2.1 (Closed Software)	Web: Supports	The product does not contain any time limits.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.2.2 Pause, Stop, Hide (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.2 (Web)		
• 10.2.2.2 (Non-web document)		
• 11.2.2.2 (Open Functionality Software)		
• 11.2.2.2 (Closed Software)	Web: Supports	The product does not contain any blinking, scrolling or
• 11.8.2 (Authoring Tool)		auto-updating information.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:	IMAN, SIINNOLLS	No web pages have flashing content, but there may be
EN 301 549 Criteria		video content that has flashing.

		
• 9.2.3.1 (Web)		
• 10.2.3.1 (Non-web document)		
• 11.2.3.1 (Open Functionality Software)		
• 11.2.3.1 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.1 (Web)		
 10.2.4.1 (Non-web document) – Does not apply 		
 11.2.4.1 (Open Functionality Software) – Does not apply 		
 11.2.4.1 (Closed Software) – Does not apply 	Web: Supports	The product provides a mechanism to bypass blocks of
• 11.8.2 (Authoring Tool)		content that are repeated on multiple web pages.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.2 Page Titled (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.2 (Web)		
• 10.2.4.2 (Non-web document)	Web: Supports	Web pages have titles that describe their purpose.
 11.2.4.2 (Open Functionality Software) - Does not apply 		
 11.2.4.2 (Closed Software) – Does not apply 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		

Revised Section 508		
501 (Web)(Software)		
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
2.4.3 Focus Order (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.3 (Web)		
 10.2.4.3 (Non-web document) 		
 11.2.4.3 (Open Functionality Software) 		Make a second and the
• 11.2.4.3 (Closed Software)	Web: Supports	Web pages can be navigated sequentially and focusable
• 11.8.2 (Authoring Tool)		components are focused in an order that preserves their
• 12.1.2 (Product Docs)		meaning.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.4 (Web)		
• 10.2.4.4 (Non-web document)		
 11.2.4.4 (Open Functionality Software) 		
• 11.2.4.4 (Closed Software	Web: Supports	Link purpose can be determined from its text alone.
 11.8.2 (Authoring Tool) 		
• 12.1.2 (Product Docs)		
 12.2.4 (Support Docs) 		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 only)		All formations like and he account of the chief.
Also applies to:	Web: Supports	All functionality can be operated with a single pointer
EN 301 549 Criteria		gesture.

• 9.2.5.1 (Web)		
• 10.2.5.1 (Non-web document)		
• 11.2.5.1 (Open Functionality Software)		
• 11.2.5.1 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.2 (Web)		
• 10.2.5.2 (Non-web document)	Web: Supports	
• 11.2.5.2 (Open Functionality Software)	web. Supports	The product supports pointer cancellation.
• 11.2.5.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.3 Label in Name (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.3 (Web)		
• 10.2.5.3 (Non-web document)		All labels that include text or images of text contain the text that is presented visually.
 11.2.5.3.1 (Open Functionality Software) 	IMAN' SIINNATE	
• 11.2.5.3.2 (Closed Software)		text that is presented visually.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.4 Motion Actuation (Level A 2.1 only)		
Also applies to:		The product does not require the use of rection to
EN 301 549 Criteria	Web: Supports	The product does not require the use of motion to
• 9.2.5.4 (Web)		perform actions.
• 10.2.5.4 (Non-web document)		

11.2.5.4 (Closed Software) 11.2.5.4 (Closed Software) 11.2.5.4 (Closed Software) 11.2.5.4 (Closed Software) 11.2.2.4 (Support Docs) 12.2.2 (Support Docs) Revised Section 508 - Does not apply 3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 11.3.1.1 (Open Functionality Software) 11.3.1.1.1 (Open Functionality Software) 11.3.1.2 (Closed Software) 11.2.2 (A (Support Docs) 12.2.2 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.10n Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.3.2.1 (Closed Software) 11.3.2.2 (Closed Software) 11.3.2.3 (Closed Software) 11.3.2.4 (Closed Software)		i	
11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Bocs) Revised Section 508 – Does not apply 3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 11.3.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.3.1.1.2 (Closed Software) 11.3.1.2 (Closed Software) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.3.2.1 (Closed Software) 11.3.2.1 (Closed Software) The default language on each web page can be programmatically determined. The default language on each web page can be programmatically determined.	1 ' '		
12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 9.3.1.1 (Wob) 10.3.1.1 (Non-web document) 11.3.1.1.2 (Closed Software) 11.3.1.2 (Closed Software) 11.3.2.1 (Qroduct Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 503.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Wob) 10.3.2.1 (Qon-web document) 11.3.2.1 (Closed Software) 11.3.2.1 (Closed Software) 11.3.2.1 (Closed Software) 11.3.2.1 (Closed Software) 11.3.2.1 (Closed Software) The default language on each web page can be programmatically determined. The default language on each web page can be programmatically determined. The default language on each web page can be programmatically determined.	• 11.2.5.4 (Closed Software)		
• 12.2.4 (Support Docs) Revised Section 508 – Does not apply 3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.2 (Closed Software) • 11.3.1.1.2 (Closed Software) • 11.3.2.1 (Quent Functionality Software) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria • 9.3.2.1 (Web) • 10.3.2.1 (Open Functionality Software) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.3.2.1 (Closed Software) • 11.3.2.1 (Closed Software) • 11.3.2.1 (Closed Software) Web: Supports The default language on each web page can be programmatically determined.	• 11.8.2 (Authoring Tool)		
Revised Section 508 – Does not apply 3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria • 9.3.1.1 (Woeb) • 10.3.1.1 (Non-web document) • 11.3.1.1.2 (Closed Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria • 9.3.2.1 (Woeb) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Closed Software) • 11.3.2.1 (Closed Software) • 11.3.2.1 (Closed Software) • 11.3.2.1 (Closed Software)	• 12.1.2 (Product Docs)		
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.2 (Closed Software) 11.3.1.2 (Closed Software) 11.3.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Open Functionality Software) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The default language on each web page can be programmatically determined.	• 12.2.4 (Support Docs)		
Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) 10.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.3.1.2.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Closed Software) The default language on each web page can be programmatically determined.	Revised Section 508 – Does not apply		
Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) 10.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.3.1.2.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Closed Software) The default language on each web page can be programmatically determined.	3.1.1 Language of Page (Level A)		
EN 301 549 Criteria • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.2 (Closed Software) • 11.3.1.2 (Closed Software) • 11.3.1.2 (Product Docs) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web) (Software) • 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Closed Software) • The default language on each web page can be programmatically determined. The default language on each web page can be programmatically determined.			
 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.3.2.1 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web) (Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 32.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The default language on each web page can be programmatically determined. The default language on each web page can be programmatically determined. The default language on each web page can be programmatically determined. For all 1.3.2.1 (Web: Supports) The product does not initiate any changes of context The product does not initiate any changes of context			
 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.3.2.1 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The default language on each web page can be programmatically determined. The default language on each web page can be programmatically determined. For grammatically determined. The product does not initiate any changes of context Web: Supports The product does not initiate any changes of context			
 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 32.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The default language on each web page can be programmatically determined. The default language on each web page can be programmatically determined. For all 1.3.1.1 (Closed Software) Web: Supports The product does not initiate any changes of context	, ,		
 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The default language on each web page can be programmatically determined. Programmatically determined. The product does not initiate any changes of context The product does not initiate any changes of context	· ·		
 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context			The default language on each web page can be
 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) The product does not initiate any changes of context		Wen. Silbborts	, , ,
 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context			
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context	·		
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) The product does not initiate any changes of context	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
 504.2 (Authoring Tool) 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) The product does not initiate any changes of context			
 602.3 (Support Docs) 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) The product does not initiate any changes of context 			
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context			
Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context			
EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context	·		
 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context	· ·		
 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context			
 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context	, ,		
• 11.3.2.1 (Closed Software) Web: Supports The product does not initiate any changes of context	,		
IW/An' Sunnorts			The product does not initiate any changes of context
		IMAN, ZIINNOLLE	when a component receives focus.
• 12.1.2 (Product Docs)			'
• 12.2.4 (Support Docs)	· · · · · · · · · · · · · · · · · · ·		
Revised Section 508	, , , , ,		
• 501 (Web)(Software)			
• 504.2 (Authoring Tool)			
• 602.3 (Support Docs)			

3.2.2 On Input (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.2 (Web)		
• 10.3.2.2 (Non-web document)		
• 11.3.2.2 (Open Functionality Software)		Changing the setting of a user interface component does not automatically cause a change of context.
• 11.3.2.2 (Closed Software)		
• 11.8.2 (Authoring Tool)	MAN' SIINNATE	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.3.1 Error Identification (Level A)		
Also applies to:		
EN 301 549 Criteria		Input errors are identified and described to the user in text.
• 9.3.3.1 (Web)	Meh. Sunnorts	
 10.3.3.1 (Non-web document) 		
 11.3.3.1.1 (Open Functionality Software) 		
• 11.3.3.1.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.3.2 Labels or Instructions (Level A)		
Also applies to:		
EN 301 549 Criteria		Labels or instructions are provided when content requires
• 9.3.3.2 (Web)	IWAN, ZIINDOLLS	user input.
• 10.3.3.2 (Non-web document)		
• 11.3.3.2 (Open Functionality Software)		
• 11.3.3.2 (Closed Software)		

 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	Elements have start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes and IDs are unique.
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Not required 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software)	Web: Supports	The name and role of components can be programmatically determined, and states, properties and values that can be set by the user can be programmatically set. Notification of changes to these items is available to user agents.

• 504.2 (Authoring Tool)	
602.3 (Support Docs)	

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		Web: Product does not currently provide live video or audio.
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Does not support	Web: Audio description is not currently provided for video

1.3.4 Orientation (Level AA 2.1 only)		
Also applies to:		Web: All essential content is visible and functional in any
EN 301 549 Criteria		
• 9.1.3.4 (Web)		
• 10.1.3.4 (Non-web document)		
• 11.1.3.4 (Open Functionality Software)	IWen: Sunnorts	
• 11.1.3.4 (Closed Software)		orientation
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.3.5 Identify Input Purpose (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.5 (Web)		
 10.1.3.5 (Non-web document) 		Web: Inputs are search field and username and password inputs (provided by Okta) and all are supported.
 11.1.3.5.1 (Open Functionality Software) 	IM/An: Sunnorts	
• 11.1.3.5.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.3 Contrast (Minimum) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.3 (Web)		
• 10.1.4.3 (Non-web document)		
• 11.1.4.3 (Open Functionality Software)		Visual presentations of text have a sufficient contrast ratio
• 11.1.4.3 (Closed Software)	IM/An: Sunnorts	in all places.
• 11.8.2 (Authoring Tool)		in an places.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		

• 602.3 (Support Docs)		
1.4.4 Resize text (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.4 (Web)		Text can be resized without assistive technology up to
• 10.1.4.4 (Non-web document)		
• 11.1.4.4.1 (Open Functionality Software)		
• 11.1.4.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)	IM/An' Siinnorts	200% without loss of content or functionality.
• 12.1.2 (Product Docs)		, i
• 12.2.4 (Support Docs)		
Revised Section 508		
501 (Web)(Software)		
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
1.4.5 Images of Text (Level AA)		
Also applies to:		
EN 301 549 Criteria		The product uses text to convey information instead of images of text for all of its content.
• 9.1.4.5 (Web)	1	
 10.1.4.5 (Non-web document) 		
 11.1.4.5.1 (Open Functionality Software) 		
 11.1.4.5.2 (Closed Software) – Does not apply 		
11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.10 Reflow (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria	IMPO SUDDOTTS	The product allows reflow of pages without loss of information or functionality.
• 9.1.4.10 (Web)		
 10.1.4.10 (Non-web document) 		
• 11.1.4.10 (Open Functionality Software)		

	1	1
• 11.1.4.10 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.11 Non-text Contrast (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.11 (Web)		
 10.1.4.11 (Non-web document) 		The product passes the minimum contrast requirements
 11.1.4.11 (Open Functionality Software) 	Web: Supports	The product passes the minimum contrast requirements
• 11.1.4.11 (Closed Software)		for visually presented components.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.12 Text Spacing (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.12 (Web)		
• 10.1.4.12 (Non-web document)		
• 11.1.4.12 (Open Functionality Software)	Web: Supports	Changes to text spacing work without removing meaning
• 11.1.4.12 (Closed Software)	• •	from content or losing functionality.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.13 Content on Hover or Focus (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.13 (Web)		Content is dismissible, hoverable or persistent on hover or
• 10.1.4.13 (Non-web document)	Web: Supports	focus.
• 11.1.4.13 (Open Functionality Software)		
• 11.1.4.13 (Closed Software)		
• 11.8.2 (Authoring Tool)		
	<u> </u>	<u> </u>

Wah, Supports	There is more than one way to leasts web nages
web: Supports	There is more than one way to locate web pages.
Web: Supports	Headings and labels describe their purpose.
	Laboration of the second state of the second s
hards G	Interactive elements have a visible keyboard focus
web: Supports	indicator in the form of a coloured rectangle around the
	active control.
	Web: Supports

	1	
• 10.2.4.7 (Non-web document)		
• 11.2.4.7 (Open Functionality Software)		
• 11.2.4.7 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.1.2 Language of Parts (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.1.2 (Web)		
• 10.3.1.2 (Non-web document)		
 11.3.1.2 (Open Functionality Software) – Does not apply 		
 11.3.1.2 (Closed Software) – Does not apply 		
• 11.8.2 (Authoring Tool)	IM/An' Siinnorts	The human language of the product's content can be
• 12.1.2 (Product Docs)		programmatically determined.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.3 (Web)		
• 10.3.2.3 (Non-web document) – Does not apply		Navigational mechanisms that are repeated on multiple
• 11.3.2.3 (Open Functionality Software) – Does not apply	IM/An' Siinnorts	web pages appear in the same relative order.
• 11.3.2.3 (Closed Software) – Does not apply		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
(earlies see)	!	

Device of Caption 500		
Revised Section 508		
• 501 (Web)(Software) – Does not apply to non-web software		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		
3.2.4 Consistent Identification (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.4 (Web)		
 10.3.2.4 (Non-web document) – Does not apply 		
• 11.3.2.4 (Open Functionality Software) – Does not apply		
• 11.3.2.4 (Closed Software) – Does not apply		Components that have the same functionality are
• 11.8.2 (Authoring Tool)	IM/An' Siinnorts	identified consistently.
• 12.1.2 (Product Docs)		,
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		
3.3.3 Error Suggestion (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.3.3 (Web)		
• 10.3.3.3 (Non-web document)		
 11.3.3.3 (Open Functionality Software) 		
• 11.3.3.3 (Closed Software)	Web: Supports	Errors are automatically detected and suggestions are
• 11.8.2 (Authoring Tool)	l Supports	provided to the user (if suggestions are known).
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)	Web: Not applicable	The product does not process legal or financial
Also applies to:	Procession applicable	commitments.

EN 301 549 Criteria		
• 9.3.3.4 (Web)		
• 10.3.3.4 (Non-web document)		
 11.3.3.4 (Open Functionality Software) 		
• 11.3.3.4 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
4.1.3 Status Messages (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.4.1.3 (Web)		
• 10.4.1.3 (Non-web document)		Status messages can be programmatically determined and
• 11.4.1.3 (Open Functionality Software)	Web: Supports	presented to the user by assistive technologies without
 11.4.1.3 (Closed Software) – Does not apply 		receiving focus.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

Table 3: Success Criteria, Level AAA

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA)		Supporting this would be a disproportionate burden
EN 301 549 Criteria – Does not apply	Web: Does not support	within the meaning of accessibility regulations.
Revised Section 508 – Does not apply		
1.2.7 Extended Audio Description (Prerecorded) (Level AAA)	Mala Dana and assessment	Supporting this would be a disproportionate burden
EN 301 549 Criteria – Does not apply	Web: Does not support	within the meaning of accessibility regulations.
Revised Section 508 – Does not apply		
1.2.8 Media Alternative (Prerecorded) (Level AAA)	Will Brown at a second	Supporting this would be a disproportionate burden
EN 301 549 Criteria – Does not apply	Web: Does not support	within the meaning of accessibility regulations.
Revised Section 508 – Does not apply		
1.2.9 Audio-only (Live) (Level AAA)	NAZARA NIARA ARRIVATARA	NACE Birthel Three trees described and the second s
EN 301 549 Criteria – Does not apply	Web: Not applicable	Web: Digital Theatre+ does not currently offer live audio.
Revised Section 508 – Does not apply		
1.3.6 Identify Purpose (Level AAA 2.1 only)		The purpose of visual components can be
EN 301 549 Criteria – Does not apply	Web: Supports	programmatically determined in content implemented
Revised Section 508 – Does not apply		using markup languages.
1.4.6 Contrast (Enhanced) (Level AAA)		The majority of text meets this standard, however there
EN 301 549 Criteria – Does not apply	Web: Partially supports	are exceptions, for example the green hyperlinks in text
Revised Section 508 – Does not apply		content, which meet AA standards.
1.4.7 Low or No Background Audio (Level AAA)		Although we cannot ensure this is the case, all efforts are
EN 301 549 Criteria – Does not apply	Web: Does not support	made to license and create content that includes clearly
Revised Section 508 – Does not apply		audible foreground audio.
1.4.8 Visual Presentation (Level AAA)		Video and visual content may contain blocks of text where
EN 301 549 Criteria – Does not apply	Web: Does not support	no mechanisms are provided to meet the accessibility
Revised Section 508 – Does not apply		regulations.
1.4.9 Images of Text (No Exception) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Supports	Images of text are only used for pure decoration.
Revised Section 508 – Does not apply		
2.1.3 Keyboard (No Exception) (Level AAA)	Web: Supports	All content is operable through a keyboard interface
EN 301 549 Criteria – Does not apply		without requiring specific timings.

Revised Section 508 – Does not apply		
2.2.3 No Timing (Level AAA)		Timing is not an essential part of any activity on the product.
EN 301 549 Criteria – Does not apply	Web: Supports	
Revised Section 508 – Does not apply		product.
2.2.4 Interruptions (Level AAA)		Interruptions can be postponed or suppressed by the user.
EN 301 549 Criteria – Does not apply	Web: Supports	
Revised Section 508 – Does not apply		user.
2.2.5 Re-authenticating (Level AAA)		The user can continue activities without loss of data when
EN 301 549 Criteria – Does not apply	Web: Supports	they reauthenticate after their session expires.
Revised Section 508 – Does not apply		they readthenticate after their session expires.
2.2.6 Timeouts (Level AAA 2.1 only)		
EN 301 549 Criteria – Does not apply	Web: Supports	There is no user inactivity that could cause data loss.
Revised Section 508 – Does not apply		
2.3.2 Three Flashes (Level AAA)		Web: No web pages have flashing content, but there may
EN 301 549 Criteria – Does not apply	Web: Partially Supports	be video content that has flashing.
Revised Section 508 – Does not apply		be video content that has hashing.
2.3.3 Animation from Interactions (Level AAA 2.1 only)		
EN 301 549 Criteria – Does not apply	Web: Supports	Motion animation can be disabled.
Revised Section 508 – Does not apply		
2.4.8 Location (Level AAA)		There is information about a user's location on the web
EN 301 549 Criteria – Does not apply	Web: Supports	
Revised Section 508 – Does not apply		page.
2.4.9 Link Purpose (Link Only) (Level AAA)		The purpose of each link is identifiable from link text
EN 301 549 Criteria – Does not apply	Web: Supports	alone.
Revised Section 508 – Does not apply		alone.
2.4.10 Section Headings (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Supports	Section headings are used to organise content.
Revised Section 508 – Does not apply		
2.5.5 Target Size (Level AAA 2.1 only)		The target size for pointer inputs is at least 44 by 44 CSS
EN 301 549 Criteria – Does not apply	Web: Supports	pixels.
Revised Section 508 – Does not apply		
2.5.6 Concurrent Input Mechanisms (Level AAA 2.1 only)		Web content does not restrict the use of input modalities
EN 301 549 Criteria – Does not apply	Web: Supports	
Revised Section 508 – Does not apply		on the product.

3.1.3 Unusual Words (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Does not support	Supporting this would be a disproportionate burden within the meaning of accessibility regulations.
3.1.4 Abbreviations (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Does not support	Supporting this would be a disproportionate burden within the meaning of accessibility regulations.
3.1.5 Reading Level (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Partially supports	In cases where content is designed for secondary education level, all efforts have been made to provide supplemental content to scaffold learning. There may be instances where content is designed specifically for learners at higher education, in these cases supplemental content for lower secondary is not provided.
3.1.6 Pronunciation (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Does not support	Supporting this would be a disproportionate burden within the meaning of accessibility regulations.
3.2.5 Change on Request (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Changes of context are initiated by the user.
3.3.5 Help (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	The product contains context sensitive help.
3.3.6 Error Prevention (All) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Pages that require the user to submit information are reversible, checked for input errors or confirmed before submission.

Revised Section 508 Report

Notes:

Chapter 3: <u>Functional Performance Criteria</u> (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	The website uses standard HTML and WAI-ARIA to describe name, role and value of interface elements.
302.2 With Limited Vision	Supports	The website supports use of browser zooming, magnification, removal of visual styling and colour and contrast adjustments.
302.3 Without Perception of Color	Supports	Colour is not used as the only means of communicating information or purpose.
302.4 Without Hearing	Partially supports	The website provides captions for 91% of video with spoken word. There are also a small number of audio productions, some of which have transcripts, some do not.
302.5 With Limited Hearing	Not applicable	
302.6 Without Speech	Not applicable	
302.7 With Limited Manipulation	Supports	The website may be used with standard input mechanisms and does not require the user to exercise fine motor control, simultaneous interaction or prolonged interaction
302.8 With Limited Reach and Strength	Not applicable	
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	The website provides features to make its use by individuals with limited cognitive, language and learning abilities simpler and easier.

Chapter 4: <u>Hardware</u>

Notes: Digital Theatre+ is a website and is not subject to the requirements of this section. The table in this section has been intentionally removed.

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not applicable	As a website, the Digital Theatre+ product does not provide accessibility features; these are provided by the users operating system, browser or additional software.
502.2.2 No Disruption of Accessibility Features	Supports	The Digital Theatre+ website is compatible with operating system and browser accessibility features configured by the user.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Supports	WAI-ARIA attributes are used to describe the role, state, and description of user interface elements to assistive technologies.
502.3.2 Modification of Object Information	Supports	Standard HTML and ARIA object roles are used for maximum compatibility with assistive technologies.
502.3.3 Row, Column, and Headers	Supports	Standard HTML attributes are used to define table structure and relationships, including column and row headers, to assistive technologies.
502.3.4 Values	Supports	Standard HTML or ARIA object attributes are used for maximum compatibility with assistive technologies.

502.3.5 Modification of Values	Supports	Standard HTML or ARIA object attributes are used for maximum compatibility with assistive technologies.
502.3.6 Label Relationships	Supports	Standard HTML and WAI-ARIA attributes are used to describe label relationships of user interface elements to assistive technologies.
502.3.7 Hierarchical Relationships	Supports	Standard semantic HTML markup to express hierarchy and relationships
502.3.8 Text	Supports	The Digital Theatre+ website renders strings as plain text values in HTML for maximum compatibility with assistive technologies.
502.3.9 Modification of Text	Not applicable	
502.3.10 List of Actions	Supports	Standard HTML and ARIA object attributes are used for maximum compatibility with assistive technologies.
502.3.11 Actions on Objects	Supports	Standard HTML and ARIA object attributes are used for maximum compatibility with assistive technologies.
502.3.12 Focus Cursor	Supports	Uses visual changes to elements to indicate the current position of focus.
502.3.13 Modification of Focus Cursor	Supports	Uses standard HTML elements with standard cursor controls for user input.
502.3.14 Event Notification	Not applicable	
502.4 Platform Accessibility Features	Not applicable	As a website, the Digital Theatre+ product does not provide accessibility features; these are provided by the users operating system, browser or additional software.
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	Respects user preferences as performed by the user's Web browser from browser or OS settings.

503.3 Alternative User Interfaces	Not applicable	Digital Theatre+ does not provide any alternative user interfaces that function as assistive technology
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Supports	91% of videos with spoken word have English language captions available which can be enabled using the 'CC' control in the video player
503.4.2 Audio Description Controls	Does not support	We do not provide user controls for the selection of audio descriptions.
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not applicable	
504.2.2 PDF Export	Not applicable	
504.3 Prompts	Not applicable	
504.4 Templates	Not applicable	

Chapter 6: Support Documentation and Services

Notes: This report covers accessibility conformance for the Digital Theatre+ product and does not discuss Documentation or Support Services.

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features		
602.3 Electronic Support Documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation		
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features		
603.3 Accommodation of Communication Needs		

Legal Disclaimer (Digital Theatre+)

Digital Theatre+ is committed to providing an accessible website. If you have difficulty accessing content, have difficulty viewing a file on the website, or notice any accessibility problems, please contact Digital Theatre+ (accessibility@digitaltheatreplus.com) and describe the nature of the accessibility issue and any assistive technology you use.

Digital Theatre+ will strive to provide the content you need in the format you require.

Digital Theatre+ welcomes your suggestions and comments about improving ongoing efforts to increase the accessibility of this website.