

# NORTHERN TERRITORY

Controlled Document Doc-ID: HEALTHINTRA-1880-8981

# Accepted Brand Names for Medication Prescribing

Target Audience	Medical Officers; Nursing and Midwifery Staff; Pharmacists
Jurisdiction	All NT Public Hospitals
Jurisdiction Exclusions	N/A
Document Owner	Joanna Wallace
	Chair NT Drugs and Therapeutics Committee
Approval Authority	Chair
	NT Drugs and Therapeutics Committee
Author	Phoebe Thompson, Tristen Pogue

The attributes in the above table will be auto-filled from the PGC System. Do not update in this document.

#### **Guideline Statement**

Prescribing by generic name for most medicines is encouraged. Exceptions may be made where there are differences in bioavailability between brands or they have specific formulation preparations and where medications have multiple ingredients. This guideline lists medications that should be prescribed by brand name to reduce medication selection errors and reduce the risks to patient safety.

#### **Guideline Purpose**

To provide a list of approved medications to be prescribed by brand/trade name to reduce confusion and errors associated with some medicines.

#### **Guideline Details**

The following medications on the NT formulary should be prescribed by brand name:

Brand	Generic	Rational/Comments
Actrapid	Insulin Neutral	High Risk Medication
Atripla	Tenofovir, Emtricitabine and Efavirenz	≥2 ingredients
Boostrix	Diptheria, Tetanus and Pertussis Vaccine	≥2 ingredients, not equivalent, confusion when prescribed generic
Botox	Botulinum Toxin Type A	Not equivalent (Only to presence of 'Ipsen Unit' in eMMa generic name can help to differentiate Dysport from Botox)

Title: Accepted Brand Names for Medication Prescribing NTDTC Guideline

EDRM No: EDOC2018/97121 | Version: 10.0 | Approved Date:4/06/2018 | Last Update: 4/06/2018 | Review Date: 4/06/2022

Page 1 of 7

Brand	Generic	Rational/Comments	
Cellufresh	Carmellose Not equivalent between product		
Cenovis Mega B	Vitamin B complex Not equivalent between produ		
Cepacol Plus with Anaesthetic	Benzocaine, Cetylpyridinium ≥2 ingredients		
Cernevit	Multivitamin	Not equivalent between products	
Citravescent	Sodium bicarbonate, Citric acid, Tartaric acid	≥2 ingredients	
Combivir	Lamivudine, Zidovudine	≥2 ingredients	
Coumadin or Marevan	Warfarin	Not bioequivalent	
Creon	Pancreatic Enzymes	≥2 ingredients	
Descovy	Emtricitabine, tenofovir	≥2 ingredients	
Difflam Plus	Benzydamine, lidocaine (lignocaine) and dichlorobenzyl alcohol	≥2 ingredients	
Dysport	Clostridium Botulinium Type A toxin- haemagglutin complex haemagglutin complex help to differentiate Dysport fro Botox)		
Engerix B	Hepatitis B Paediatric Vaccine Confusion when prescribed g		
Epclusa	Sofosbuvir, velpatasvir	≥2 ingredients	
Eviplera	Tenofovir, Emtricitabine and Rilpivirine	≥2 ingredients	
Flarex	Flurometholone Acetate	Same strength (1%) and Flucon, Flarex is more potent; not interchangeable – difference in salt may not be considered	
Fleet Enema	Sodium phosphate monobasic, sodium phosphate dibasic		
Fleet Oral Solution	Sodium phosphate monobasic, sodium phosphate dibasic≥2 ingredients		
Flo Sinus Care	Sodium chloride, Sodium bicarbonate, Potassium chloride, Glucose Anhydrous, Calcium lactate pentahydrate	≥2 ingredients	

Title: Accepted Brand Names for Medication Prescribing NTDTC Guideline

EDRM No: EDOC2018/97121 | Version: 10.0 | Approved Date:4/06/2018 | Last Update: 4/06/2018 | Review Date: 4/06/2022

Page 2 of 7

Brand	Generic	Rational/Comments
FluarixTetra/Fluqua dri Jnr	Influenza Vaccine	Confusion when prescribed generic
Flucon	Fluorometholone Same strength (1%) as Flarex, more potent; not interchange difference in salt may not be o	
Gardasil	Human Papillomavirus Vaccine	Confusion when prescribed generic
Gastrogel	Aluminium hydroxide, Magnesium hydroxide and Magnesium trisilicate	≥2 ingredients
Genteal	Hypromellose/Carbomer gel	≥2 ingredients
Genvoya	Cobicistat, elvitegravir, emtricitabine, tenofovir	≥2 ingredients
Glycoprep C	Polyethylene glycol laxative Not equivalent between produ	
Hamilton Bath Oil	Liquid paraffin light	Not equivalent between products
Harvoni	Ledipasvir, Sofosbuvir	≥2 ingredients
H-B-Vax II & Engerix (Adult)	Hepatitis B Adult Vaccine	≥2 ingredients, not equivalent, confusion when prescribed generic
H-B-Vax II Dialysis	is Hepatitis B (Dialysis) Vaccine ≥2 ingredients, not equivalent confusion when prescribed ge	
Hepatical	Amino acid and carbohydrate ≥2 ingredients Supplement	
Humalog	Insulin Lispro High Risk Medication	
Humalog 25	5 Insulin Lispro/Insulin Lispro High Risk Medication Protamine Suspension	
Humulin NPH	Insulin Isophane NPH High Risk Medication	
Hydralyte® Ice Blocks	Citric acid, Glucose, Potassium citrate, Sodium Chloride ≥2 ingredients	
IFolic	Potassium iodide, folic acid	Not equivalent between products
Infanrix & Tripacel	anrix & Tripacel Diptheria, Tetanus and Pertussis Vaccine (Infants) ≥2 ingredients, not equivalent, confusion when prescribed gen	
Infanrix-Hexa	Hepatitis B, Hib & Polio	≥2 ingredients, not equivalent, confusion when prescribed generic

Title: Accepted Brand Names for Medication Prescribing NTDTC Guideline

EDRM No: EDOC2018/97121 | Version: 10.0 | Approved Date:4/06/2018 | Last Update: 4/06/2018 | Review Date: 4/06/2022

Page 3 of 7

Brand	Generic	Rational/Comments	
Infanrix-IPV	Diptheria, Tetanus, Pertussis and Polio Vaccine≥2 ingredients, not equivalent, confusion when prescribed gen		
Infloran	Bifidobacteria Bifidum & Lactobacillus Acidophilis Not equivalent to other probiot formulations		
Ipol	Poliomyelitis Vaccine	≥2 ingredients, not equivalent, confusion when prescribed generic	
Kaletra	Lopinavir, Ritonavir	≥2 ingredients	
Kapanol	Morphine Sulfate Controlled Release Capsules	High Risk Medication	
Labinic Paediatric Drops	Bifidobacterium infantis, bifidobacterium bifidum & lactobacillus acidophilus	Not equivalent to other probiotic formulations	
Laceraine	Tetracaine (amethocaine) hydrochloride, lidocaine (lignocaine) and adrenaline (epinephrine)	≥2 ingredients	
Lantus	Insulin Glargine	High Risk Medication	
Lax	Macrogol, potassium chloride, sodium bicarbonate, sodium chloride laxative	≥2 ingredients	
Liquifilm Tears	ars Polyvinyl alchohol Not equivalent between prod		
Lozanoc	Itraconazole	Not equivalent between products	
Madopar	Levodopa and Benserazide tablet and capsules	Not equivalent between products	
Madopar HBS	Levodopa and Benserazide Controlled Release Capsules	led Not equivalent between products	
Mass Biologics Tetanus and Diphtheria Toxoids & ADT	confusion when prescribed gener		
Maviret	Glecaprevir, pibrentavir ≥2 ingredients		
Menactra	tra Meningococcal Vaccine 4vMenCV ≥2 ingredients, not equivalent, confusion when prescribed gen		
Menitorix	Nesseria Meningitidis/Haemophilus Influenzae B	/Haemophilus ≥2 ingredients, not equivalent, confusion when prescribed generic	

EDRM No: EDOC2018/97121 | Version: 10.0 | Approved Date:4/06/2018 | Last Update: 4/06/2018 | Review Date: 4/06/2022

Page 4 of 7

Brand	Generic	Rational/Comments	
Mesasal	Mesalazine 250mg EC tablets	Not equivalent between products	
Microlax Enema	Sodium citrate, Sodium lauryl sulfoacetate	≥2 ingredients	
Mixtard 30/70	Insulin Neutral/Isophane	High Risk Medication	
MS Contin	Morphine Sulfate Controlled Release Tablets	≥2 ingredients/High Risk Medication	
MS Contin Sachets	Morphine Sulfate Controlled Release Sachets	≥2 ingredients/High Risk Medication	
NeisVac-C	Meningococcal C Vaccine	Confusion when prescribed generic	
Neocate LCP	Branched chain amino acid formulas	≥2 ingredients	
Novomix 30	Insulin Aspart/Insulin Aspartate Protamiune Suspension	High Risk Medication	
NovoRapid	Insulin Aspart	High Risk Medication	
Odefsey	Emtricitabine, rilpivirine & tenofovir alafenamide	≥2 ingredients	
Oralube	Artificial saliva	Not equivalent between products	
ORS Powder	Sodium acid citrate, Glucose, potassium chloride, Sodium chloride	≥2 ingredients	
Oxycontin SR	Oxycodone Slow Release Tablets	High Risk Medication	
Penta-Vite Oral Liquid	Multivitamin	≥2 ingredients, may not be equivalent based on dose of each element/vitamir	
Penta-Vite Oral Liquid with Iron	Multivitamin with Iron	≥2 ingredients, may not be equivalent based on dose of each element/vitamin	
Picoprep	Sodium picosulfate	≥2 ingredients	
Pneumovax 23	Pneumococcal 23-Valent Vaccine	Confusion when prescribed generic	
Poly Visc Lubricating Eye Ointment	White Soft Paraffin	Not equivalent between products	
Prevenar 13	Pneumococcal 13-Valent Vaccine	Confusion when prescribed generic	
Protophane	Insulin Isophane	High Risk Medication	

Title: Accepted Brand Names for Medication Prescribing NTDTC Guideline

EDRM No: EDOC2018/97121 | Version: 10.0 | Approved Date:4/06/2018 | Last Update: 4/06/2018 | Review Date: 4/06/2022

Page 5 of 7

Brand	Generic	Rational/Comments	
Q. V Kids Soap Free Wash	Bath Wash	Not equivalent between products	
Remicade or Inflectra	Infliximab Biosimilars, not interchangeable		
Resonium A	Sodium polystyrene sulfonate	≥2 ingredients	
Rotarix	Rotavirus Oral Vaccine 1.5mL	Confusion when prescribed generic	
RotaTeq	Rotavirus Oral Vaccine 2mL	Confusion when prescribed generic	
Salofalk	Mesalazine 500mg EC tablets	Not equivalent between products	
Sedagel	Choline salicylate/ cetalkonium/chloride/menthol ≥2 ingredients		
Sinemet	Levodopa and Carbidopa	Multiple formulations	
Sinemet CR	Levodopa and Carbidopa Controlled Release Tablets	Multiple formulations	
Strivilb	Cobicistat, Elvitecravir, Emtricitabine, Tenofovir	≥2 ingredients	
Targin	Oxycodone/Naloxone Controlled Release Tablets	High Risk Medication	
Triumeq	Dolutegravir, Abacavir, Lamivudine	line ≥2 ingredients	
Truvada	Tenofovir and Emtricitabine	≥2 ingredients	
Twinrix Adult	dult Hepatitis A and B Vaccine ≥2 ingredients, not equivalent, confusion when prescribed gener		
VAQTA	Hepatitis A Vaccine Confusion when prescribed ger		
Varilrix & Varivax	arivax Varicella Zoster Vaccine ≥2 ingredients, not equivalent, confusion when prescribed gener		
Viekira Pak	kira Pak Paretaprevir, Ritonavir, Ombitasvir, ≥2 ingredients Dasabuvir, Ribavirin		
Zepatier	Grazoprevir, ebasvir ≥2 ingredients		

# **Document Quality Control**

	Method	Responsibility
Implementation	Document will be available for all staff via the PGC.	Health Policy Guidelines Program
Review	Document will be reviewed within a period of 4 years or as changes in practice occur.	Top End Health Service Medication Safety Committee
Evaluation	Adverse events will be recorded in the patient's notes and Riskman.	All Staff Quality and safety unit officers.

# **Key Associated Documents**

Key Legislation, By-Laws, Standards, Delegations, Aligned & Supporting Documents	NSQHS Standard 4: Medication Safety
References	N/A

#### **Alternative Search Terms**

Brand name, Trade Name, Prescribe