



DATE	OR	MILEAGE
------	----	---------



SHOP SAVER
EXPRESS

ShopSaverExpress.com

Shop Saver Express offers a full suite of back shop supplies for professional automotive facilities. By shipping directly to your shop, we provide competitive pricing at the quantities and quality of products you need to turn bays quicker.

OUR PRODUCT CATEGORIES

Autobody



- Body Bolts
- Bumper Bolts
- Hex Nuts/U-Nuts
- Hinge Pins
- Hood Prop Clips
- Retainers
- SEM Screws
- Trim Screws

Brakes



- Brake Line**
 - Precut & Coils
 - Copper-Nickel
 - Galfan
 - PVF
- Fittings**
 - Tube Nuts
 - Adapters
 - Unions
 - Bleeder Screws
 - Line Clamps

Oil



- Drain Plugs**
 - Standard
 - Oversized
 - Differential Plugs
- Gaskets**
 - Fiber
 - Nylon
 - Copper
 - Aluminum
 - Rubber-Metal

Wheel



- Wheel Studs**
 - Standard Lug Nuts
 - Standard Zinc
 - Chrome
- TPMS Service Kits**
 - Domestic
 - Import
 - TPMS Service Tools

Electrical



- Fuses**
 - ATM-ATO • Mini
 - Glo
 - Glass
 - JCase
 - Maxi
- Terminals**
 - Vinyl
 - Copper Lugs
 - Heat Shrink
 - Split Loom
 - Cable Ties

Fuel Line



- Quick-Disconnect Connectors
- Nylon Fuel Lines
- Adapters
- Fuel Line Clamps
- Fittings
- Repair Lines

General Service Hardware



- Brass Fittings**
 - Inverted Flare Tube
 - SAE Flare Tube
 - Compression
 - Pipe
- Hose Clamps**
 - Standard
 - Fuel Injection
 - Oetiker 360°
- Nuts & Bolts**
 - Hex Bolts
 - Hex Nuts
 - Flat & Lock Washers
- Vacuum Connectors**
 - Tees
 - Caps
 - Splices
 - Soft

TOP SELLERS

**SERVICE MANAGER SUPPLIES
SHOP SUPPLIES & TOOLS
SERVICE PARTS**

OUR HIGH STANDARDS HELP YOUR BUSINESS

All products we offer must meet our professional standards. Because we grew up running shops, we only offer products we would use and do not sell cheap alternatives. We know what it takes to help improve your bottom line, including reducing outside purchase from local suppliers that can take up precious time and money.

WHAT YOU CAN ALWAYS COUNT ON




Quick and easy buying and return process

We ship worldwide, provide a secure payment system accepting all major credit cards and offer an easy, 15-day return process.



The right professional products at the right price

We offer products at prices shops need to keep their shop moving and profitable




Customer support & satisfaction

We take care of our customers the way we want to be taken care of.



Lower Shipping Costs

All products shipped from one location results in fewer parcels and reduced freight costs, delivered directly to your door.



Save time and reduce expenses

Easily order all your back shop supplies at once with one invoice to process.



Consistent product offering

You get the same product at the same quality, every time you order.

Let Shop Saver Express help manage your back-shop supplies and dramatically increase your profitability.

TABLE OF CONTENTS

AUTO INTERIOR PROTECTION

Interior Protection Kit	6
Seat Covers	6
Floor Mats	7
Steering Wheel Covers.....	7
Gear Shift Covers	7
Tire Storage Bags	8
Parts Return Bags	8
Interior Protection Dispenser Rack & Rack Accessories	8

SERVICE MANAGER SUPPLIES

Service Reminder Stickers	9
Key Tags	9
Work Order Holders	9
Repair Order Rack	10
Key Drop Box	10
Early Bird Envelopes	10

SHOP TOOLS & SUPPLIES

Oil Filter Wrenches	10
Heavy-Duty Housing Cap Wrenches	10
Funnels	11
Shop & Office Trash Bags	11
Battery Service Tools.....	11
Crushproof Exhaust Hoses	12
Y-Hose Assembly	12
Door Ports	12
Tailpipe Adapters	12

SHOP LIGHTS

Audio Light Series	13
Spot Light X Series.....	14
Pen Light Series	15
Stick Light Series	15
Articulating Light Series	16
Straight Folding Light Series	16
Head Lamp Series.....	17
Underhood Light Series	17
Accessories	18

AUTO SERVICE CHEMICALS

General Aerosol.....	19
Brake Service Products	19
Battery Service Products	20
Instant Gasket Products	20
Warranty Seal	20
Lubricants & Cleaners	21
Power Steering Fluid	21
Tire Care Products	22
Tire Service Products.....	22
Janitorial/Facility Maintenance Products..	23

BRAKE LINES & FITTINGS

Copper-Nickel	24
Tube Nuts.....	26
Adapters.....	27
Unions.....	28
Bleeder Screws	29
Brake Line Assortments	30

OIL DRAIN PLUGS & GASKETS

Oil Drain Plugs.....	31
Oversized Oil Drain Plugs	33
Specialty Drain Plugs.....	33
Gaskets.	34-36
Oil Drain Plug & Gasket Assortments	36

WHEEL HARDWARE

Lug Nuts.....	37-39
Wheel Studs.....	40-41
Wheel Hardware Assortments	42
Specialty Wheel Bolts	42

WHEEL & TIRE SUPPLIES

Tire Repair Materials	43
Tire Repair Tools	43
Tubeless Snap-In Valves	44
Chrome Tubeless Snap-In Valves	44
High-Pressure Snap-In Valves	44
Bolt-In Valves - Flush Mount	44
Valve Cores, Caps, Extensions	45
Brass Truck Valves	45
Nickel-Plated Brass Valves w/O-Rings	45
Bolt-In Tuck Valves - Flush Mount	45
Air Gauges	46
Air Chucks	46
Tire Depth Gauges	46
Tire Chucks	47
Valves Stem Tools	47
Valve Core Tools	47
Tire Inspection Kit Belts Pack	47

FUEL LINE

Fittings	48
Fuel Line Adapters	49
Connectors	50
Quick-Disconnect Retainer Removal Tool ..	50
Fuel Line Fittings Assortment	50

ELECTRICAL

Blade Fuses	51
Cartridge Fuses	52
Automotive Fuse Assortments	52
Butt Connectors	53
Rings	53
Spades	54
Quick Disconnects - Fully Insulated	54
Quick Disconnects	55
Bullet Connectors	55
2-Way Bullet Receptacle	55
3-Way Bullet Receptacle	55
Closed End Connectors	56
Electrical Terminal Assortments	56
Cable Ties - UV Black	56
Split Wire Loom	57
Heat Shrink Tubing & Assortment	57
Copper Lug Terminals & Assortment	58
Battery Clips	58
Battery Terminals	59
Terminal Protectors	59

SHOP HARDWARE

Standard Hex Bolts, Hex Nuts, Flat Washers, Lock Washers & Cotter Pins	60-61
Metric Hex Bolts, Hex Nuts, Flat Washers, Lock Washers	62-63
Standard Grease Fittings	63
Metric Grease Fittings	63
Grease Fitting Assortments	63
Vacuum Connectors	64-65
Vacuum Caps	64
Vacuum Connectors Assortment	65
Standard Hose Clamps	66
Mini Hose Clamps	66
Fuel Injector Hose Clamps	66
Auto Body Fasteners	67-86
Auto Body Assortments	87

STORAGE SOLUTIONS

Smart Wall	88
Smart Cart	89
Smart Wall & Smart Cart Accessories	90
Tower Storage Solutions Cabinet	91
Wall Storage Cabinets	92
Dynamic Service Parts - Boxed Program ..	92

TPMS SENSORS, SERVICE KITS & ACCESSORIES

TPMS Sensors	93
TPMS Diagnostic Tool	94
TPMS Service Kits	95-96
TPMS Replacement Valves	96-97
TPMS Assortments	97
TPMS Specialty Valves & Adapters	98
Tire Accessories	99
Tire Service Tools	100

INTERIOR PROTECTION KIT



FEATURES

- Saves labor time
- More convenient kit package
- Consists of five-in-one interior protection kit:
 - (1) Plastic Gear Knob Cover
 - (1) Plastic Hand Brake Cover
 - (1) Plastic/Paper Floor Mat
 - (1) Plastic Seat Cover
 - (1) Plastic Steering Wheel Cover
- An economical price

SPECIFICATIONS

PART NO. IPK-1

Package Size	7.5"W x 11"L
Material	PE-Paper
Color	Clear/White
Pkg/Qty	100 Kits/Case

Keep It Clean

To build new clientele and keep regular customers coming back, your ongoing commitment to customer satisfaction must include protecting the cleanliness of every vehicle being serviced.



SEAT COVERS



Space-savings box with individual folded covers.

FEATURES

- Covers measure 31-1/2" W x 52" L - large enough to protect bucket and bench seats
- A 13" pocket slips over the top of the seat for easy installation
- Specially designed to stay in place when the technician enters and exits the car
- Strong construction won't rip or tear
- Seat covers come on perforated rolls for easy dispensing
- Choose from three different thickness options

SPECIFICATIONS

PART NO. SC-2

Description	Premium
Pkg/Qty	Roll/200
Thickness	1.0 mil
Weight	20 lbs.

PART NO. ESC-2-H

Description	Economy
Pkg/Qty	Roll/200
Thickness	.8 mil
Weight	16 lbs.

PART NO. ESCB-2

Description	Economy-Box
Pkg/Qty	Box/200
Thickness	.8 mil
Weight	15 lbs.

PART NO. SC-5H

Description	Value
Pkg/Qty	Roll/500
Thickness	.6 mil
Weight	18 lbs.

These quality covers protect bucket and bench seats from dirt, dust, grease and liquids. Perfect for auto body shops to keep dirt and paint off the interior.

FLOOR MATS

These disposable mats are available in three types - paper, plastic and poly-coated paper. Each type is designed to provide a level of protection based on the service environment and application. Mats are printed with a "Thank You" message to demonstrate the shop's concern for the care of the vehicle.



Plastic

- Heavy-duty plastic
- General purpose mat keeps dirt off carpet and prevents leakage
- Measures 18" x 19"
- Roll of 500



Paper

- Durable paper
- Designed for dry environment applications
- Measures 16"



Poly-Backed Paper "The Blocker"

- Heavy-duty paper with poly coated back
- Effective barrier against dirt, grease and liquids
- Poly coating adds strength and prevents leakage and slipping
- Measures 16"
- Box of 500

SPECIFICATIONS

Plastic FM-3-H

Pkg/Qty	Roll/500
Weight	15 lbs.

Paper PFM-500

Pkg/Qty	Box/500
Weight	25 lbs.

Poly-Backed Paper PMF-500P

Pkg/Qty	Box/500
Weight	25 lbs.

STEERING WHEEL COVERS



FEATURES

- Prevent dirty hand prints and stains
- Have double elastic band that makes installation quick and easy
- Fit most passenger and light truck applications

SPECIFICATIONS

PART NO. SWC-1

Pkg/Qty	Box/100
Size	5" x 20"
Weight	2 lbs.

PART NO. SWC-5

Pkg/Qty	Box/500
Size	5" x 20"
Weight	7 lbs.

GEAR SHIFT COVERS



SPECIFICATIONS

PART NO. GCS-1

Pkg/Qty	Box/100
Size	7" x 6"
Weight	0.5 lbs.

PART NO. GCS-5

Pkg/Qty	Box/500
Size	7" x 6"
Weight	2 lbs.

TIRE STORAGE BAGS

Clear polyethylene bags are designed to keep spare or seasonal tires from soiling trunks, back seats, clothing and hands.



SPECIFICATIONS			
PART NO. TB-6		PART NO. TB-6SUV	
Description	Standard	Description	SUV
Pkg/Qty	Roll/100	Pkg/Qty	Roll/100
Weight	12 lbs.	Weight	14 lbs.

PARTS RETURN BAGS

When dirty or greasy parts need to be returned to the customer after service work, these bags provide excellent protection. Made of clear polyethylene they are tough enough to hold wornout parts and keep them off the carpet or upholstery.

SPECIFICATIONS	
PART NO. PB-12	
Thickness	1.0 mil
Size	12" x 22"
Pkg/Qty	Roll/500
Weight	13 lbs.

INTERIOR PROTECTORS DISPENSER RACK & ACCESSORIES

A key to using the interior protectors is to have them readily available in the service department. This specially designed rack is a convenient and inexpensive way to store and dispense seat covers, floor mats, steering wheel covers, tire bags and parts return bags.

Floor Dispenser Rack

PART NO. DS-4

This 4-bar rack holds standard rolls of seat covers, plastic floor mats, parts return bags and tire storage bags.

- Steel construction
- Easy to assemble (no bolts required)
- Measures 40" W x 42" H
- Weight: 16 lbs.



Paper Floor Mat Rack

PART NO. FMR-1722

This 4-bar rack holds standard rolls of seat covers, plastic floor mats, parts return bags and tire storage bags.

- Holds a full case of paper floor mats up to 16" x 22"
- Heavy-duty steel construction
- Easily attaches to the DS-4 floor dispenser rack
- Wall mount is also an option
- Weight: 11 lbs.



Steering Wheel Cover Rack

PART NO. SWCR-1

- Steel wire construction
- Attaches to the DS-4 floor dispenser rack
- Holds one box of 500 steering wheel covers
- Weight: 1 lb.



Interior Protection Rack



SPECIFICATIONS	
PART NO. DY-IPR	
DS-4	Floor Dispenser Rack
FMR-1722	Paper Floor Mat Rack
SWCR-1	Steering Wheel Cover Rack

Special Kit




SPECIFICATIONS	
PART NO. DY-SK1	
DS-4	Floor Dispenser Rack
SWCR-1	Steering Wheel Cover Rack
ESC-2-H	Economy Seat Covers - Roll/200
FM-3-H	Floor Mat - Plastic - Roll/500
SWC-1	Steering Wheel Covers - Box/100
PB-1	Parts Return Bag - 12" x 22" - Roll
TB-6	Tire Storage Bag - Roll/100

SERVICE REMINDER STICKERS

Service reminder stickers are an important tool to retain customers and keep them coming back. These stickers are custom printed with company name and address. An optional logo can be added. Stickers cling to glass or any smooth surface and can be easily removed.



- Easy-to-read 1-1/2" x 2-1/2"
- 1000 die-cut stickers per roll
- Imprint is black



- Maximum of four lines
- No set-up fees

SPECIFICATIONS	
PART NO. SC-1000	
Description	Standard
Weight	1 lb.
PART NO. SCL-1000	
Description	Logo
Weight	1 lb.

KEY TAGS

- Arrow shape design securely locks tag to the key ring
- Durable and easy to write on
- Comes in packages of 1000
- Available in yellow or white



SPECIFICATIONS	
PART NO. 086W (White), 086Y (Yellow)	
Description	Vinyl
Weight	1 lb.

WORK ORDER HOLDERS

Keep work order, keys and other information all together with these see through work order holders. Large clear window makes contents easy to read without removing it from the holder. Made of heavy-duty vinyl these holders include a strap for convenient hanging on the car or service board. Available in three different sizes and styles.



SPECIFICATIONS			
PART NO.	WRK-220	WRK-230	WRK-240
Size	9.5" x 12.5"	11" x 14"	13" X 12"
Opening	Top	Top	SIDE
Pkg/Qty	Box/25	Box/25	Box/25
Weight	3.8 lbs.	3.8 lbs.	3.8 lbs.

REPAIR ORDER RACK

PART NO. CJ-200

- Speed repair order handling in service and parts departments
- Allows repair orders to be clearly visible
- Outside dimensions: 30" x 13.5" x 2"
- 12 pocket rack



KEY DROP BOX

PART NO. JDI-KDB

Multi-use box for off-hour car drop off. Early Bird Envelopes are dispensed through the opening of a built-in envelope storage compartment. Customers keys and documents are secure in the compartment until you open it. Made of thick-sheet metal and powder coated with a smooth rustproof industrial finish. Mount in any wall.

FEATURES

- Measures 19-1/2"H X 14-1/2"W x 9-3/8"D
- Door also converts into a writing desk for customer's use
- Easy open door to drop off keys and envelop
- Easy to install in any surface
- Door and writing surface
- Box
- Wall bracket (2)
- Inside key catch tray
- Extension side plates (2)



EARLY BIRD ENVELOPES

PART NO. PAP-EBE-7170

For early morning or late evening service customers. Includes instructions in an easy-to-read format and checklist for most often needed services. Measures 6-1/2" x 9-1/2". Pack of 100.

PART NO. ENV-S

Let your customers drop their car off before you open! They can leave their keys and any messages in secure #10 policy Early Bird Envelopes. Measures 4-1/8" x 9-1/2". Pack of 100.

OIL FILTER WRENCHES

5-Piece Composite Filter Cap Wrench Set

PART NO. JDIF-5KITC

- Glass-reinforced engineered composite material
- Handles 140 ft.-lbs. torque to remove even the most stubborn filters
- Metal drive insert will not deform or break even after years of service.
- Use with 3/8" drive



Kit includes one each of the following:

SPECIFICATIONS		
ITEM NO.	I.D.	FLUTES
JDIF-6567C	65/67 mm	14
JDIF-7476C	74/76 mm	15
JDIF-7614C	76 mm	14
JDIF-7693C	76/89/83 mm	36
JDIF-9315C	93 mm	15

DRAIN PANS, FUNNELS, DISPENSERS

Threaded Oil/Transmission Funnel

PART NO. 19802

Hands-Free Filling on Threaded Valve Cover Openings.

Two-piece design can be used separately or threaded together for a long super funnel. The larger section screws into threaded oil filler openings, found on many Ford pickups and Dodge, Jeep & Chrysler cars, mini vans & SUVs. This holds the funnel upright for quick, mess free oil fills. Also works on some Honda, Acura and Nissan vehicles. The diameter of the smaller funnel is narrow enough to fit even the smallest applications including transmission filler holes.



BATTERY SERVICE TOOLS

Battery Carrier

PART NO. MA2501

- Multiple-ply rubber strap handle
- Fits virtually all car batteries
- Works with group



Battery Terminal Cleaner

PART NO. MA98125

Clean top terminals/top posts

- Protective cover fits both ends
- Brush will not twist loose



SHOP & OFFICE TRASH BAGS

SPECIFICATIONS		
Item No.	Weight	Quantity
TRB-10HD	10-Gal	Box/500
TRB-20HD	20-Gal	Box/500
TRB-30HD	30-Gal	Roll/300
TRB-55HD	55-Gal	Roll/100
TRB-30DS	30-Gal Drawstring	Case/102
TRB-55DS	55-Gal Drawstring	Case/100



OUT-THE-DOOR EXHAUST

For service facilities with multiple drive-in service bay doors an out-the-door system is a practical solution for exhaust extraction. Out-the-door systems can be used for cars, trucks with rear mounted exhaust pipes, and diesel. For out-the-door systems to work properly a distance from the door to the vehicle needs to be under 25'.



Crushproof® Exhaust Hose

Designed for use with smaller gas vehicles up to SUV's and pickup trucks. The "FlareLok®" system allows multiple lengths to be connected without the need for a splice connector. All hoses are 11' long, and will withstand exhaust temps up to 600°F when used with a proper adapter and a fan assisted system.

SPECIFICATIONS	
ITEM NO.	HOSE LENGTH
JDH-250	2.5" x 11'
JDH-300	3.0" x 11"
JDH-400	4.0" x 11"



Y-Hose Assembly

Designed to convert a single exhaust hose into dual kit for servicing many of today's most popular cars and trucks. Assembly includes two (2) 4' sections of hose and a "Y" adapter.

SPECIFICATIONS	
ITEM NO.	LENGTH
JDY250	2.5"
JDY303	3.0"
JDY404	4.0"
JDY606	6.0"

Door Ports

Designed to convert a single exhaust hose into dual kit for servicing many of today's most popular cars and trucks. Assembly includes two (2) 4' sections of hose and a "Y" adapter.

PART NO. DF25

- For 2-1/2" Hose
- Rubber



PART NO. ADF40

- For 4" Hose
- Aluminum



TAILPIPE ADAPTERS

Twin Oval Adapters

PART NO. F475

For oval/twin tailpipes up to 2.5" x 5.5".

PART NO. F575

For oval/twin tailpipes up to 3" x 8".



Flush Mount Adapter

PART NO. F675-SC

For flush mounted tailpipes. The industrial-grade suction cup will stick to any vehicle without damaging the finish and hold the adapter over the tailpipe, creating a capture shroud.



Straight Adapters

PART NO. F350

Fits 3.0" hose and 4.0" hose.



SHOP LIGHTS

AUDIO LIGHT SERIES

We have combined the beauty of music and light in our audio lights with built-in Bluetooth speaker(s) that help you increase work efficiency and enjoy your work



PART NO. AUD601R

- 600lm rechargeable handheld LED audio light
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Powerful magnet allows lamp to be securely attached to any metal surface



PART NO. AUD202H

- 2000lm rechargeable & corded LED audio light
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Powerful magnet allows lamp to be securely attached to any metal surface



PART NO. AUD502H

- 5000lm rechargeable & corded LED audio light
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Powerful magnet allows lamp to be securely attached to any metal surface

SPECIFICATIONS	
PART NO. AUD601R	
Lumens	300/600lm (step 1/2)
Operating Time	4/2h (step 1/2)
Battery Type	3.7V 3200mAh Li-poly
Dust & Water Resistant	IP65
PART NO. AUD202H	
Lumens	300/600lm (5 steps)
Operating Time	2.5/12h
Battery Type	7.2V 6000mAh Li-on
Power Bank Output	5V 1A
Dust & Water Resistant	IP65
PART NO. AUD502H	
Lumens	1000/5000lm (5 steps)
Operating Time	1.5/7.5h
Battery Type	10.8V 6000mAh Li-on
Power Bank Output	5V 1A
Dust & Water Resistant	IP65

SPOT LIGHT X SERIES

The Spot Light X series provides a complete and portable lighting solution with brightness from 1,500 to 10,000 lumens.



- 2000lm rechargeable handheld LED spot light
- Brightness is adjustable to five (5) levels
- Indicator bar shows selected level

SPECIFICATIONS

PART NO. SPX201R

Lumens	400/2000lm (5 steps)
Operating Time	2.5/15h (5 steps)
Battery Type	7.2V 6000mAh Li-on
Power Bank Output	5V 1A
Dust & Water Resistant	IP67



- 6000lm heavy-duty rechargeable & corded LED spot light
- Brightness is adjustable to five (5) levels
- Indicator bar shows selected level

PART NO. SPX601H

Lumens	1200/6000lm (5 steps)
Operating Time	1/6h (5 steps)
Battery Type	10.8V 6000mAh Li-on
Power Bank Output	5V 1A
Dust & Water Resistant	IP67



- 10000lm corded heavy-duty LED spot light
- Brightness is adjustable to five (5) levels
- Indicator bar shows selected level

PART NO. SPX10K1C

Lumens	2000/10000lm (5 steps)
Power Bank Output	5V 1A
Dust & Water Resistant	IP67

PEN LIGHT SERIES

The pen lights are small and sturdy, designed for professional users. Compact and durable, these pen lights are ultra-light weight and feature anti-corrosion.



- 150lm rechargeable LED pen light
- Front COB LED provides 150/75lm brightness
- Metal clip at back for easy to carry
- 100lm top high-power LED lamp can be used as a flashlight for narrow work areas

SPECIFICATIONS	
PART NO. PEN151R	
Front Lumens	75/150lm
Top Lumens	100lm
Operating Time	4/2/2.5h (step 1/2 top)
Battery Type	3.7V 750mAh Li-on



- 150lm rechargeable LED pen light with laser pointer
- Front COB LED provides 150/75lm brightness
- Metal clip at back for easy to carry
- FDA certified laser on top, <1mW, 650nm wavelength

SPECIFICATIONS	
PART NO. PEN152R	
Front Lumens	75/150lm
Laser	650nm wavelength peak power <1mW
Operating Time	4/2h (step 1/2 top)
Battery Type	3.7V 750mAh Li-on

STICK LIGHT SERIES

Compact and ultra-slim design makes the stick light series comfortable to carry in the pocket ready at hand for daily inspection tasks.



- 150lm rechargeable LED stick light
- 100lm top high-power LED lamp can be used as a flashlight for narrow work areas
- Strong built-in magnets for hands-free use

SPECIFICATIONS	
PART NO. SLM151R	
Front Lumens	75/150lm
Top Lumens	100lm
Operating Time	4/2/2.5h (step 1/2 top)
Battery Type	3.7V 750mAh Li-poly
Dust & Water Resistant	IP54



- 400lm rechargeable LED stick light
- 100lm top high-power LED lamp can be used as a flashlight for narrow work areas
- Strong built-in magnets for hands-free use

SPECIFICATIONS	
PART NO. SLM401R	
Front Lumens	200/400lm
Top Lumens	100lm
Operating Time	4/2/5h (step 1/2 top)
Battery Type	3.7V 1200mAh Li-poly
Dust & Water Resistant	IP54

ARTICULATING LIGHT SERIES

The articulating slim light ultra-thin design allows for inspections in the most inaccessible and narrow work areas. This makes the work light ideal for very demanding and difficult inspection jobs.



- 200lm ultra-thin rechargeable LED articulating slim light
- 100lm top high-power LED lamp can be used as a flashlight for narrow work areas
- Light pivots a full 360° for easy handling and storage
- Powerful magnet

SPECIFICATIONS	
PART NO. ASL201R	
Front Lumens	200lm
Top Lumens	100lm
Operating Time	2/3.5h (step front/top)
Battery Type	3.7V 1200mAh Li-poly



- 200lm ultra-thin rechargeable COB & UV LED articulating slim light
- 100lm top high-power LED lamp can be used as a flashlight for narrow work areas
- Light pivots a full 360° for easy handling and storage
- Powerful magnet

PART NO. ASL202RUV	
Front Lumens	200lm
UV	395nm wavelength
Top Lumens	100lm
Operating Time	2/3.5h (step front/top)
Battery Type	3.7V 1200mAh Li-poly



- 500lm ultra-thin rechargeable LED articulating slim light
- 100lm top high-power LED lamp can be used as a flashlight for narrow work areas
- Light pivots a full 360° for easy handling and storage
- Powerful magnet

PART NO. ASL501R	
Front Lumens	250/500lm
Top Lumens	100lm
Operating Time	5/2.5/7h (step front/top)
Battery Type	3.8V 3000mAh Li-poly

STRAIGHT FOLDING LIGHT SERIES

The Straight Folding Light Series includes rechargeable and portable work lights.



- 200lm rechargeable straight folding LED work light
- Front COB LED provides lights with up to 200lm respectively
- Flexible 180° bracket with strong magnet

SPECIFICATIONS	
PART NO. SFL201R	
Front Lumens	200lm
Top Lumens	100lm
Operating Time	2.5/3h (step top/front)
Battery Type	3.7V 750mAh Li-poly
Dust & Water Resistant	IP65



- 500lm rechargeable straight folding LED work light
- Front COB LED provides lights with up to 500lm respectively
- Flexible 180° bracket with strong magnet

SPECIFICATIONS	
PART NO. SFL501R	
Front Lumens	500lm
Top Lumens	100lm
Operating Time	5/2.5/5h (step 1/2 top)
Battery Type	3.8V 3000mAh Li-poly
Dust & Water Resistant	IP65

HEAD LAMP SERIES

These high efficiency COB LED headlamps provide superior light for your work environment.



- 120lm detachable & rechargeable LED headlamp
- Front COB LED provides lights with up to 120lm respectively
- Headlamps can be detached and used separately
- Magnet backing

SPECIFICATIONS	
PART NO. HDL121R	
Lumens	120lm
Operating Time	5/2.5h (step 1/2)
Battery Type	3.7V 800mAh Li-poly
Dust & Water Resistant	IP65
PART NO. HDL251R	
Lumens	150/250/120lm (spot/flood/bottom)
Operating Time	2.5/2.5/3h (step spot/flood/bottom)
Battery Type	3.8V 1600mAh Li-poly
Dust & Water Resistant	IP65



- 250lm detachable & rechargeable LED headlamp
- Front COB LED provides lights with up to 120lm respectively
- Headlamps can be detached and used separately
- Magnet backing

UNDERHOOD LIGHT

Underhood Lights are versatile lights for use in automotive repair, construction, industrial and many other applications. This SMD LED light provides 75% more luminescence compared to traditional fluorescent lights.



- 1000lm rechargeable LED underhood light
- Bar extends from 4' to 6.6'
- Detachable battery pack for charging
- Light can swivel 360° on bracket

SPECIFICATIONS	
Part No. UHL101R	
Main Light	500/1000lm
Charging Base	400/800lm
Operating Time	4/2h (step 1/2)
Battery Type	3.6V 5000mAh Li-on detachable
Dust & Water Resistant	IP54

ACCESSORIES

ALS accessories are heavy-duty construction and adjust to your work needs. ALS Audio Light Series, Spot Light X Series and Underhood Light Series can attach to these tripods.



- Heavy-duty tripod stand

SPECIFICATIONS	
PART NO. ACS301F	
Adjustment Height	4.4 - 9.8 ft.
Mounts	AUD202H, AUD502H, SPX601H, SPX10K1C and Underhood Light Series



- Heavy-duty tripod stand

SPECIFICATIONS	
PART NO. ACS181W	
Adjustment Height	2.4 - 6 ft.
Mounts	AUD202H, AUD502H, SPX601H, SPX10K1C and Underhood Light Series



- L-shaped bracket

SPECIFICATIONS	
PART NO. ACS701L	
Mounts	AUD202H and AUD502H on tripod stand provides downward light



- Multi-functional fasteners pair

SPECIFICATIONS	
PART NO. ACS201P	
Mounts	Detachable multi-functional fasteners pair with tripod stand and wheel stand for hanging Underhood Light Series

GENERAL AEROSOL PRODUCTS

Throttle Plate & Air Intake Cleaner

PART NO. DY-1829

16 oz. can, Net Wt. 13.25 oz.

- Safe for Ford Teflon air intake
- Oxygen sensor and catalytic converter
- VOC compliant
- Available in case of 12



Foamy Engine Degreaser

PART NO. DY-7287

20 oz. can, Net Wt. 15 oz.

- Effectively removes dirt, grease and oil
- Ideal for use on auto, truck and tractor engines
- Available in case of 12



Non-Chlorinated Rust Penetrant

PART NO. DY-1827

20 oz. can, Net Wt. 15 oz.

- Frees rusted bolts and parts
- Super penetrating
- Available in case of 12



Gasket Remover

PART NO. DY-4682

16 oz. can, Net Wt. 11 oz.

- Removes fiber gaskets and gasket adhesives
- Use to remove sealant, paint, lacquer and varnish
- Available in case of 6



Rubberized Undercoat

PART NO. DY-4680

20 oz. can, Net Wt. 16 oz.

- Protects against rust and corrosion
- Dries fast and stays flexible
- Reduces road noise
- Available in case of 6



BRAKE SERVICE PRODUCTS

Non-Chlorinated Brake Cleaner

PART NO. DY-1830

20 oz. can, Net Wt. 12.25 oz.

- Strong cleaning
- Fast drying
- VOC compliant
- Available in case of 12



Silicone Brake Lube

PART NO. DY-0851

4 oz. can, Net Wt. 4.0 oz.

- Reduces brake noise
- Prevents brake hardware failure
- Dampens vibrations between contact points
- Available in case of 6



Disc Brake Quiet

PART NO. DY-0024

12 oz. can, Net Wt. 9.0 oz.

- Makes brake assembly easier
- Prevents corrosion
- For use with non-shimmed brake pads
- Available in case of 6



Brake Rotor Finishing Treatment

PART NO. DY-3049

16 oz. can, Net Wt. 9 oz.

- Works on all disc brake systems
- Eliminates brake squeal
- Effective from 100°F - 1800°F
- No drying time
- Available in case of 6



Rotor Wipes

PART NO. DY-5744

75 wipes/can, Net Wt. 13.5 oz.

- Removes metal filings on freshly machined rotors and drums
- Wipes measure 7" x 7"
- Available in case of 6



BATTERY SERVICE PRODUCTS

Battery Cleaner

PART NO. DY-1809

16 oz. can, Net Wt. 15.0 oz.

- Works instantly to neutralize acid
- Dissolves and removes corrosion
- Available in case of 12



Battery Terminal Protector

PART NO. DY-1810

16 oz. can, Net Wt. 12.0 oz.

- Coats battery terminals
- Leaves a corrosion barrier
- Available in Case of 12



INSTANT GASKET PRODUCTS

Instant Gasket Black #17

PART NO. DY-1837

8 oz. can, Net Wt. 7.25 oz.

- Black low volatile RTV silicone
- Meets or exceeds OEM specs and is sensor safe
- Aerosol injected creates consistent bead
- Available in case of 6



Insta-Cure Gasket (Grey)

PART NO. DY-1680

10 oz. can, Net Wt. 10.0 oz.

- Low odor, sensor safe and requires no cure time
- Meets OEM specs
- Non-corrosive, suitable for aluminum, iron and steel
- Available in case of 6



WARRANTY SEAL

Warranty Seal (Yellow)

PART NO. DY-8090

1.8 oz. tube

- Visually detect any movement or tampering once a component has been marked
- Oil Change and Quick Lubes use to prevent drain plug tampering
- Transmission Shops use to protect warranties (high temperature resistant)
- A/C Technicians use to prevent refrigerant tampering
- Method used by local, state and federal governments
- Dries fast and adheres to all surfaces
- Effective for oil pan marking
- Available in case of 6



LUBRICANTS AND CLEANERS

BF60 Multi-Purpose Lubricant

PART NO. DY-1826

20 oz. can, Net Wt. 14.75 oz.

- Loosens and frees rusted parts
- Displaces moisture for ignition systems
- Cleans and protects
- Available in case of 12



Slider Gel-Lube with Teflon

PART NO. DY-1834

20 oz. can, Net Wt. 13.25 oz.

- Provides superior lubrications
- Long lasting
- Use for cables, hinges, rollers, door locks, and more
- Available in case of 12



Dry Graphite Spray

PART NO. DY-4679

16 oz. can, Net Wt. 9 oz.

- Long lasting, provides superior lubrications
- Uses for cables, hinges, rollers, door locks and more
- Available in case of 6



Electronic Contact Cleaner

PART NO. DY-4681

16 oz. can, Net Wt. 11 oz.

- Quick drying
- Removes dirt, oil and grease from sensitive electronic components
- Leaves no residue
- Available in case of 6



Cre-Oil™ Penetrating Oil

PART NO. CO-11

11 oz. can, Net Wt. 11 oz.

- Glides deeply into tight crevices
- Penetrates quickly loosening the bond of rust and corrosion
- Does not evaporate helping with lubrication and stopping further rust buildup
- Available in case of 12



POWER STEERING FLUID



Power Steering Fluid

PART NO. DY-1818

12 oz. bottle, Net Wt. 12.0 oz.

- Universal and safe to use in most power steering pumps and racks
- Available in case of 12



Power Steering Fluid

PART NO. DY-1817

1 Gallon bottle, Net Wt. 128.0 oz.

- Universal and safe to use in most power steering pumps and racks
- Available in case of 3



Honda/Acura Power Steering Fluid

PART NO. DY-4692

12 oz. bottle, Net Wt. 12.0 oz.

- Specially formulated for use in Honda and Acura vehicles
- Available in case of 12

TIRE CARE PRODUCTS

Wheel & Tire Cleaner

PART NO. DY-1815

32 oz. Spray Bottle

- Special polymer for cleaning road soil and brake dust for all types of wheels
- Removes brake dust
- Cleans white letter and white wall tires
- Professional grade formula
- Trigger spray bottle for easy use
- Available in case of 4



Tire Marking Paint

PART NO. DY-5213

16 oz. can, Net Wt. 12.0 oz.

- Bright Orange Paint
- Dries quickly
- VOC compliant
- Available in case of 6



Tire Shine

PART NO. DY-6464

20 oz. can, Net Wt. 12.30 oz.

- Gives tires ultra-black glossy wet look
- Water resistant
- Can be used on vinyl tops
- Available in case of 12



Black Tire Paint

PART NO. DY-1835

20 oz. can, Net Wt. 13.0 oz.

- Jet black results
- Will not harm rubber products
- Available in case of 12



TIRE SERVICE PRODUCTS

Rubber Prep (Flammable)

PART NO. DY-1883

20 oz. can, Net Wt. 13.0 oz.

- Prepares rubber surfaces
- Removes debris and mold lubricants prior to buffing
- Promotes good adhesion for patches and plugs
- Available in case of 12



Tire Paste

PART NO. DY-3245

6.5 lb. pail, Net Wt. 3.0 lbs.

- For mounting and removal of tires
- Rubber lubricant with rust preventative
- Available in case of 6



Vulcanizing Cement (Flammable)

PART NO. DY-7879

8 oz. can, Net Wt. 8.0 oz.

- For chemical and heat vulcanizing
- Fast drying
- Use with any JDI repair unit for insert
- Available in case of 24



Pre Prep 7 Rim Surface Cleaner

PART NO. DY-PP7

20 oz. bottle, Net Wt. 20.0 oz.

- Provides an excellent surface to apply adhesive weights
- More effective than citrus based cleaners
- Safer to use than brake cleaners - can be used on all wheel finishes
- Cleans in seconds - fast drying
- Works in both warm and cold conditions
- Available in case of 6



Bead Sealer

PART NO. DY-1888

32 oz. can, Net Wt. 32.0 oz.

- For sealing small air leaks between tire and wheel
- Brush top cap
- Available in Case of 12



JANITORIAL/FACILITY MAINTENANCE PRODUCTS

Plastic Cleaner

PART NO. DY-1812

20 oz. can, Net Wt. 17.8 oz.

- Ideal for computer screens
- Anti-static formula
- Available in case of 12



All Purpose Showroom Cleaner

PART NO. DY-2383

20 oz. can, Net Wt. 18.0 oz.

- Spray on - wipe off
- Door, cabinets, waiting areas
- Available in case of 12



Glass Cleaner

PART NO. DY-2382

20 oz. can, Net Wt. 18.0 oz.

- Will not leave streaks
- Use on shop windows and doors
- Use on windshield before installing new wiper blades
- Available in case of 12



Dry Carpet Cleaner

PART NO. DY-2381

20 oz. can, Net Wt. 17.0 oz.

- Soil absorbing dry formula
- Easy to use
- Spray on - rub out
- Professional results
- Available in case of 12



Glade® Air Freshener

PART NO. DY-7835

20 oz. can, Net Wt. 12.0 oz.

- Clean linen fragrance
- Available in case of 12



COILED BRAKE LINES



Dynamic coil brake lines are an easy and cost saving method for fabricating custom-sized brake and transmission lines. Use along with Dynamic Tube Nuts. Steel coil lines are available in Galfan and PVF coatings along with easy-to-use Copper-Nickel.

BRAKE LINE COATINGS & COPPER-NICKEL

Dynamic offers three superior quality types of brake lines - each offering excellent performance and corrosion resistance.

Galfan - is a durable coating that helps resist abrasion and is a step above the many zinc-coated brake lines on the market today. It will not chip, soften or blister when exposed to corrosive fluids. Galfan utilizes a hot dip coat of zinc aluminum alloy plus a thermoset aluminum rich epoxy top coat. It exceeds 2,000 hours of salt spray testing. Galfan meets stringent auto industry requirements.

PVF - Polyvinylfluoride is a durable, highly abrasion resistant coating. It is another option for corrosion protection on double-walled brake lines. This coating consists of a PVF topcoat that is painted and cured over an electroplated zinc substrate. PVF exceeds 2,000 hours of salt spray testing. PVF is recognized by its olive green color.

Copper-Nickel - is an alloy of 90% copper and 10% nickel which has a very high corrosion resistance. It outperforms standard double-walled tubing. Copper-Nickel is easy to bend and flare for trouble-free installation. It provides superior reliability and durability.

Dynamic Coil Brake Lines along with Dynamic tube nuts are an easy and cost-saving method for shops to fabricate custom size brake lines and transmission lines.

COPPER-NICKEL

Copper-Nickel is an alloy of 90% copper and 10% nickel which has a very high corrosion resistance. It outperforms standard double-walled tubing. Copper-Nickel is easy to bend and flare for trouble-free installation. It provides superior reliability and durability.

- Outperforms standard double-walled tubing
- Approved for automotive braking systems
- Fast and easy installation
- Most bends made by hand
- Increase productivity
- Increase profits
- Conveniently coiled for easier storage and handling
- Sizes for both brake line and fuel line replacement
- Available in 25, 50 and 100 foot coils

Copper-Nickel



SPECIFICATIONS			
Part No.	Size	Coil Length	Qty.
CN-316	3/16"	25 ft.	1
CN-316-50	3/16"	50 ft.	1
CN-316-100	3/16"	100 ft.	1
CN-38	3/8"	25 ft.	1
CN-414	1/4"	25 ft.	1
CN-414-50	1/4"	50 ft.	1
CN-414-100	1/4"	100 ft.	1

Galfan Coated



SPECIFICATIONS			
Part No.	Size	Coil Length	Qty.
BL-316-B	3/16"	25 ft.	1
BL-414-B	1/4"	25 ft.	1
BL-516-B	5/16"	25 ft.	1
BL-638-B	3/8"	25 ft.	1

PVF Coated



SPECIFICATIONS			
Part No.	Size	Coil Length	Qty.
PV-316	3/16"	25 ft.	1
PV-414	1/4"	25 ft.	1
PV-516	5/16"	25 ft.	1

TUBE NUTS



SPECIFICATIONS

Part No.	Description	Tube Size	Male Thread Size	Pkg Qty.	
BR-105B	Steel Tube Nut / RoHS Yellow Zinc Plating	3/16"	3/8"-24 Short	5	
BR-105BL	Steel Tube Nut Long / RoHS Yellow Zinc Plating	3/16"	3/8"-24 Long	5	
BR-105C	Steel Tube Nut / RoHS Yellow Zinc Plating	1/4"	7/16"-24 Short	5	
BR-105CL	Steel Tube Nut Long / RoHS Yellow Zinc Plating	1/4"	7/16"-24 Long	5	
BR-105D	Steel Tube Nut / RoHS Yellow Zinc Plating	5/16"	1/2"-20	5	
BR-105E	Steel Tube Nut / RoHS Yellow Zinc Plating	3/8"	5/8"-18	5	
Part No.	Description	Tube Size	Hex Size	Thread Size	Pkg Qty.
BR-7800	Steel Tube Nut / Blue Clr Zinc Plating	3/16"	10mm	10mm*1.0 Inverted Flare	5
BR-7801	Steel Tube Nut / Olive Clr Zinc Plating	3/16"	12mm	10mm*1.0 Bubble Flare	5
BR-7802	Steel Tube Nut / Violet Clr Zinc Plating	3/16"	7/16"	3/4"-24 Bubble Flare	5
BR-7943	Steel Tube Nut / Olive Clr Zinc Plating	3/16"	10mm	M10x1.0 Bubble Flare	5
BR-7945	Steel Metric Tube Nut / Orange Clr Zinc Plating	3/16"	12mm	11mm*1.5 Bubble Flare	5
BR-7946	Steel Metric Bubble Tube Nut/Blue Clr Zinc Plating	3/16"	14mm	12mm*1.0 Bubble Flare	5
BR-7947	Steel Metric Bubble Tube Nut/Green Clr Zinc Plating	3/16"	14mm	13mm*1.5 Bubble Flare	5
BR-7948	Steel Tube Nut / Olive Clr Zinc Plating	3/16"	5/8"	9/16"-18 Inverted Flare	5
BR-7950	Steel Tube Nut / Olive Clr Zinc Plating	1/4"	13mm	12mm*1.0 Inverted Flare	5
BR-7951	Steel Metric Long Tube Nut / Blue Clr Zinc Plating	3/16"	7/16"	10mm*1.0 Inverted Flare	5
BR-7952	Steel Bubble Tube Nut / Gold Clr Zinc Plating	3/16"	13mm	10mm*1.0 Bubble Flare	5
BR-7955	Steel Tube Nut / Red Clr Zinc Plating	3/16"	7/16"	7/16"-24 Inverted Flare	5
BR-7956	Steel Tube Nut / Green Clr Zinc Plating	3/16"	9/16"	1/2"-20 Inverted Flare	5
BR-7957	Tube Nut M10 Bubble	3/16"	10mm	M10x1.0 Bubble Flare	5
BR-7958	Steel Tube Nut / Blue Clr Zinc Plating	1/4"	9/16"	9/16"-18 Inverted Flare	5
BR-7959	Steel Tube Nut / Gold Clr Zinc Plating	1/4"	1/2"	1/2"-20 Inverted Flare	5
BR-7961	Tube Nut 6mm M12x1.0 Bub	6mm	12mm	M12x1.0 Bubble Flare	5
BR-7963	Tube Nut 6mm M14x1.5 Bub	6mm	14mm	M14x1.5 Bubble Flare	5

ADAPTERS



BR-1441



BR-1442



BR-1443



BR-1445



BR-1446



BR-1447



BR-7727



BR-7818



BR-7828



BR-7829



BR-7908



BR-7909



BR-7910



BR-7911



BR-7912



BR-7935



BR-7936



BR-7937

SPECIFICATIONS

Part No.	Description	Female Thread Size	Male Thread Size	Pkg Qty.
BR-1441	Brass Standard Bubble Flare Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	3/8"-24 Bubble Flare	5
BR-1442	Brass Standard Bubble Flare Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	10mm*1.0 Bubble Flare	5
BR-1443	Brass Standard to Metric Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	10mm*1.0 Inverted Flare	5
BR-1445	Brass Standard to Metric Bubble Flare Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	11mm*1.5 Bubble Flare	5
BR-1446	Brass Standard Bubble Flare Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	12mm*1.0 Bubble Flare	5
BR-1447	Brass Standard to Bubble Flare Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	13mm*1.50 Bubble Flare	5
BR-7727	Brass Standard to Bubble Flare Adapter for 3/16" Tubing	1/2"-20 Inverted Flare	7/16"-24 Inverted Flare	5
BR-7818	Brass Standard to Dual Master Cylinder Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	7/16"-24 Inverted Flare	5
BR-7828	Brass Standard to Dual Master Cylinder Adapter for 1/4" Tubing	7/16"-24 Inverted Flare	3/8"-24 Inverted Flare	5
BR-7829	Brass Standard to Dual Master Cylinder Adapter for 1/4" Tubing	7/16"-24 Inverted Flare	1/2"-20 Inverted Flare	5
BR-7908	Brass Standard to Dual Master Cylinder Adapter for 1/4" Tubing	7/16"-24 Inverted Flare	9/16"-18 Inverted Flare	5
BR-7909	Brass Standard to Dual Master Cylinder Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	1/2"-20 Inverted Flare	5
BR-7910	Brass Standard to Dual Master Cylinder Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	9/16"-20 Inverted Flare	5
BR-7911	Brass Standard to Dual Master Cylinder Adapter for 3/16" Tubing	3/8"-24 Inverted Flare	9/16"-18 Inverted Flare	5
BR-7912	Brass Standard to Dual Master Cylinder Adapter for 3/16" Tubing	9/16"-18 Inverted Flare	1/2"-20 Inverted Flare	5
BR-7935	Brass Metric to Metric Bubble Adapter for 3/16" Tubing	10mm*1.0 Bubble Flare	11mm*1.5 Bubble Flare	5
BR-7936	Brass Metric to Metric Bubble Adapter for 3/16" Tubing	10mm*1.0 Inverted Flare	12mm*1.0 Bubble Flare	5
BR-7937	Brass Metric to Metric Bubble Adapter for 3/16" Tubing	M10 x 1.0 Bubble Flare	M13 x 1.5 Bubble Flare	5

UNIONS



BR-300B



BR-300C



BR-300D



BR-300E



BR-1594



BR-1595A



BR-7934A



BR-62A-B-C-D-E

SPECIFICATIONS

Part No.	Description	Tube Size	Female Thread Size	Pkg Qty.
BR-300B	Brass Inverted Flare Union	3/16"	3/8"-24 Thread	5
BR-300C	Brass Inverted Flare Union	1/4"	7/16"-24 Thread	5
BR-300D	Brass Inverted Flare Union	5/16"	1/2"-20 Thread	5
BR-300E	Brass Inverted Flare Union	3/8"	5/8"-18 Thread	5
BR-1594	Brass Standard Bubble Flare Union	3/16"	3/8"-24 Bubble Flare	5
BR-1595A	Brass Metric Bubble Flare Union	3/16"	10mm*1.0 Bubble Flare	5
BR-7934A	Brass Metric Inverted Flare Union	3/16"	10mm*1.0 Inverted Flare	5

Compression Unions

Not recommended for use with braking systems

Part No.	Description	Tube Size	Thread Size	Pkg Qty.
BR-62A	Brass Inverted Flare Union	1/8"	5/16"-24 Thread	5
BR-62B	Brass Compression Union	3/16"	3/8"-24 Thread	5
BR-62C	Brass Compression Union	1/4"	7/16"-24 Thread	5
BR-62D	Brass Compression Union	5/16"	1/2"-24 Thread	5
BR-62E	Brass Compression Union	3/8"	9/16"-24 Thread	5

BLEEDER SCREWS



SPECIFICATIONS						
Part No.	Description	Thread Size	Length	Head Style	Material	Pkg Qty.
9400	Bleeder Screw 3/8-24 x 1.36	3/8"-24	1.43	Hex	Steel	5
9401	Bleeder Screw 3/8-24 x 1.47	3/8"-24	1.5	Hex	Steel	5
9402	Bleeder Screw 3/8-24 x 1.11	3/8"-24	1.11	Hex	Steel	5
9403	Bleeder Screw 5/16"-24 x 1.06	5/16"-24	1	Hex	Steel	5
9404	Bleeder Screw 1/4-28 x .93	1/4"-28	.88	Hex	Steel	5
9405	Bleeder Screw M8-1.25 x 23.55	M8-1.25	24.4mm	Hex	Steel	5
9406	Bleeder Screw M10-1.5 x 27.5	M10-1.5	29.3nn	Hex	Steel	5
9407	Bleeder Screw M10-1.0 x 27.5	M10-1.0	29.25mm	Hex	Steel	5
9409	Bleeder Screw M10-1.0 x 32.75	M10-1.0	31.9mm	Hex	Steel	5
9410	Bleeder Screw M10-1.0 x 35.0	M10-1.0	32.5mm	Hex	Steel	5
9411	Bleeder Screw M7 X 1.00 - 34mm	M7-1.0	33.8mm	Hex	Steel	5
9412	Bleeder Screw M10 X 1.00 - 36.7mm	M10-1.0	35.8mm	Hex	Steel	5
9413	Bleeder Screw M7 X 1.00	M7-1.0	38mm	Hex	Steel	5
9415	Bleeder Screw 7/16"-20 X 1.28	7/16"-20	1.22	Hex	Steel	5
9421	Bleeder Screw M10 X 1.25 - 33.1mm	M10-1.25	31.3mm	Hex	Steel	5
9422	Bleeder Screw M8 X 1.25 - 31.6mm	M8-1.25	32mm	Hex	Steel	5
9428	Bleeder Screw M8 X 1.25 - 35.3mm	M8-1.25	34mm	Hex	Steel	5
9430	Bleeder Screw M8 X 1.00 - 26.4mm	M8-1.0	24.5mm	Hex	Steel	5
9444	Bleeder Screw 1/8	1/8"-27 NPT	31/32"			5
Bleeder Screw Cap						
9450	Bleeder Screw Cap	-	-			5
Copper Washers						
9451	Copper Washer 29/64	29/64"	11/16"			5
9452	Copper Washer 1/2	1/2"	13"/16			5
9453	Copper Washer 25/64	25/64"	5/8"			5
9454	Copper Washer 7/16	7/16"	13/16"			5

DYNAMIC - BRAKE LINE FITTING ASSORTMENTS

Dynamic Brake Line Assortments contain all of the popular fittings required for brake line service for both domestic and import cars and light trucks. Assortments include inverted and bubble flare fittings in standard and metric sizes. Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.



Master Brake Line Fittings Assortment

PART NO. DY-BLF-5

Master assortment of tube nuts and adapters to make and repair most domestic and import brake lines.

- 23 part numbers
- 115 total pieces



Master Cylinder Brake Line Adapter Assortment

PART NO. DY-BA-6

Assortment of popular master cylinder brake line adapters.

- 16 part numbers
- 80 total pieces




Bleeder Screw Assortment

PART NO. DY-BSA-3

Assortment includes bleed-er screws, bleeder screw caps and copper washers.

- 24 part numbers
- 130 total pieces

OIL DRAIN PLUGS



SPECIFICATIONS

Part No.	Description	Thread Size	Hardware Type	Hex Size	Pkg Qty.
DP-005-B	Drain Plug	1/2"-20	Standard	7/8in	5
DP-019-B	Pipe Plug	3/8"-18	Square Head	3/8in	5
DP-033-B	Drain Plug	M14-1.50	Standard	17mm	5
DP-034-B	Drain Plug	M12-1.75	Pilot Point	15mm	5
DP-038-B	Drain Plug	M12-1.25	Standard	14mm	5
DP-040-B	Drain Plug	M20-1.50	Standard	17mm	5
DP-049-B	Drain Plug	M12-1.25	Pilot Point	13mm	5
DP-052-B	Drain Plug	1/2"-20	Pilot Point	9/16in	5
DP-053-B	Drain Plug	M14-1.50	Pilot Point	16mm	5
DP-054-B	Drain Plug	M16-1.50	Standard	19mm	5
DP-058-B	Drain Plug	1/2"-20	Pilot Point Molded Gasket	5/8in	5
DP-059-B	Drain Plug	M12-1.75	Pilot Point Molded Gasket	15mm	5
DP-062-B	Drain Plug	Chrysler Rubber Plug	Differential Plug	-	5
DP-075-B	Drain Plug	M14-1.50	Standard	17mm	5
DP-076-B	Drain Plug	M14-1.25	Pilot Point	15mm	5
DP-079-B	Drain Plug	M12-1.75	Pilot Point Insert Gasket	15mm	5
DP-086-B	Drain Plug	M12-1.25	Piggyback	3/4in	5
DP-087-B	Drain Plug	M14-1.50	Piggyback	24mm	5
DP-088-B	Drain Plug	M12-1.50	Standard	17mm	5



SPECIFICATIONS

Part No.	Description	Thread Size	Hardware Type	Hex Size	Pkg Qty.
DP-090-B	VW & Audi Special Plastic Plug		Plastic	-	2
DP-091-B	Drain Plug	M12-1.75	Magnetic	15mm	5
DP-092-B	Drain Plug	1/2"-14	Square Steel	3/8in	5
DP-098-B	Drain Plug	M14-1.50	Pilot Point Molded Gasket	17mm	5
DP-115-B	Drain Plug	M14-1.50	Pilot Point	13mm	5
DP-131-B	Drain Plug	M14-1.50	Standard	17mm	5
DP-151-B	Drain Plug	M22-1.50	Square Head	11mm	5
DP-153-B	Drain Plug	M12-1.75	Pilot Point with Gasket	15mm	5
DP-156-B	Drain Plug	M12-1.75	Pilot Point Insert Gasket	13mm	5
DP-161-B	Drain Plug	M14-1.50	Pilot Point	16mm	5
DP-162-B	Drain Plug	M14-1.50	Square Head D	25.2mm	5
DP-164-B	Drain Plug	M14-1.50	Standard	13mm	5
DP-167-B	Drain Plug	M18-1.50	Standard	17mm	5
DP-169-B	Drain Plug	M14-1.50	Standard	19mm	5
DP-171-B	Drain Plug	M14-1.50	Pilot Point w Floating Washer	19mm	5
DP-172-B	Drain Plug	M14-1.50	Pilot Point Insert Gasket	13mm	5
DP-177-B	Drain Plug	M14-1.25	Magnetic	19mm	5
DP-182-B	Drain Plug	M14-1.50	Square Head w Trapped Washer	19mm	5
DP-206-B	Transmission Plug	M10 -1.5	Hex Head	13mm	5
DP-211-B	Drain Plug w O-Ring Seal	M14-1.50	Pilot Point Insert Gasket	10mm	5
DP-835-B	Drain Plug for GM	-	Plastic	-	2
DP-839-B	Drain Plug for 2011 Ford	-	Camlock w O-Ring	-	2
DP-947-B	Drain Plug	M14-1.50	Allen Head	8mm	5
DP-948-B	Drain Plug	M12-1.75	Hex Head	T45	5

OVERSIZED OIL DRAIN



DP-015-B



DY-DP-2B



DY-DP-3B



DY-DP-4B



DY-DP-5B



DY-DP-28B



DY-DP-29B



DY-DP-30B



DP-199-B


SPECIFICATIONS					
Part No.	Description	Thread Size	Hardware Type	Hex Size	Pkg Qty.
DP-015-B	Drain Plug	1/2-20	Single Oversize	3/4"	5
DY-DP-2B	Drain Plug, Yellow	1/2-20	Double Oversize	3/4"	5
DY-DP-3B	Drain Plug, Black Zinc	1/2-20	Triple Oversize	3/4"	5
DY-DP-4B	Drain Plug, Piggy-Back, Zinc Plate	1/2-20	Single Oversize - Piggyback	3/4"	5
DY-DP-5B	Drain Plug, Piggy-Back, Yellow	1/2-20	Double Oversize - Piggyback	3/4"	5
DY-DP-28B	Drain Plug, Zinc Plate	M14-1.50	Single Oversize	19mm	5
DY-DP-29B	Drain Plug, Zinc Plate	M12-1.75	Single Oversize	19mm	5
DY-DP-30B	Drain Plug, Zinc Plate	M12-1.25	Single Oversize	19mm	5
DP-199-B	Drain Plug	M12-1.25	Single Oversize - Piggyback	19mm	5

SPECIALTY DRAIN PLUGS

Drain Plug for 2011-12 Ford 6.7L Power Stroke Diesel

PART NO. DP-839-B

- For early 2011-12 Ford 6.7L Power Stroke diesel engines with composite oil pan
- Plastic with cam-lock and O-ring



Pkg of 2

Plastic Drain Plug for GM

PART NO. DP-835-B

- For 2019 Cadillac CT6, 2019-2020 Cadillac XT4, 2020 Cadillac XT5 and 2019 Chevrolet 1500 Silverado



Pkg of 2

Plastic Drain Plug Tool for GM

PART NO. DP-T835-B



Pkg of 1

Plastic Drain Plug Gasket for GM

PART NO. DY-DG-745B



Pkg of 4

Special Plastic Drain Plug for Audi & VW

PART NO. DP-090-B

- For 2015-2020 Audi & VW



Pkg of 2

Plastic Drain Plug Tool for DP-090-B

PART NO. DP-T090-B



Pkg of 1

Plastic Drain Plug Kit for DP-090-B

PART NO. DP-090-K

- Includes five (5) DP-090-B and one (1) DP-T090-B



Pkg of 1

GASKETS



SPECIFICATIONS					
Part No.	Description	Hole Size	Hardware Type	Material	Pkg Qty.
Copper For high temperature applications. OE on some European cars					
DY-DG-18B	Gasket	1/2"	Drain Plug Gasket	Copper	10
DY-DG-19B	Gasket	M12	Drain Plug Gasket	Copper	10
DY-DG-20B	Gasket	M14	Drain Plug Gasket	Copper	10
DY-DG-21B	Gasket	M16	Drain Plug Gasket	Copper	10
DY-DG-22B	Gasket	M18	Drain Plug Gasket	Copper	10
DY-DG-23B	Gasket	M20/1.3mm	Drain Plug Gasket	Copper	10
DY-DG-24B	Gasket (BMW)	M14	Drain Plug Gasket	Copper	10
DY-DG-25B	Gasket (Volvo)	3/4"	Drain Plug Gasket	Copper	10
DY-DG-62B	Gasket	M22	Drain Plug Gasket	Copper	10
Copper Crush OE on some Japanese cars					
DY-DG-12B	Gasket	M12	Drain Plug Gasket	Copper Crush	10
DY-DG-13B	Gasket	M14	Drain Plug Gasket	Copper Crush	10
DY-DG-14B	Gasket	M16	Drain Plug Gasket	Copper Crush	10
DY-DG-15B	Gasket	M18	Drain Plug Gasket	Copper Crush	10
DY-DG-16B	Gasket	M20/2.5mm	Drain Plug Gasket	Copper Crush	10
Aluminum Used primarily for Honda and Acura vehicles					
DY-DG-156B	Gasket	M12	Drain Plug Gasket	Aluminum	10
DY-DG-26B	Gasket	1/2"	Drain Plug Gasket	Aluminum	10
DY-DG-27B	Gasket	M12	Drain Plug Gasket	Aluminum	10
DY-DG-29B	Gasket (Soft)	M14	Drain Plug Gasket	Aluminum	10
DY-DG-31B	Gasket	M16.4	Drain Plug Gasket	Aluminum	10
DY-DG-32B	Gasket	M18	Drain Plug Gasket	Aluminum	10
DY-DG-33B	Gasket (Soft)	M20	Drain Plug Gasket	Aluminum	10
DY-DG-34B	Gasket (Mazda)	M18	Drain Plug Gasket	Aluminum	10
DY-DG-35B	Gasket (BMW)	M12	Drain Plug Gasket	Aluminum	10
DY-DG-78B	Gasket (Honda)	M14	Drain Plug Gasket	Aluminum	10
DY-DG-79B	Gasket (Kia, Hyundai, Mazda)	M14	Drain Plug Gasket	Aluminum	10

GASKETS



SPECIFICATIONS					
Part No.	Description	Hole Size	Hardware Type	Material	Pkg Qty.
Rubber-Metal OE and aftermarket styles. Allows for imperfections on oil pan					
DY-DG-10B	Gasket	M14	Drain Plug Gasket	Rubber/Metal	10
DY-DG-60B	Gasket - OE	M12	Drain Plug Gasket	Rubber/Metal	10
DY-DG-61B	Gasket - OE	M14	Drain Plug Gasket	Rubber/Metal	10
DY-DG-66B	Gasket	M16	Drain Plug Gasket	Rubber/Metal	10
DY-DG-67B	Gasket	M18	Drain Plug Gasket	Rubber/Metal	10
DY-DG-9B	Gasket	M12	Drain Plug Gasket	Rubber/Metal	10
Fiber General purpose gasket					
DY-DG-1B	Gasket	1/2"	Drain Plug Gasket	Fiber	10
DY-DG-45B	Gasket	M14	Drain Plug Gasket	Fiber	10
DY-DG-46B	Gasket	M12	Drain Plug Gasket	Fiber	10
DY-DG-47B	Gasket - DT	M12	Drain Plug Gasket	Fiber	10
DY-DG-48B	Gasket - DT	M14	Drain Plug Gasket	Fiber	10
DY-DG-52B	Gasket- SO	1/2"	Drain Plug Gasket	Fiber	10
DY-DG-53B	Gasket - DO	1/2"	Drain Plug Gasket	Fiber	10
DY-DG-55B	Gasket	M22	Drain Plug Gasket	Fiber	10
DY-DG-5B	Gasket	M16	Drain Plug Gasket	Fiber	10
DY-DG-6B	Gasket	M18	Drain Plug Gasket	Fiber	10
DY-DG-7B	Gasket	M20	Drain Plug Gasket	Fiber	10
Nylon General purpose gasket					
DY-DG-36B	Gasket	1/2"	Drain Plug Gasket	Nylon	10
DY-DG-38B	Gasket	M12	Drain Plug Gasket	Nylon	10
DY-DG-40B	Gasket	M14	Drain Plug Gasket	Nylon	10
DY-DG-42B	Gasket	M16.4	Drain Plug Gasket	Nylon	10
DY-DG-43B	Gasket	M18	Drain Plug Gasket	Nylon	10
DY-DG-44B	Gasket	M20	Drain Plug Gasket	Nylon	10
Nylon - Locking Positions drain plug and provides a tight seal					
DY-DG-76B	Gasket	1/2"/14mm	Drain Plug Retainer Gasket	Locking Nylon	10
Poly					
DY-DG-2B	Gasket	1/2"	Drain Plug Gasket	Poly	10
DY-DG-3B	Gasket	M12	Drain Plug Gasket	Poly	10
DY-DG-49B	Gasket - Poly	M16.4	Drain Plug Gasket	Poly	10
DY-DG-4B	Gasket	M14	Drain Plug Gasket	Poly	10
DY-DG-50B	Gasket - Poly	M18	Drain Plug Gasket	Poly	10
DY-DG-51B	Gasket - Poly	M20	Drain Plug Gasket	Poly	10



SPECIFICATIONS					
Part No.	Description	Hole Size	Hardware Type	Material	Pkg Qty.
Foldover					
DY-DG-134B	Gasket	M12	Drain Plug Foldover Gasket	Copper	10
DY-DG-73B	Gasket	M14	Drain Plug Foldover Gasket	Steel	10
DY-DG-74B	Gasket	M20	Drain Plug Foldover Gasket	Steel	10
DY-DG-75B	Gasket	M12	Drain Plug Foldover Gasket	Copper	10
Green Synthetic Allows for imperfections on oil pan					
DY-DG-63B	Gasket	M12	Drain Plug Gasket	Synthetic	10
DY-DG-64B	Gasket	M18	Drain Plug Gasket	Synthetic	10
Rubber O-Ring For drain plugs with O-ring and insert gasket					
DY-DG-54B	Gasket - DP-079/091	M12	Drain Plug Gasket	Rubber	10
DY-DG-65B	Gasket - For DP-211	M14	Drain Plug Gasket	Rubber	10
DY-DG-68B	Gasket - DP-115	M14	Drain Plug O-ring Gasket	Rubber	10
DY-DG-69B	Gasket - For DP-161	M14	Drain Plug O-ring Gasket	Rubber	10
DY-DG-70B	Gasket - For DP-156	M12	Drain Plug O-ring Gasket	Rubber	10
DY-DG-82B	Gasket - For DP-098	M14	Drain Plug O-ring Gasket	Rubber	10

DYNAMIC - OIL DRAIN PLUG & GASKET ASSORTMENTS

Dynamic drain plug and gasket assortments contain the most popular part numbers for passenger car and light truck applications. These assortments are designed for the installer and provide the best coverage for a small investment. Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.



Drain Plug & Gasket Assortment

PART NO. DY-DPA-6

Most popular oil drain plugs and gaskets.

- 22 part numbers
- 88 total pieces



Master Drain Plug Gasket Assortment

PART NO. DY-DGK-240

Most popular drain plug gaskets.

- 24 part numbers
- 240 total pieces

LUG NUTS




WN-007-B



WN-008-B




WN-011-B



WN-16-B




WN-27-B




WN-52-B



WN-53-B




WN-62-B




WN-63-B



WN-64-B



WN-65-B



WN-66-B




WN-71-B



WN-72-B



WN-74-B



WN-75-B



WN-76-B



WN-84-B



WN-93-B



WN-94-B



WN-99-B

SPECIFICATIONS

Part No.	Description	Thread Size	Hardware Type	Hex Size	Length	Finish	Box Qty.
WN-007-B	Lug Nut	M14-1.50	Dometop Cap	21mm	38.5mm	Chrome	5
WN-008-B	Lug Nut	M14-1.50	Dometop Cap	21mm	44.5mm	Chrome	5
WN-011-B	Lug Nut	M14-1.50	Dometop Cap	22mm	38.5mm	Chrome	5
WN-16-B	Lug Nut	1/2"-20	Standard	13/16in	5/8in	Zinc	10
WN-27-B	Lug Nut	1/2"-20	Standard	3/4in	9/16in	Zinc	10
WN-52-B	Lug Nut	9/16"-18	Standard	7/8in	3/4in	Zinc	10
WN-53-B	Lug Nut	9/16"-18	Standard	1in	21/32in	Zinc	10
WN-62-B	Lug Nut	M12-1.50	Standard	19mm	14mm	Zinc	10
WN-63-B	Lug Nut	M12-1.50	Bulge	19mm	23mm	Zinc	10
WN-64-B	Lug Nut	M12-1.25	Standard	19mm	16mm	Chrome	10
WN-65-B	Lug Nut	M12-1.25	Standard	21mm	16mm	Zinc	10
WN-66-B	Lug Nut	M12-1.50	Standard	21mm	16mm	Zinc	10
WN-71-B	Lug Nut	1/2"-20	Dometop Cap	13/16in	15/32in	Chrome	5
WN-72-B	Lug Nut	M12-1.50	Standard	21mm	18mm	Zinc	10
WN-74-B	Lug Nut	M12-1.50	Dometop Cap	19mm	31mm	Chrome	5
WN-75-B	Lug Nut	M12-1.50	Acorn	19mm	24.5mm	Chrome	5
WN-76-B	Lug Nut	M12-1.25	Acorn	19mm	24mm	Chrome	5
WN-84-B	Lug Nut	M12-1.50	Dometop Cap	19mm	36mm	Chrome	5
WN-93-B	Lug Nut	1/2"-20	Bulge	13/16in	15/16in	Zinc	5
WN-94-B	Lug Nut	1/2"-20	Dometop Cap	3/4in	1-5/8in	Chrome	5
WN-99-B	Lug Nut	M12-1.25	Acorn	21mm	35mm	Chrome	5


LUG NUTS



WN-102-B



WN-109-B



WN-110-B



WN-114-B



WN-115-B



WN-117-B



WN-122-B



WN-133-B



WN-136-B



WN-138-B



WN-141-B



WN-144-B



WN-150-B



WN-162-B



WN-163-B



WN-167-B



WN-172-B



WN-181-B



WN-182-B



WN-196-B

SPECIFICATIONS

Part No.	Description	Thread Size	Hardware Type	Hex Size	Length	Finish	Box Qty.
WN-102-B	Lug Nut	1/2"-20	Mag	13/16in	1.454in	Chrome Specialty	5
WN-109-B	Lug Nut	M12-1.50	External	19mm	27.5mm	Zinc	5
WN-110-B	Lug Nut	M14-1.50	Bulge	22mm	20.5mm	Zinc	5
WN-114-B	Lug Nut	M12-1.25	Acorn	21mm	29mm	Chrome	5
WN-115-B	Lug Nut	M14-1.50	External Thread	22mm	28.5mm	Zinc	5
WN-117-B	Lug Nut	M12-1.50	Mag	21mm	37mm	Chrome	5
WN-122-B	Lug Nut	1/2"-20	Dometop Cap	3/4in	5/16in	Chrome	5
WN-133-B	Lug Nut	M12-1.5	Acorn	21mm	1.20in	Chrome	5
WN-136-B	Lug Nut	M12-1.50	Dometop Cap	19mm	37mm	Chrome	5
WN-138-B	Lug Nut	M12-1.50	Acorn	19mm	35mm	Chrome	5
WN-141-B	Lug Nut	M12-1.50	Acorn	21mm	26mm	Chrome	5
WN-144-B	Lug Nut	M12-1.50	Bulge	19mm	19.5mm	Chrome	5
WN-150-B	Lug Nut	M12-1.50	External Thread	19mm	31mm	Zinc	10
WN-162-B	Lug Nut	9/16"-18	Bulge	15/16in	1/32in	Zinc	5
WN-163-B	Lug Nut	1/2"-20	Bulge	3/4in	29/32in	Zinc	5
WN-167-B	Lug Nut	M12-1.50	Mag	21mm	47mm	Chrome	5
WN-172-B	Lug Nut	M12-1.75	Flanged	19mm	22.5mm	Black Steel	5
WN-181-B	Lug Nut	M12-1.50	Flattop Cap	19mm	43.1mm	Chrome	5
WN-182-B	Lug Nut	M12-1.5	Acorn	21mm	35.1mm	Chrome	5
WN-196-B	Lug Nut	M14-2.0	Flanged	21mm	22.6mm	Black Steel	5

LUG NUTS



WN-201-B



WN-204-B



WN-210-B



WN-211-B



WN-223-B



WN-236-B



WN-246-B



WN-253-B



WN-288-B



WN-294-B



WN-303-B



WN-315-B



WN-317-B



WN-327-B



WN-330-B



WN-331-B

SPECIFICATIONS

Part No.	Description	Thread Size	Hardware Type	Hex Size	Length	Finish	Box Qty.
WN-201-B	Lug Nut	M12-1.50	Acorn	19mm	29.5mm	Chrome	5
WN-204-B	Lug Nut	9/16"-18	Flattop Acorn	7/8in	1/2in	Steel	5
WN-210-B	Lug Nut	M12-1.25	Dometop Cap	21mm	29mm	Chrome	5
WN-211-B	Lug Nut	M12-1.50	Mag	21mm	36.5mm	Chrome	5
WN-223-B	Lug Nut	M14-2.0	Wheel Cover Retaining	21mm	30.56mm	Chrome	5
WN-236-B	Lug Nut	M14-1.50	Flattop	22mm	44.5mm	Chrome	5
WN-246-B	Lug Nut	M14-1.50	Flanged mm Hex	21mm	23.2mm	Black Steel	5
WN-253-B	Lug Nut	M12-1.50	Acorn	21mm	31.5mm	Chrome	5
WN-288-B	Lug Nut	M14-2.0	Dometop Cap	21mm	54mm	Chrome	5
WN-294-B	Lug Nut	M12-1.25	Dometop Cap	21mm	38.6mm	Chrome	5
WN-303-B	Lug Nut	M12-1.50	Dometop Cap	19mm	32.1mm	Chrome	5
WN-315-B	Lug Nut	M12-1.50	Acorn	21mm	34.8mm	Chrome	5
WN-317-B	Lug Nut	M12-1.50	Acorn	21mm	25.8mm	Chrome	5
WN-327-B	Lug Nut	M14-1.50	Acorn Bulge	22mm	28.4mm	Chrome	5
WN-330-B	Lug Nut	M14-1.50	Dometop Cap	22mm	38.5mm	Chrome	5
WN-331-B	Lug Nut	M14-1.50	Dometop Cap	22mm	34.8mm	Chrome	5

WHEEL STUDS



WS-004-B



WS-109-B



WS-138-B



WS-159-B



WS-219-B



WS-244-B



WS-254-B



WS-266-B



WS-269-B



WS-275-B



WS-285-B



WS-312-B



WS-318-B



WS-320-B



WS-327-B



WS-340-B



WS-360-B



WS-362-B



WS-364-B



WS-365-B



WS-368-B

SPECIFICATIONS

Part No.	Description	Thread Size	Hardware Type	Knurl	Length	Grade	Box Qty.
WS-004-B	Wheel Stud	M14-1.50	Serrated	16mm	59.77mm	8	3
WS-109-B	Wheel Stud	1/2"-20	Serrated	0.625in	1-5/8in	8	3
WS-138-B	Wheel Stud	1/2"-20	Serrated	0.535in	1-17/32in	8	3
WS-159-B	Wheel Stud	1/2"-20	Serrated	0.620in	1-5/8in	8	5
WS-219-B	Wheel Stud	1/2"-20	Serrated	0.625in	2in	8	3
WS-244-B	Wheel Stud	M12-1.50	Serrated	14.22mm	37mm	10.9	5
WS-254-B	Wheel Stud	M12-1.50	Serrated	12.73mm	41.5mm	10.9	5
WS-266-B	Wheel Stud	M12-1.50	Serrated	14.20mm	40mm	10.9	5
WS-269-B	Wheel Stud	M12-1.50	Serrated	12.22mm	36mm	10.9	5
WS-275-B	Wheel Stud	M12-1.50	Serrated	14.30mm	41.5mm	10.9	3
WS-285-B	Wheel Stud	M12-1.50	Serrated w/ Clip Head	14.94mm	41mm	10.9	5
WS-312-B	Wheel Stud	M12-1.50	Serrated	14.17mm	44.5mm	10.9	3
WS-318-B	Wheel Stud	M14-1.50	Serrated	17mm	26mm	8	5
WS-320-B	Wheel Stud	M12-1.25	Serrated	12.83mm	41.5mm	10.9	3
WS-327-B	Wheel Stud	M14-1.50	Serrated	16mm	45.5mm	10.9	3
WS-340-B	Wheel Stud	M12-1.50	Serrated	12.929mm	42mm	10.9	3
WS-360-B	Wheel Stud	M12-1.50	Serrated	12.37mm	42mm	10.9	3
WS-362-B	Wheel Stud	M12-1.50	Serrated	12.30mm	34mm	10.9	3
WS-364-B	Wheel Stud	1/2"-20	Serrated	0.618in	1-15/32in	8	3
WS-365-B	Wheel Stud	M12-1.50	Serrated	13.41mm	51.5mm	10.9	3
WS-368-B	Wheel Stud	1/2"-20	Serrated	0.627in	1-31/32in	8	3

WHEEL STUDS



WS-369-B



WS-378-B



WS-404-B



WS-410-B



WS-414-B



WS-428-B



WS-434-B



WS-442-B



WS-462-B



WS-507-B



WS-542-B

SPECIFICATIONS

Part No.	Description	Thread Size	Hardware Type	Knurl	Length	Grade	Box Qty.
WS-369-B	Wheel Stud	M12-1.50	Serrated	14.99mm	46mm	10.9	3
WS-378-B	Wheel Stud	M12-1.25	Serrated	14.35mm	42mm	10.9	3
WS-404-B	Wheel Stud	M12-1.25	Serrated	14.28mm	46mm	10.9	3
WS-410-B	Wheel Stud	M12-1.50	Serrated	12.90mm	46mm	10.9	3
WS-414-B	Wheel Stud	M12-1.50	Serrated	14.38mm	45mm	10.9	3
WS-428-B	Wheel Stud	M14-1.50	Serrated	15.70mm	65.4mm	10.9	3
WS-434-B	Wheel Stud	M14-1.50	Serrated	16.01mm	57.93mm	10.9	3
WS-442-B	Wheel Stud	M14-2.0	Serrated	15.5mm	57.93mm	10.9	3
WS-462-B	Wheel Stud	M12-1.50	Serrated	14.20mm	44.10mm	10.9	3
WS-507-B	Wheel Stud	M12-1.50	Serrated	13mm	44.8mm	10.9	3
WS-542-B	Wheel Stud	M14-2.0	Serrated	15.97mm	61.5mm	10.9	3

DYNAMIC - WHEEL HARDWARE ASSORTMENTS

Dynamic wheel hardware assortments contain the most popular wheel studs or lug nuts for passenger car and light truck applications. These assortments are designed for the installer and provide the best coverage for a small investment. Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.



Wheel Stud Assortment

PART NO. DY-WS-1

Most popular wheel studs.

- 12 part numbers
- 60 total pieces



Lug Nut Assortments

PART NO. DY-WN-12

The most popular lug nuts come in two separate cases. For the complete assortment order both DY-WN-12 and DY-WN-12B.

- 12 part numbers
- 60 total pieces



Lug Nut Assortments

PART NO. DY-WN-12B

- 12 part numbers
- 60 total pieces

SPECIALTY WHEEL BOLTS

Hub and Bearing Mounting Bolts

PART NO. WB-127-B

5 Wheel Hub Bolts & 1 O-Ring. Bolts are constructed from high quality steel to secure your hub assembly to the wheel. For a complete and convenient repair, all necessary hardware is included.

FEATURES

- Rust resistant
- Direct replacement for a proper fit every time
- Easy to install
- Manufactured from high-quality materials for durability
- 2015-2018 Ford Transit



Pkg of 5
Wheel Hub Bolts &
1 O-Ring

TIRE REPAIR MATERIALS

These high quality repair materials are designed to be used to perform puncture repairs on most passenger car and light truck tires that fulfill the industry recommended repair requirement of "filling the injury" and "patching the inner liner".



SPECIFICATIONS		
Item No.	Description	Pkg Qty.
Combination Repair Units—(for injury angle less than 25°)		
DY-0508	Small Combi Repair 1/8" - Box 20	1 Box
DY-0509	Large Combi Repair 1/4" - Box 15	1 Box
Lead Wire Repair Units—(for injury angle more than 25°) Includes injury fill and patch		
DY-7880	Small Lead Wire Repair 3/16" - Box 30	1 Box
DY-7881	Large Lead Wire Repair 3/8" - Box 30	1 Box
Tire Repair Chemicals		
DY-1883	Tire Prep Rubber Buffer 13 oz.	1
DY-7879	Vulcanizing Cement 8 oz.	1

TIRE REPAIR TOOLS

SPECIFICATIONS		
Item No.	Description	Pkg Qty.
DY-0721	Innerliner Scraper	1
DY-7882	Skiving Knife	1
DY-1873	Stitcher	1
DY-7883	Two-Step Reamer	1
DY-1149	White Tire Crayon—Box 12	1 Box
DY-0823	Yellow Tire Crayon—Box 12	1 Box
DY-8014	Low Speed Tire Buffer	1
DY-0720	Carbine Buffing Wheel—Box	1 Box



TUBELESS SNAP-IN VALVES

SPECIFICATIONS			
Part No.	Height	Valve Hole	Box Qty.
TR412-50	.88"	.453"	50
TR413-50	1.25"	.453"	50
TR413-500	1.25"	.453"	500
TR414-50	1.50"	.453"	50
TR414-500	1.50"	.453"	500
TR415-50	1.25"	.625"	50
TR418-50	2.00"	.453"	50
TR418-500	2.00"	.453"	500
TR423-50	2.50"	.453"	50

Made with EDPM Rubber
65 psi maximum cold inflation pressure –
maximum rim thickness .156"



TUBELESS SNAP-IN VALVES with Chrome Sleeve & Cap

SPECIFICATIONS			
Part No.	Height	Valve Hole	Box Qty.
TR413C-50	.88"	.453"	50
TR413C-500	1.25"	.453"	500
TR418C-50	1.25"	.453"	50
TR418C-500	1.50"	.453"	500

Made with EDPM Rubber
65 psi maximum cold inflation pressure – maximum
rim thickness .156"



HIGH PRESSURE SNAP-IN VALVES

SPECIFICATIONS			
Part No.	Height	Valve Hole	Box Qty.
TR600HP-50	1.27"	.453"	50

Made with EDPM Rubber
80 psi maximum cold
inflation pressure –
maximum rim
thickness .156"



BOLT-IN VALVES - FLUSH MOUNT

SPECIFICATIONS			
Part No.	Height	Valve Hole	Box Qty.
TR416C-50	1.44"	.453"/.625"	50
TR559-50	1.00"	.453"/.625"	50

Nickel/Chrome Plated Brass
Torque at 25-45 in-lbs.



VALVE CORES - CAPS - EXTENSIONS

SPECIFICATIONS		
Part No.	Description	Box Qty.
DY-0684	Standard Valve Core	100
DY-0686	Extension 3/4"	50
DY-0687	Extension 1-1/4"	50
DY-0689	Valve Cap - Metal	100



BRASS TRUCK VALVES

SPECIFICATIONS			
Part No.	Specifications	Valve Hole	Box Qty.
TR500T-10	Straight 2"	.625"	10
TR501T-10	Straight 1.5"	.625"	10
TR572T-10	Straight 3.75"	.625"	10
TR573T-10	Straight	.625"	10
TR500A-10	23°	.625"	10
TR571E13-10	13°	.625"	10
TR572F-10	31°	.625"	10



TRUCK VALVES WITH O-RINGS

For aluminum wheels with 9.7mm/10mm (.382"-.394") valve hole and rim thickness of 5.5mm-8.4mm (.218"-.330" at valve hole).

SPECIFICATIONS			
Part No.	Specifications	Valve Hole	Box Qty.
TR543D-10	60°	9.7mm	10
TR544D-10	60°	9.7mm	10
TR545D-10	60°	9.7mm	10



BOLT-IN VALVES - FLUSH MOUNT

SPECIFICATIONS			
Part No.	Specifications	Valve Hole	Box Qty.
TR554D-10	60°	9.7mm	10
TR555D-10	60°	9.7mm	10



AIR GAUGES

SPECIFICATIONS				
Item No.	Calibration	Increments	Finish	Pkg Qty.
Pencil Gauges				
DY-1900	20-120 PSI	2 PSI	Chrome	1
DY-1901	10-50 PSI	1 PSI	Chrome	1
1300 Series 5/16" Band				
DY-1903	20-120 PSI	2 PSI	Chrome	1
Dual Foot Service Gauge				
DY-1904	10-150 PSI	2 PSI	Chrome	1



AIR CHUCKS

SPECIFICATIONS				
Item No.	Type	Materials	Finish	Pkg Qty.
DY-1895	Closed	Brass	Chrome	1
DY-0897	Open	Brass	Chrome	1
Air Chuck Clip				
DY-0896	-	-	-	1



TIRE DEPTH GAUGES

SPECIFICATIONS				
Item No.	Measure Range	Measure Unit	Finish	Pkg Qty.
DY-1889	0-23mm/0-32nds	1mm/1 nds	-	1
DY-9363	0-32nds	Brass	Color coded	1



TIRE CHUCKS

PART NO. DY-1894



- 6" long, standard bore
- 30° & 120° reverse angle
- Dual foot
- Chrome plated
- 1/4" NPT female threads


PART NO. DY-0898



- 6" long, standard bore
- 30° straight-on angle
- Dual foot
- Chrome plated
- 1/4" NPT female threads

VALVE STEM TOOLS

SPECIFICATIONS		
Item No.	Description	Pkg Qty.
DY-5099	Valve Stem Puller with Nylon Head	1
DY-1887	Valve Stem Puller with Metal Head	1
DY-160	Valve Stem Puller with Rubber Block	1



VALVE CORE TOOLS

SPECIFICATIONS		
Item No.	Description	Pkg Qty.
DY-1890	Four-Way Valve Tool	1
DY-1891	Valve Core Wrench	1
DY-1893	Tube Deflator	1
DY-1905	Valve Fishing Tool	1



TIRE INSPECTION KIT BELT PACK

PART NO. DY-9537

Belt pack keeps essential tire inspection tools easy to access. Includes:

- Tire pressure gauge
- Tread depth gauge
- Tire crayon
- Valve core torque tool
- Pen



FITTINGS

Nylon Fuel Lines

SPECIFICATIONS			
Part No.	Tube	Length	Pkg Qty.
FL-14	1/4"	25'	1
FL-56	5/16"	25'	1
FL-38	3/8"	25'	1



Compression Unions

SPECIFICATIONS		
Part No.	Thread Size	Pkg Qty.
Nylon to Nylon		
BR-62CNN	1/4"	2
BR-62DNN	5/16"	2
BR-62ENN	3/8"	2
Nylon to Steel		
BR-62CNS	1/4"	2
BR-62DNS	5/16"	2
BR-62ENS	3/8"	2



Splice Joiners

SPECIFICATIONS		
Part No.	Thread Size	Pkg Qty.
For Nylon Fuel Line		
BB-14	1/4"	5
BB-516	5/16"	5
BB-38	3/8"	5
For Rubber Fuel Line		
BFC-4	1/4"	5
BFC-5	5/16"	5
BFC-6	3/8"	5



GM Fuel Sender Adapters

SPECIFICATIONS			
Part No.	Thread Size	Male Connection	Pkg Qty.
To Rubber Fuel Line			
FH-14	14mm	5/16"	5
FH-16	16mm	3/8"	5
To Nylon Fuel Line			
FS-14	14mm	5/16"	5
FS-16	16mm	3/8"	5



360° Seal Compression Unions

For Steel/Nylon/Copper/Aluminum Tubing

SPECIFICATIONS		
Part No.	Thread Size	Pkg Qty.
Reducing		
BR-2841	3/8" to 5/16"	2
BR-2842	10mm to 3/8"	2
Straight		
BR-2856	1/4"	2
BR-2857	5/16"	2
BR-2858	3/8"	2
90° Elbow		
BR-2846	5/16"	2
BR-2847	3/8"	2



Viton O-Rings


SPECIFICATIONS		
Part No.	Line Size	Pkg Qty.
OR-38	3/8"	10
OR-516	5/16"	10



FUEL LINE ADAPTERS

Quick Connector Fuel Line

SPECIFICATIONS			
Part No.	Female Connection	Male Connection	Pkg Qty.
Quick Connect to Steel to Nylon			
AL-102B	5/16"	5/16"	2
AL-103B	3/8"	3/8"	2
GM to Nylon or Rubber			
AL-104B	14mm	5/16"	2
AL-105B	16mm	3/8"	2



Fuel Sending Unit Repair Line

SPECIFICATIONS			
Part No.	Line Size	Length	Pkg Qty.
180° Fuel Filter Repair Line with 16mm GM Fitting			
FL-6188B	3/8"	6-1/2"	2



Steel Repair Lines

SPECIFICATIONS			
Part No.	Line Size	Length	Pkg Qty.
14mm with Fitting & O-Ring			
FL-510B	5/16"	9"	2
FL-518B	5/16"	18"	2
FL-536B	5/16"	36"	2
16mm with Fitting & O-Ring			
FL-610B	3/8"	9"	2
FL-618B	3/8"	18"	2
FL-636B	3/8"	36"	2



Fuel Line Clamps

SPECIFICATIONS		
Part No.	Tube Size	Pkg Qty.
Oetker 360° for Nylon & Rubber Hose		
CSO-14	9/32"	10
CSO-56	3/8"	10
CSO-38	7/16"	10
Fuel Injection Clamps		
HCM-4F	1/4"	10
HCM-6F	5/16"	10
HCM-8F	3/8"	10



CONNECTORS

SPECIFICATIONS			
Part No.	Female Connection	Male Connection	Pkg Qty.
Straight - Quick Disconnect			
TCS-58	5/16"	5/16"	2
TCS-68	3/8"	5/16"	2
TCS-510	5/16"	3/8"	2
TCS-610	3/8"	3/8"	2
90° Bend - Quick Disconnect			
TCB-58	5/16"	5/16"	2
TCB-68	3/8"	5/16"	2
TCB-510	5/16"	3/8"	2
TCB-610	3/8"	3/8"	2



Steel & Nylon Quick Connector Fuel Line Retainer Clips



SPECIFICATIONS			
Part No.	Size	Description	Pkg Qty.
CL-102B	3/8"	GM, Chrysler, Ford	10
CL-103B	5/16"	GM, Chrysler, Ford	10
CL-104B	5/16"	Ford (White)	10
CL-105B	3/8"	Ford (Black)	10
CL-106B	1/4"	Ford	10
CL-110B	1/2"	Ford	10
CL-120B	5/16"	Ford (White)	10
CL-121B	3/8"	Ford (Black)	10

QUICK DISCONNECT RETAINER REMOVAL TOOL



PART NO. DT-1B

For 5/16" & 3/8"

DYNAMIC - FUEL LINE FITTINGS ASSORTMENT

Dynamic Fuel Fittings Assortment contains all of the popular fittings needed to replace fuel line connectors on both steel and nylon line. Assortment includes quick connectors (straight and 90°), brass connectors, compression unions, clamps, O-rings, and connector removal tool. Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.



Fuel Line Repair Parts Assortment

PART NO. DY-FLA-2

Connectors, fitting and clamps for fuel line repair.

- 24 part numbers
- 86 total pieces

BLADE FUSES

Micro2 Blade Fuse

SPECIFICATIONS		
Part No.	Amp Rating	Pkg Qty.
MC2-10B	10	5
MC2-15B	15	5
MC2-20B	20	5
MC2-25B	25	5
MC2-30B	30	5



ATM Mini Fuse

Part No.	Amp Rating	Pkg Qty.
ATM-2B	2	5
ATM-3B	3	5
ATM-4B	4	5
ATM-5B	5	5
ATM-7.5B	7.5	5
ATM-10B	10	5
ATM-15B	15	5
ATM-20B	20	5
ATM-25B	25	5
ATM-30B	30	5



Low Profile ATM Mini Fuse

Part No.	Amp Rating	Pkg Qty.
ATM-7.5S	7.5	5
ATM-10S	10	5
ATM-15S	15	5
ATM-20S	20	5
ATM-25S	25	5
ATM-30S	30	5



ATM Mini "GLO" Fuse

Part No.	Amp Rating	Pkg Qty.
ATM-10GL	10	5
ATM-15GL	15	5
ATM-20GL	20	5
ATM-25GL	25	5
ATM-30GL	30	5



ATO Blade Fuse

SPECIFICATIONS		
Part No.	Amp Rating	Pkg Qty.
ATO-3B	3	5
ATO-5B	5	5
ATO-7.5B	7.5	5
ATO-10B	10	5
ATO-15B	15	5
ATO-20B	20	5
ATO-25B	25	5
ATO-30B	30	5
ATO-40B	40	5




ATM "GLO" Fuse

Part No.	Amp Rating	Pkg Qty.
ATO-10GL	10	5
ATO-15GL	15	5
ATO-20GL	20	5
ATO-25GL	25	5
ATO-30GL	30	5



MAXI Blade Fuse

Part No.	Amp Rating	Pkg Qty.
MAX-20B	20	3
MAX-25B	25	3
MAX-30B	30	3
MAX-40B	40	3
MAX-50B	50	3
MAX-60B	60	3
MAX-70B	70	3
MAX-80B	80	3



CARTRIDGE FUSES

J-CASE Fuse

SPECIFICATIONS		
Part No.	Amp Rating	Pkg Qty.
JC-20B	20	2
JC-30B	30	2
JC-40B	40	2
JC-50B	50	2
JC-60B	60	2



Low Profile J-CASE Fuse

Part No.	Amp Rating	Pkg Qty.
JC-20S	20	2
JC-25S	25	2
JC-30S	30	2
JC-40S	40	2
JC-50S	50	2
JC-60S	60	2

DYNAMIC - AUTOMOTIVE FUSE ASSORTMENTS

Dynamic Automotive Fuse Assortments contain the most popular fuses used in most domestic and imported vehicles. Assortments include Micro2, ATM, ATO, MAXI, J-Case and PAL fuses. Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.



Plug-in Fuse Assortment

PART NO. DY-FK-135

Most popular ATM, ATM Low Profile & ATO blade fuses.

- 24 part numbers
- 135 total pieces



Pro Fuse Assortment

PART NO. DY-FY-65

The most popular Micro2, MAXI & J-Case fuses.

- 22 part numbers
- 65 total pieces

BUTT CONNECTORS

SPECIFICATIONS				
Part No.	Color	Wire Size	Stud Size	Pkg Qty.
Vinyl Insulated				
DY-1320	Red	22-18	-	10
DY-1321	Blue	16-14	-	10
DY-1322	Yellow	12-10	-	10
Heat Shrink				
DY-1390S	Yellow	26-22	-	5
DY-1320S	Red	22-18	-	5
DY-1321S	Green	16-14	-	5
DY-1322S	Yellow	12-10	-	5
Solder & Heat Shrink				
DY-1320SS	Red	22-18	-	5
DY-1321SS	Green	16-14	-	5
DY-1322SS	Yellow	12-10	-	5
Nylon				
DY-1320N	Red	22-18	-	10
DY-1321N	Green	16-14	-	10
DY-1322N	Yellow	12-10	-	10
Non-Insulated				
DY-1320NI	Red	22-18	-	10
DY-1321NI	Green	16-14	-	10
DY-1322NI	Yellow	12-10	-	10
Non-Insulated Seamless				
DY-1321NIS		16-14	-	10



TERMINAL RINGS

Part No.	Color	Wire Size	Stud Size	Pkg Qty.
Vinyl Insulated				
DY-1301	Red	22-18	#6	10
DY-1302	Red	22-18	#10	10
DY-1303	Red	22-18	1/4	10
DY-1304	Red	22-18	5/16	10
DY-1305	Blue	16-14	#6	10
DY-1306	Blue	16-14	#10	10
DY-1307	Blue	16-14	1/4	10
DY-1308	Blue	16-14	5/16	10
DY-1309	Blue	16-14	3/8	10
DY-1310	Yellow	12-10	#10	10
DY-1311	Yellow	12-10	1/4	10
DY-1312	Yellow	12-10	5/16	10
DY-1313	Yellow	12-10	3/8	10
DY-1314	Yellow	12-10	1/2	10
Heat Shrink				
DY-1301S	Lt. Red	22-18	#6	5
DY-1302S	Lt. Red	22-18	#10	5
DY-1303S	Lt. Red	22-18	1/4	5
DY-1305S	Lt. Green	16-14	#6	5
DY-1306S	Lt. Green	16-14	#10	5
DY-1307S	Lt. Green	16-14	1/4	5
DY-1308S	Lt. Green	16-14	5/16	5
DY-1309S	Lt. Green	16-14	3/8	5
DY-1310S	Lt. Yellow	12-10	#10	5
DY-1311S	Lt. Yellow	12-10	1/4	5
DY-1313S	Lt. Yellow	12-10	3/8	5



TERMINAL SPADES

SPECIFICATIONS				
Part No.	Color	Wire Size	Stud Size	Pkg Qty.
Vinyl Insulated				
DY-1316	Red	22-18	#10	10
DY-1317	Blue	16-14	#6	10
DY-1318	Blue	16-14	#10	10
DY-1319	Yellow	12-10	#10	10
Heat Shrink				
DY-1316S	Lt. Red	22-18	#10	5
DY-1318S	Lt. Green	16-14	#10	5
DY-1319S	Lt. Yellow	12-10	#10	5



QUICK DISCONNECTS – FULLY INSULATED

SPECIFICATIONS				
Part No.	Color	Wire Size	Stud Size	Pkg Qty.
Nylon - Fully Insulated				
Female				
DY-1342	Blue	16-14	.250 x .032	10
DY-1362	Purple	22-18	.250 x .032	10
DY-1367	Lt. Yellow	12-10	.250 x .032	10
Male				
DY-1343	Lt. Blue	16-14	.250 x .032	10
DY-1363	Purple	22-18	.250 x .032	10
DY-1368	Lt. Yellow	12-10	.250 x .032	10
Heat Shrink - Fully Insulated				
Female				
DY-1342S	Lt. Blue	16-14	.250 x .032	5
DY-1362S	Lt. Purple	22-18	.250 x .032	5
DY-1368S	Lt. Yellow	12-10	.250 x .032	5
Male				
DY-1343S	Lt. Blue	16-14	.250 x .032	5
DY-1363S	Lt. Purple	22-18	.250 x .032	5
DY-1367S	Lt. Yellow	12-10	.250 x .032	5



TERMINAL QUICK DISCONNECTS

Part No.	Color	Wire Size	Tab Size	Pkg Qty.
Vinyl Insulated				
Male				
DY-1323	Red	22-18	.250 x .032	10
DY-1353	Red	22-18	.187 x .020	10
DY-1325	Blue	16-14	.250 x .032	10
DY-1327	Yellow	12-10	.250 x .032	10
Female				
DY-1324	Red	22-18	.250 x .032	10
DY-1326	Blue	16-14	.250 x .032	10
DY-1328	Lt. Yellow	12-10	.250 x .032	10
DY-1343	Lt. Green	16-14	.250 x .032	10
DY-1354	Red	22-18	.187 x .020	10
DY-1356	Blue	16-14	.187 x .020	10
DY-1368	Lt. Yellow	12-10	.250 x .032	10
Heat Shrink				
Male				
DY-1323S	Lt. Red	22-18	.250 x .032	5
DY-1325S	Lt. Green	16-14	.250 x .032	5
DY-1327S	Lt. Yellow	12-10	.250 x .032	5
Female				
DY-1324S	Lt. Red	22-18	.250 x .032	5
DY-1326S	Lt. Green	16-14	.250 x .032	5
DY-1328S	Lt. Yellow	12-10	.250 x .032	5
Non-Insulated				
DY-1340		16-14	Delphi 56	5
DY-1341		16-14	Delphi 56	5



TERMINAL BULLET CONNECTORS

Part No.	Color	Wire Size	Tab Size	Pkg Qty.
Vinyl Insulated				
DY-1329	Blue	16-14	180	10
Nylon Insulated				
DY-1330	Blue	16-14 (M)	.157	10
DY-1331	Blue	16-14 (F)	.157	10



2-WAY BULLET RECEPTACLE

Part No.	Wire Size	Tab Size	Pkg Qty.
DY-1335	Use w/DY-1330	.157	10



3-WAY CONNECTORS

Part No.	Color	Wire Size	Tab Size	Pkg Qty.
Vinyl Insulated				
DY-1333	Blue	16-14	-	10
DY-1334	Yellow	12-10	-	10



CLOSED END CONNECTORS

SPECIFICATIONS			
Part No.	Wire Size	Tab Size	Pkg Qty.
Nylon			
DY-1344	22-16	.250 x .032	10
DY-1345	16-14	.250 x .032	10



DYNAMIC - ELECTRICAL TERMINAL ASSORTMENTS

Dynamic Electrical Terminal Assortments contain the most popular terminals used for automotive electrical repairs. Assortments include vinyl and heat shrink terminals. Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.



Shrink Terminal Assortment

PART NO. DY-TC-150S

Most popular heat shrink terminals.
 • 24 part numbers
 • 150 total pieces



Pro Terminal Assortment

PART NO. DY-TC-330

The most popular vinyl insulated terminals.
 • 23 part numbers
 • 330 total pieces

CABLE TIES - UV BLACK

SPECIFICATIONS			
Part No.	Length	Strength	Pkg Qty.
Individual Packs			
DY-4-100BK	4"	18#	100
DY-7-100BK	7"	50#	100
DY-11-100BK	11"	50#	100
DY-14-100BK	14"	50#	100
DY-14HD-100BK	14'	120#	100
DY-17HD-100BK	17"	120#	100
DY-24-25BK	25"	175#	25



Assortment

400 Piece Cable Tie Assortment

PART NO. DY-400BK

Includes:

- 200 DY-4-100BK
- 100 DY-7-100BK
- 100 DY-11-100BK



SPLIT WIRE LOOM

SPECIFICATIONS			
Part No.	Size	Length	Pkg Qty.
Individual Lengths			
DL-12	1/2"	7'	1
DL-14	1/4"	10'	1
DL-34	3/4"	5'	1
DL-38	3/8"	10'	1
DL-58	5/8"	7'	1
Rolls			
DL-12B	1/2"	100'	1
DL-14B	1/4"	100'	1
DL-34B	3/4"	100'	1
DL-38B	3/8"	100'	1
DL-58B	5/8"	100'	1



HEAT SHRINK TUBING

Part No.	Size	Length	Pkg Qty.
6" Length			
DY-8000B	1/8"	6"	10
DY-8001B	3/16"	6"	10
DY-8002B	1/4"	6"	10
DY-8003B	3/8"	6"	10
DY-8004B	1/2"	6"	10
25' Rolls			
DY-8000-25	1/8"	25'	1
DY-8001-25	3/16"	25'	1
DY-8002-25	1/4"	25'	1
DY-8003-25	3/8"	25'	1
DY-8004-25	1/2"	25'	1



Shrink Tubing Assortment

PART NO. DY-ST-85

- Shrink Temp-250°
Shrink Ratio-2:1
- 5 sizes
 - 85 total pieces

Includes:

Part No.	Size	Length	Pkg Qty.
6" Length			
DY-8000B	1/8"	6"	20
DY-8001B	3/16"	6"	20
DY-8002B	1/4"	6"	30
DY-8003B	3/8"	6"	10
DY-8004B	1/2"	6"	5



COPPER LUG TERMINALS

SPECIFICATIONS			
Part No.	Wire Size	Stud Size	Pkg Qty.
5/16" Stud			
DY-1379	6	5/16"	5
DY-1365	4	5/16"	5
DY-1364	2	5/16"	5
DY-1378	1	5/16"	5
DY-1384	1/0	5/16"	5
3/8" Stud			
DY-1369	6	3/8"	5
DY-1358	4	3/8"	5
DY-1357	2	3/8"	5
DY-1376	1	3/8"	5
DY-1385	1/0	3/8"	5
1/2" Stud			
DY-1382	2	1/2"	5
DY-1383	1	1/2"	5



Assortment



Copper Lug Terminal Assortment

PART NO. DY-CL-40

Used for large cable applications like battery cables and grounding wires. Assortment contains five different crimp-on lugs for 6 to 1/0 gauge wire.

- 40 total pieces

BATTERY CLIPS

PART NO. DY-BAC-30B

- 30 Amp rating
- Pair - Red/Black
- Pkg Qty - 1 pair



BATTERY TERMINALS



BT1-100



BT2-100



BT3-60



BT4-100N/P



BT5-100N/P



BT6-100N/P



BT8-100



BT9-50



BT10-50



BT12-25



BT11-100

SPECIFICATIONS		
Part No.	Description	Pkg Qty.
BT1-100	Heavy-Duty Top Post Terminal	2
BT2-100	HD Commercial Side Post Terminal	2
BT3-60	HD Commercial Top Post Terminal	2
BT4-100N	Side Terminal Post (Negative)	2
BT4-100P	Side Terminal Post (Positive)	2
BT5-100N	Side Terminal Adapter (Negative)	2
BT5-100P	Side Terminal Adapter (Positive)	2
BT6-100N	Side Terminal Adapter (Negative)	2
BT6-100P	Side Terminal Adapter (Positive)	2
BT8-100	3/8" Side Terminal Bolt	2
BT9-50	Battery Bolt 5/16" x 1-1/4"	2
BT10-50	3/8" OE Side Terminal Bolt	2
BT12-25	3/8" Side Terminal Bolt - Long	2
BT11-100	Lead Free Terminal	2

TERMINAL PROTECTORS



- Extend the life of batteries and terminals
- Helps prevent corrosion

SPECIFICATIONS		
Part No.	Description	Pkg Qty.
TP-237	Top Terminal Protectors - Jar 100 pads	1 jar

STANDARD - GRADE 5

Hex Bolts

SPECIFICATIONS					
Part No.	Hardware Type	Thread Size	Length	Grade	Box Qty.
1/4-2					
1001	USS Hex Bolt	1/4"-20	1/2"	5	50
1002	USS Hex Bolt	1/4"-20	3/4"	5	50
1003	USS Hex Bolt	1/4"-20	1"	5	50
1005	USS Hex Bolt	1/4"-20	1-1/2"	5	25
1006	USS Hex Bolt	1/4"-20	2"	5	25
5/16-18					
1025	USS Hex Bolt	5/16"-18	1-3/4"	5	25
1026	USS Hex Bolt	5/16"-18	3/4"	5	25
1027	USS Hex Bolt	5/16"-18	1"	5	25
1028	USS Hex Bolt	5/16"-18	1-1/2"	5	25
1029	USS Hex Bolt	5/16"-18	2"	5	15
1030	USS Hex Bolt	5/16"-18	1-1/4"	5	20
1031	USS Hex Bolt	5/16"-18	2-1/2"	5	20
1032	USS Hex Bolt	5/16"-18	3"	5	20
3/8-16					
1052	USS Hex Bolt	3/8"-16	3/4"	5	20
1053	USS Hex Bolt	3/8"-16	1"	5	25
1054	USS Hex Bolt	3/8"-16	1-1/4"	5	25
1055	USS Hex Bolt	3/8"-16	1-1/2"	5	25
1057	USS Hex Bolt	3/8"-16	1-3/4"	5	10
1058	USS Hex Bolt	3/8"-16	2"	5	15
1059	USS Hex Bolt	3/8"-16	2-1/2"	5	10
1060	USS Hex Bolt	3/8"-16	2-1/4"	5	10
1061	USS Hex Bolt	3/8"-16	3"	5	10
1/2-13					
1101	USS Hex Bolt	1/2"-13	1"	5	10
1102	USS Hex Bolt	1/2"-13	1-1/2"	5	10
1103	USS Hex Bolt	1/2"-13	2"	5	10
1104	USS Hex Bolt	1/2"-13	2-1/2"	5	6
1105	USS Hex Bolt	1/2"-13	3"	5	5
7/16-14					
1201	USS Hex Bolt	7/16"-14	1"	5	10
1202	USS Hex Bolt	7/16"-14	1-1/4"	5	10
1203	USS Hex Bolt	7/16"-14	1-1/2"	5	10
1204	USS Hex Bolt	7/16"-14	2"	5	8
1205	USS Hex Bolt	7/16"-14	2-1/2"	5	8
1206	USS Hex Bolt	7/16"-14	3"	5	5

Nut & Bolt Hardware Shop Fastener Program



STANDARD - GRADE 5

Hex Nuts

SPECIFICATIONS					
Part No.	Hardware Type	Thread Size	Length	Grade	Box Qty.
1076	USS Hex Nut	1/4"-20	7/32"	5	100
1077	USS Hex Nut	5/16"-18	17/64"	5	100
1078	USS Hex Nut	3/8"-16	5/16"	5	50
1301	USS Hex Nut	7/16"-14	3/8"	5	25
1302	USS Hex Nut	1/2"-13	7/16"	5	25



Flat Washers

Part No.	Hardware Type	Thread Size	Box Qty.
1084	USS Flat Washer	1/4"	100
1085	USS Flat Washer	5/16"	100
1086	USS Flat Washer Zinc Plated	3/8"	50
1401	USS Flat Washer	7/16"	30
1402	USS Flat Washer	1/2"	30



Lock Washers

Part No.	Hardware Type	Thread Size	Box Qty.
1093	USS Lock Washer	1/4"	100
1094	USS Lock Washer	5/16"	100
1095	USS Lock Washer	3/8"	50
1501	USS Lock Washer	7/16"	30
1502	USS Lock Washer	1/2"	30



Cotter Pins

Part No.	Size	Box Qty.
3010	1/16 x 1	50
3014	3/32 x 1	100
3015	3/32 x 1-1/4	100
3016	3/32 x 1-1/2	100
3024	1/8 x 1	100
3025	1/8 x 1-1/4	100
3026	1/8 x 1-1/2	100
3027	1/8 x 2	100
3028	5/32 x 1-1/2	50
3029	5/32 x 2	50
3030	3/16 x 2	50



METRIC - GRADE 8

Hex Bolts

SPECIFICATIONS					
Part No.	Hardware Type	Thread Size	Length	Grade	Box Qty.
M6-1.00					
2000	Metric Hex Bolt	M6-1.0	12mm	8.8	50
2001	Metric Hex Bolt	M6-1.0	12mm	8.8	50
2002	Metric Hex Bolt	M6-1.0	16mm	8.8	50
2003	Metric Hex Bolt	M6-1.0	20mm	8.8	50
2004	Metric Hex Bolt	M6-1.0	25mm	8.8	25
2005	Metric Hex Bolt	M6-1.0	30mm	8.8	25
2006	Metric Hex Bolt	M6-1.0	35mm	8.8	15
2007	Metric Hex Bolt	M6-1.0	40mm	8.8	20
2008	Metric Hex Bolt	M6-1.0	45mm	8.8	20
M8-1.25					
2026	Metric Hex Bolt	M8-1.25	12mm	8.8	25
2027	Metric Hex Bolt	M8-1.25	16mm	8.8	25
2028	Metric Hex Bolt	M8-1.25	20mm	8.8	25
2029	Metric Hex Bolt	M8-1.25	25mm	8.8	25
2030	Metric Hex Bolt	M8-1.25	30mm	8.8	25
2031	Metric Hex Bolt	M8-1.25	35mm	8.8	15
2032	Metric Hex Bolt	M8-1.25	40mm	8.8	10
2033	Metric Hex Bolt	M8-1.25	50mm	8.8	10
2034	Metric Hex Bolt	M8-1.25	60mm	8.8	10
2035	Metric Hex Bolt	M8-1.25	45mm	8.8	10
2036	Metric Hex Bolt	M8-1.25	75mm	8.8	10
M10-1.50					
2052	Metric Hex Bolt	M10-1.50	10mm	8.8	10
2053	Metric Hex Bolt	M10-1.50	20mm	8.8	25
2054	Metric Hex Bolt	M10-1.50	25mm	8.8	25
2055	Metric Hex Bolt	M10-1.50	30mm	8.8	25
2056	Metric Hex Bolt	M10-1.50	35mm	8.8	15
2057	Metric Hex Bolt	M10-1.50	40mm	8.8	8
2058	Metric Hex Bolt	M10-1.50	50mm	8.8	8
2059	Metric Hex Bolt	M10-1.50	60mm	8.8	8
2060	Metric Hex Bolt	M10-1.50	70mm	8.8	8
2069	Metric Hex Bolt	M10-1.50	60mm	8.8	8

Nut & Bolt Hardware Shop Fastener Program



Hex Nuts

Part No.	Size	Box Qty.
2073	M10-1.25 (Fine)	50
2074	5mm-.80	100
2076	M6-1.00	100
2077	M8-1.25	100
2078	M10-1.5 (Coarse)	50
2079	M12-1.75	50



Flat Washers

Part No.	Size	Box Qty.
2084	5mm	100
2085	M6	100
2086	M8	100
2087	M10	100



Lock Washers

Part No.	Size	Box Qty.
2093	M6	100
2094	M8	100
2095	M10	100



STANDARD GREASE FITTINGS

Part No.	Size	Angle	Pkg Qty.
1/8" Pipe Thread			
DY-1861	1/8	Straight	10
DY-1862	1/8	45°	10
DY-1863	1/8	90°	10
1/4-28 SAE			
DY-1851	1/4-28	Straight-Short	10
DY-1852	1/4-28	45°	10
DY-1853	1/4-28	90°	10
DY-1854	1/4-28	Straight-Long	10



METRIC GREASE FITTINGS

Part No.	Size	Angle	Pkg Qty.
Metric-Straight			
DY-1855	M6-1.0	Straight	10
DY-1865	M8-1.0	Straight	10
DY-1896	M10-1.0	Straight	10
Metric-45°			
DY-1856	M6-1.0	45°	10
DY-1866	M8-1.0	45°	10
DY-1897	M10-1.0	45°	10
Metric-90°			
DY-1857	M6-1.0	90°	10
DY-1867	M8-1.0	90°	10
DY-1898	M10-1.0	90°	10



Assortments



1/4-28 SAE Grease Fitting Assortment

PART NO. DY-GFA-1

- 4 part numbers
- 60 total pieces




Metric Grease Fitting Assortment

PART NO. DY-GFA-2

- 9 part numbers
- 90 total pieces

VACUUM CONNECTORS

SPECIFICATIONS				
Part No.	A	B	C	Pkg Qty.
Tee Connectors				
DY-3001B	1/8	1/8	1/8	10
DY-3002B	3/16	3/16	3/16	10
DY-3003B	1/4	1/4	1/4	10
DY-3004B	5/16	5/16	5/16	10
DY-3005B	3/8	3/8	3/8	10
DY-3006B	3/16	1/8	3/16	10
DY-3007B	1/8	1/8	3/16	10
DY-3008B	1/4	1/4	3/16	10
DY-3009B	3/16	3/16	1/4	10
DY-3010B	3/16	3/16	1/8	10
DY-3011B	3/8	1/4	3/8	10
DY-3012B	5/32	5/32	5/32	10
Hose Splice				
DY-3013B	1/8	1/8	-	10
DY-3014B	3/16	3/16	-	10
DY-3015B	1/4	1/4	-	10
DY-3016B	5/16	5/16	-	10
DY-3017B	3/8	3/8	-	10
DY-3018B	1/8	3/16	-	10
DY-3019B	1/8	1/4	-	10
DY-3020B	3/16	1/4	-	10
DY-3021B	3/8	1/4	-	10




VACUUM CAPS

SPECIFICATIONS		
Part No.	Tube ID	Pkg Qty.
Tee Connectors		
DY-3025B	3/16	10
DY-3026B	1/4	10
DY-3029B	5/16	10
DY-3030B	3/8	10
DY-3031B	1/8	10



VACUUM CONNECTORS

SPECIFICATIONS		
Part No.	Tube ID	Box Qty.
Restrictor Connector Used on many Ford and GM systems to prevent gasoline flow into vacuum lines.		
DY-3022B	3/16"	10
Four-Way Tee For Ford and GM		
DY-3023B	3/16"	10
Five-Way Tee For Ford		
DY-3024B	3/16"	10
Universal Breakaway Tee		
DY-3027B	1/8"-1/4"-3/8"	10
Universal Breakaway Connector		
DY-3028B	1/8"-1/4"-3/8"	10



DYNAMIC - VACUUM CONNECTOR ASSORTMENTS

Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.



Vacuum Tee & Connectors Assortment

PART NO. DY-VT-235

Assortment contains most popular vacuum connectors. Included are tee connectors, splice connectors and vacuum caps.

- 24 part numbers
- 18 total pieces

STANDARD HOSE CLAMPS

SPECIFICATIONS				
Part No.	SAE Size	Min Dia	Max Dia	Box Qty.
2000 Series 1/2" Band All Stainless Steel				
HC2-6S	#6	7/16	25/32	10
HC2-8S	#8	1/2	29/32	10
HC2-10S	#10	9/16	1-1/16	10
HC2-12S	#12	11/16	1-1/4	10
HC2-16S	#16	13/16	1-1/2	10
HC2-20S	#20	13/16	1-3/4	10
HC2-24S	#24	1-1/16	2	10
HC2-28S	#28	1-5/16	2-1/4	10
HC2-32S	#32	1-9/16	2-1/2	10
HC2-36S	#36	1-13/16	2-3/4	10
2300 Series 1/2" Band Stainless Steel Band & Housing - Zinc Plated Screw				
HC2-6P	#6	7/16	25/32	10
HC2-8P	#8	1/2	29/32	10
HC2-10P	#10	9/16	1-1/16	10
HC2-12P	#12	11/16	1-1/4	10
HC2-16P	#16	13/16	1-1/2	10
HC2-20P	#20	13/16	1-3/4	10
HC2-24P	#24	1-1/16	2	10
HC2-28P	#28	1-5/16	2-1/4	10
HC2-32P	#32	1-9/16	2-1/2	10
HC2-36P	#36	1-13/16	2-3/4	10
3300 Series 9/16" Band Stainless Steel Band & Housing - Zinc Plated Screw				
HC3-6P	#6	7/16	25/32	10
HC3-8P	#8	1/2	29/32	10
HC3-10P	#10	9/16	1-1/16	10
HC3-12P	#12	11/16	1-1/4	10
HC3-16P	#16	13/16	1-1/2	10
HC3-20P	#20	13/16	1-3/4	10
HC3-24P	#24	1-1/16	2	10
HC3-28P	#28	1-5/16	2-1/4	10
HC3-32P	#32	1-9/16	2-1/2	10
HC3-36P	#36	1-13/16	2-3/4	10



MINI HOSE CLAMPS



FUEL INJECTOR HOSE CLAMPS



SPECIFICATIONS				
Part No.	SAE Size	Min Dia	Max Dia	Box Qty.
1000 Series 5/16" Band All Stainless Steel				
HCM-4S	#4	7/32	5/8	10
HCM-6S	#6	7/16	25/32	10
1300 Series 5/16" Band Stainless Steel Band & Housing - Zinc Plated Screw				
HCM-4P	#4	7/32	5/8	10
HCM-6P	#6	7/16	25/32	10

SPECIFICATIONS				
Part No.	SAE Size	Min Dia	Max Dia	Box Qty.
1110 Series 5/16" Band Zinc Plated, Non-Perforated, Rolled Edge Band with Nut & Bolt Tightening Design				
HCM-4F	#4	1/4	-	10
HCM-6F	#6	5/16	-	10
HCM-8F	#8	3/8	-	10

DYNAMIC - AUTO BODY ASSORTMENTS

JohnDow/Dynamic auto body assortments contain the most popular retainers, trim screws, bolt and door linkage rod and clips for passenger car and light truck applications. These assortments are designed for the installer and provide the best coverage for a small investment. Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.



Domestic Retainer

PART NO. DY-6000U

Most popular retainer clips.

- 23 part numbers
- 230 total pieces



Master Trim Screw Assortments

PART NO. DY-7300

The most popular trim screws, including Phillips, Torx and TEK.

- 24 part numbers
- 240 total pieces



Master Body Bolt Assortments

PART NO. DY-7400

The most popular body bolts, u-nuts and sheet metal screws.

- 24 part numbers
- 235 total pieces



Door Linkage Rod & Clip Assortments

PART NO. DY-DLC-240

The most popular door lock rod clips for Chrysler, GM and for vehicles.

- 21 part numbers
- 63 total pieces

SMART WALL – SMALL PARTS


Dynamic Smart Walls are designed to store a variety of small automotive service parts. The Smart Wall keeps these parts easy to access, easy to find, and easy to organize.

Each Smart Wall consists of a series of flip-out storage bins that mount to a heavy-duty wall frame. The wall frame includes two slotted wall standards with top and bottom connecting bars. Mounting hardware is not included.



FEATURES

- Heavy-duty steel wall frame with durable black powder coat finish
- Compact design measure 26.5" W x 8.5" D x 51.50" H
- Flip-out storage bins are made from tough ABS plastic with transparent window and label holder
- Bins can be easily moved and expanded to accommodate new parts
- Replacement flip-out bins are available



Smart Wall-43

PART NO. JDI-SW43

The Smart Wall-43 comes with 43 flip-out storage bins in three different sizes that accommodate a variety of parts.

- 24 - DY-306 Bins
- 15 - DY-605 Bins
- 6 - DY-604 Bins



Smart Wall-60

PART NO. JDI-SW60

The Smart Wall-60 comes with 60 flip-out storage bins designed for larger and bulky parts like wheel studs, lug nuts, oil drain plugs, nuts and bolts, etc.

- 60 - DY-306 Bins



Smart Wall-96

PART NO. JDI-SW96

The Smart Wall-96 comes with 96 flip-out storage bins designed for small and lightweight parts like miniature automotive bulbs, fuses, flashers and other small parts.

- 96 - DY-308 Bins

SMART CART - SMALL PARTS MOBILE STORAGE

The Smart Cart helps make popular service parts easy to access, easy to find, and easy to organize. The mobile cart can be moved around the service bays to wherever parts are needed. It eliminates multiple trips to the parts storage room.

Designed specifically for small parts like wheel studs, lug nuts, oil drain plugs and gaskets, fuses, nuts and bolts, TPMS service kits and tire valves.

The standard Smart Cart consist of 43 flip-out storage bins and 9 hanging storage bins that mount on a heavy-duty mobile cart.

FEATURES

Features Include:

- The cart is a heavy-duty steel design with a durable powder coat finish and 3" locking casters
- Compact design measures 29" W X 23" D x 57.5" H
- Hanging bin rack features two-sided slotted uprights which doubles the storage capacity
- Flip-out bins are made from tough ABS plastic
- Spill proof design drawers won't pop open while moving
- Design includes an integrated handle, label holder and a transparent window



PART NO. JDI-SC45

Storage Side One - Tilt Bins

- Three different flip-out bin sizes to match service kit popularity and maximize storage area
- Bins can be easily moved and expanded to accommodate new parts
- Each bin is clearly labeled with the service kit part number



Storage Side Two - Hanging Bins

- Storage bins provided in three sizes to accommodate a wide variety of parts
- Can be used for tire valves, wheel weights, tools, etc.



PART NO. JDI-SC68

Storage Sides One & Two - Tilt Bins

- Three different flip-out bin sizes to match service kit popularity and maximize storage area
- Bins can be easily moved and expanded to accommodate new parts
- Each bin is clearly labeled with the service kit part number



SMART WALL & SMART CART - ACCESSORIES

Flip-Out Storage Bins

Flip-out storage bins are perfect for small parts storage.

- Made from tough ABS plastic
- Spill-proof design drawers won't pop open
- Bin drawers can be easily moved for expansion or to re-organize
- Design includes an integrated handle, label holder and transparent window
- Individual bins can be wall mounted. Hardware included
- Bins can be connected together side-by-side, stacked or both



Part No.	DY-605
Size	4.0"W x 3.4"D x 3.9"H
Wgt Limit	5.5 lbs.
Bins Per Unit	5



Part No.	DY-306
Size	3.2"W x 2.8"D x 3.2"H
Wgt Limit	2.2 lbs.
Bins Per Unit	6



Part No.	DY-308
Size	2.3"W x 2.2"D x 2.5"H
Wgt Limit	.88 lbs.
Bins Per Unit	8



Part No.	DY-604
Size	5.0"W x 4.8"D x 5.2"H
Wgt Limit	9.9 lbs.
Bins Per Unit	4

Hanging Bins

- Heavy-duty plastic construction
- Can be used with JDI-WMF Wall Mount Frame and DY-264 Hanging Bin Mounting Rails
- Bins can also be stacked. Riser legs included with each bin



PART NO. DY-220

4.1"W x 7.3"D x 3.0"H



PART NO. DY-230

5.5"W x 10.8"D x 5.0"



PART NO. DY-235

11.0"W x 10.8"D x 5.0"H

COMPONENT PARTS

Mobile Cart

PART NO. JDI-MBS1

- Cart only
- Use with DY-264 or DY-077 mounting rails



Wall Mount Frame

PART NO. JDI-WMF

- Frame only
- Use with DY-264 or DY-077 mounting rails



TOWER STORAGE CABINET

The JohnDow Tower Storage Cabinet is the perfect solution for small parts storage. It is designed to hold up to 12 different plastic box parts assortments. The space saving and compact design easily fits in the service area keeping parts easy to access and organize.

FEATURES

- Compact design (assembled) measures 14-1/2" W x 13" D x 46" H
- Adjustable drawer tabs keep assortment boxes secure
- Heavy-duty steel construction with durable black powder coat finish

PART NO. DC-TOW

Includes:

- 3-DC-S4 Slide Drawer Cabinets
- 1 - DC-Base Tower Base
- Mounting hardware

Designed for use with the JohnDow Automotive Service Parts Assortments Program



Sliding Drawer Cabinets

PART NO. DC-S4

- Holds four different assortment boxes
- Compact size easily fits on workbench or shelf
- Measures 14-1/2" W x 13" D x 11-1/2" H

WALL STORAGE CABINETS

These wall mount cabinets are designed to be used in conjunction with the Dynamic Service Parts-Boxed Program. Wall racks keep the fast moving service parts easy to find, easy to organize, and easy to re-order. The compact design fits in all service areas for quick access.

They feature a heavy-duty steel construction with a durable, black powder coat finish.



PART NO. CAB-2040

- 20"W x 40"H x 5"D
- Holds 80 boxes



PART NO. CAB-2413

- 24"W x 13"H x 5"D
- Holds 30 boxes

DYNAMIC SERVICE PARTS-BOXED PROGRAM



Parts currently available in the Dynamic Boxed Program include:

- Oil Drain Plugs & Gaskets
- Wheel Nuts & Studs Hardware - wheel studs and lug nuts
- Automotive Hardware - nuts, bolts, washers and cotter pins



DYNAMIC DVT-PRO SENSOR WITH DUAL VALVE TECHNOLOGY

One (1) DVT-PRO sensor is designed to be programmed with several TPMS Tools including ATEQ, Snap-on, and Dynamic DY46 & DY-47. Dynamic DVT-PRO sensor comes with our 6-207A rubber valve and has "Dual Valve Technology" (DVT). The valve stems can easily be replaced with other Dynamic valve options (see below) using the same sensor housing.

PART NO. DVT-PRO



FEATURES

- Single Sensor Program - easy to manage and lower inventory investment
- Industry Leading Vehicle Coverage - Domestic, European, and Asian vehicles including wireless auto-locate and hi-line protocols
- Fast Wireless Programming - no pad or cradles needed to program the sensors
- Copy/Clone Capability - copy ID from the old sensor and program the new sensor with the same ID number
- Through the Tire Programming - eliminates the need to breakdown tire and wheel to reprogram
- Future Software Updates - new vehicle protocols can be added with a simple tool software update
- Dual Valve Technology - easy to interchange between rubber or metal valve options
- Online Data - Lookup application data available on Epicor, WHI, Wrench Head, ShowMeTheParts & MAM

OEM HUF TPMS SENSOR



PART NO. RDE001V21

- OEM TPMS sensors from HUF RDE001
- This is a PRE-PROGRAMED sensor (same as the dealership)
- RDV021 Silver Valve Stem included

DIAGNOSTIC TOOL WITH INTERNAL OBDII

The new DY-47 tool supersedes the former DY-46 in a more comfortable compact size and a more affordable price point. The DY-47 has all the same functionality as the DY-46, just more compact and includes a NEW built-in OBDII quick connect port.

**FREE
FIVE-YEAR
UPDATES**




PART NO. DY-47

Includes	Qty.
OBDII	1
Charger	1
USB Interface	1
Hard Case	1

FEATURES

- Displays all sensor data in seconds, including the TPMS sensor ID, tire pressure, tire temperature, and battery status.
- Activates, diagnoses and reads 100% of OE and aftermarket TPMS sensors.
- Industry leading coverage for all vehicles globally, including Domestic, Asian and European.
- Includes built-in OBD port and quick connector for easy OBD transferring.
- Provides TPMS sensor part number
- Checks Remote Keyless Entry signal
- User friendly navigation and command buttons
- Frequent database updates via PC desktop software
- Interface in 23 languages
- Five-year **FREE** software updates



NEW 1 piece OBD and Cable

TPMS SERVICE KITS



The OEM requires that the valve stem components are replaced every time the tire is serviced on vehicles with TPMS.



Clamp-In Kit Components	Replacement Reason	Result
(A) Valve Core	Nickel plating strips leading to galvanic corrosion & seized valve cores	Leak at valve core, potential broken valve stem
(B) Valve Cap w/seal	Valve cap seal wear	Allows moisture into core
(C) Hex Nut	Plating worn off, treads corrode	Leak path at valve stem
(D) Grommet/ seal	Crack, deteriorate and leak over	leak path at valve stem
(E) Metal washer (some applications)	Washer conforms to rim during installation	Leak path at valve stem
Clamp-In Kit Components	Replacment Reason	Result
(F) Rubber TPMS snap-in valve	Crack, deteriorate and leak over time	Leak pather at valve stem

Refer to manufacturer's specifications for proper torque requirements when replacing hex nuts and valve cores. These specifications can be found in the Dynamic TPMS Service Kit Application Guide.

6-102

Buick, Cadillac, Chevy, GMC, Hummer, Isuzu, Pontiac, Saab

Cross-reference: 20004, 20006, 1070K, 92-0125



6-103

Cadillac, Chevy, Chrysler, Dodge, Infiniti, Isuzu, Jeep, Mitsubishi, Nissan, Subaru

Cross-reference: 20003, 1080K, 92-0140



6-106

Ford, Lincoln, Mercury, Mercedes

Cross-reference: 20002, 1060K, 92-0115



6-108

Buick, Cadillac, Chevy, Chrysler, Dodge, GMC, Hyundai, Jaguar, Jeep

Cross-reference: 20030, 1050K, 92-0150



6-109

Acura, Honda, Hyundai, Kia

Cross-reference: 20021, 2000K, 92-0246



6-110

Mercedes, Mini, Porsche, VW

Cross-reference: 20023, 1090K, 92-0261



6-111

Pontiac, Scion, Toyota

Cross-reference: 20032, 1100K, 92-0215



6-112

Honda, Infiniti, Mitsubishi, Nissan

Cross-reference: 20010, 1130K, 92-0130



6-115

Audi, VW

Cross-reference: 20017, 1030K, 92-0235



6-116

Lexus, Toyota

Cross-reference: 20031, 1110K, 92-0135



6-117

Lexus

Cross-reference: 20033, 1120K, 92-0155



6-120

Chrysler, Dodge, Infiniti, Jeep, Lincoln, Mazda, Mercury, Pontiac, Saturn, Subaru, Suzuki

Cross-reference: 20016, 2030K, 92-202



6-122

Saab, Saturn, Suzuki, Volvo

Cross-reference: 20009, 2010K, 92-0195



6-125

Cadillac, Chevy, GM, GMC

Cross-reference: 20015, 2020K






6-127

Acura, Honda, Hyundai, Kia

Cross-reference: 20019, 2040K, 92-0244



TPMS SERVICE KITS

<p>6-129 VW</p>  <p>Cross-reference: 20017, 1031K</p>	<p>6-138 Cadillac, Chevy, Chrysler, Honda, Hyundai, Jaguar, Kia, Land Rover, Mazda, Mitsubishi, Suzuki, VW, Volvo</p>  <p>Cross-reference: 20032, 7020K, 92-3312</p>	<p>6-139 Chrysler, Dodge, Jeep, Nissan</p>  <p>Cross-reference: 20013, 7000K, 92-3311</p>
---	---	---

TPMS REPLACEMENT VALVES

TPMS REPLACEMENT VALVES

<p>6-201 Chrysler, Dodge, Jeep, Mitsubishi</p>  <p>Cross-reference: N/A</p>	<p>6-203 Chrome Valve for Ford Shelby Cobra Optional replacement for 6-207A & DVT-PRO Sensor</p>  <p>Cross-reference: VS925C</p>	<p>6-204 Acura, Honda (Long Valve)</p>  <p>Cross-reference: 20035, 1097K</p>
<p>6-205 Acura, Honda (Short Valve)</p>  <p>Cross-reference: 20036, 1096K</p>	<p>6-206B Mercedes, Smart</p>  <p>Cross-reference: 20023, 1040K, 92-1170</p>	<p>6-207A Chrysler, Dodge, Ford, GM, Hummer, Jeep, Mazda, Mercury, Subaru, Suzuki</p>  <p>Cross-reference: 20008, 20018, VS950, 92-0145</p>
<p>6-208 Cadillac ATS, Dodge Dart</p>  <p>Cross-reference: VS90</p>	<p>6-209 Hyundai</p>  <p>Cross-reference: VS1010</p>	<p>6-210 Hyundai, Kia</p>  <p>Cross-reference: 20046</p>
<p>6-211 Dodge TRW Snap-In, Jeep, Ram</p>  <p>Cross-reference: VS65</p>	<p>6-213 Ford 2015</p>  <p>Cross-reference: VS20</p>	<p>6-218 Dodge Sprinter</p>  <p>Cross-reference: 20036, 1098K, 92-1170</p>
<p>6-220 Audi 4, BMW, Porsche Gen I (Silver - 43 mm)</p>  <p>Cross-reference: 1092, RDV001</p>	<p>6-221 BMW Gen I (Green - 48 mm)</p>  <p>Cross-reference: 1093, RDV002</p>	<p>6-222 BMW, Mercedes Gen I (Black - 49 mm)</p>  <p>Cross-reference: 1094, RDV003</p>

TPMS REPLACEMENT VALVES

6-223 BMW, Mercedes Gen I (Orange - 51 mm) Cross-reference: 1095, RDV004 	6-225/6-225B Aluminum Optional Replacement Valve for 6-207A & DVT-PRO Sensor Cross-reference: VS925A, 34000 	6-228S Chrysler, Dodge, Jeep, Mercedes Cross-reference: 9066K 
6-231C Adjustable Valve for Chrysler, Dodge, Honda, Jeep Cross-reference: VS70 	6-235 Alfa Romeo, Chevrolet, Infiniti, Maserati, Mercedes Benz, Ram Cross-reference: VS40 	6-236 Hyundai, Kia Cross-reference: VS965 
6-240 Audi, BMW, Mercedes, VW Gen II (Silver - 43mm) Cross-reference: RDV021 	6-241 BMW Gen II (Green - 48mm) Cross-reference: RDV022 	6-242 Audi, BMW, Porsche, VW Gen II (Black - 49mm) Cross-reference: RDV023 
6-243 BMW Gen II (Orange - 51mm) Cross-reference: RDV024 	6-244 Rubber Snap-In Valve Ford, Lincoln, Subaru Cross-reference: VS20 	6-245 Metal Clamp-In High-Pressure Valve Ford, Lincoln Cross-reference: VS240MC 

TPMS SERVICE KIT & REPLACEMENT VALVES ASSORTMENTS

Dynamic Service Kit & Replacement Valve Assortments contain all of the popular fittings required for TPMS tire servicing. For both domestic and import cars and light trucks. Each assortment comes in a durable plastic case that keeps all of the fittings organized and easy to find. The detailed lid insert identifies each fitting with a graphic reference and size. Reorder part numbers, quantities and UPC codes are also shown.

PART NO. DY-TPMS-16

Valve Maintenance Kit Assortment



OE Replacement Valve Maintenance Kit most popular TPMS service kits for most domestic and imported cars and light trucks.

- 17 part numbers
- 350 total pieces

PART NO. DY-TPMS-16VSR

Valve Stem Assortment



Assortment of popular TPMS replacement valve stems.

- 16 part numbers
- 52 total pieces

PART NO. DY-TPMS-VSEURO

Valve Stem Assortment



Assortment includes replacement of corroded or broken OE TPMS valve stem.

- 8 part numbers
- 32 total pieces

TPMS SPECIALTY VALVES

Valve Stem Short Metal - With Sensor Loop

PART NO. TPMS-501


- Includes 2 rubber washers that fit valve hole size .452 & .61
- 120 Max PSI Rating



Low Profile 90° Valve Stem with TPMS Sensor Loops

PART NO. TPMS-104


- 2.856" Length
- .664" Height
- 120 Max PSI Rating



OEM Valve Short Stem - Schrader Style

PART NO. TPMS-102

- 1.105" Height
- 120 Max PSI Rating



OEM Style Short Rubber Valve Stem

PART NO. TPMS-108

- .960" Height
- 80 Max PSI Rating



Valve Stem Shorty Metal

PART NO. TR559-50

- Included 2 rubber washers that fit valve hole size .452 & .61
- 120 Max PSI Rating



Valve Stem Replacement for Dually

PART NO. 6-543C



OEM Huf Replacement Valve - 43mm Silver

PART NO. RDV021



OEM Huf Replacement Valve - 43mm Black

PART NO. RDV026



OEM Huf Replacement Valve - 43mm Titanium Gray

PART NO. RDV027



TPMS SPECIALTY ADAPTERS

Inner Lip Valve Adapter with Loop

PART NO. TPMS-101

- NON-Valve
- Use when 2 or more valve holes are present



Strap Kit (4 Straps, 4 Clips & 4 Keepers)

PART NO. TPMS-103

- Fits up to 27" wheels
- Includes 4 straps & 4 TPMS brackets



TIRE ACCESSORIES

Adjustable Pressure Placard Stickers

PART NO. DY-APS20

ADJUSTED PLACARD (COLD INFLATION TIRE PRESSURE VALUES)		
TIRE SIZE	LOAD	Cold Inflation Pressure (PSI)
FRONT		
BACK		
VEHICLE CAPACITY WEIGHT ON TIRE SAFETY PLACARD "Place this NEW Placard near the OE SAFETY PLACARD" DY-APS20		

Tire & Air Gauges

Tread Gauge

PART NO. DY-1889



Air Gauge High-Pressure

PART NO. DY-1900



Air Gauge Low-Pressure

PART NO. DY-1901



Dual Gauge

PART NO. DY-1903



Dual Gauge

PART NO. DY-1904



Caps, Cores & Adapters

Valve Cap - Nylon (Black)

PART NO. DY-128B

Box of 100



TPMS Nickel-Plated Valve Core

PART NO. DY-1400

Box of 100



Black Valve Cap for Shrader 20008

PART NO. DY-158

Box of 50



TPMS Valve Stem Replacement for Dually

PART NO. 6-543C

Box of 4



Valve Cap - Nylon (Grey)

PART NO. DY-128G

Box of 100



TPMS SERVICE TOOLS

Service procedures for replacing TPMS sensors and installing TPMS service kits require the proper tools. Dynamic has the essential tools needed for servicing TPMS vehicles.

Valve Stem Puller

PART NO. DY-160



TPMS T6 Screwdriver

PART NO. DY-180



4-Way Valve Tool

PART NO. DY-1890



TPMS 4-Way Valve Tool

PART NO. DY-32VNT

This tool is used for removing sensor nuts and seating the sensor grommets. It can be used to remove 11 mm and 12 mm nuts



Complete TPMS Service Tool Kit

PART NO. DY-312

The DY-312 contains all of the tools needed to service and install TPMS sensors and service kits. All tools are stored and organized in a sturdy plastic



SPECIFICATIONS

Kit No.	Description
DY-001A	Torque Wrench with 11mm & 12mm socket
DY-002A	Torque Tool for Valve & Sensor
DY-150	Valve Core Torque Tool 12 in-lbs. (.45N`m)
DY-164	Grommet Removal Tool
DY-172	Grommet Pick Tool

Torque Wrench with Sockets

PART NO. DY-001A

Torque wrench is used for installing TPMS sensor nuts. Torque range is from 30 in-lbs (3.4 N·m) to 120 in-lbs (13.6 N·m). Includes 11 mm and 12 mm sockets. Comes in a plastic storage case.



Torque Tool for Valve & Sensor

PART NO. DY-002A

Torque tool is used for installing valves on DVT-sensors. Comes with T10 Torx bit for the clamp-in valve and a S7 socket for the snap-in valve. 12 in-lbs (1.4 N·m)



Valve Core Torque Tool

PART NO. DY-150



Tightens valve cores to OE specifications, 3.5-4 in-lbs (.45 N·m). Meets industry recommended torque values. Can also be used to remove valve cores.

Grommet Removal Tool

PART NO. DY-164



This tool is used to remove the old grommet from the TPMS aluminum valve stem.

Grommet Pick Tool

PART NO. DY-172



This tool is used to help remove old and broken grommets from the TPMS aluminum valve stem.



SHOP SAVER
EXPRESS

ShopSaverExpress.com | 888-773-2772