

# A10B320M-ST28



## 10-bit, 320 MSPS Analog to Digital Converter IP block

### General Description

The A10B320M is an ultra-low-power and high-speed analog to digital converter (ADC) intellectual property (IP) design block. It is a successive approximation register (SAR) ADC, with 10-bit resolution and a sampling rate of 320 megasamples per second (MSPS).

The A10B320M delivers performance that is unrivaled in the ultra-low power ADC market, with a power consumption of only 700 uW, and input bandwidth of 1300 MHz.

The IP block has been designed in a 28nm CMOS process. Please contact the vendor about porting the IP to other processes.

### Key Features

- ◆ 10 bit resolution
- ◆ 320 MSPS sampling rate
- ◆ 700 uW power
- ◆ 1.3 GHz Input Bandwidth
- ◆ Dynamic Performance:
  - ◆ SFDR: 69 dBc
  - ◆ ENOB: 9.0
- ◆ Hard IP block
- ◆ STMicroelectronics 28nm process
- ◆ Radiation-tolerant design available: A10B320MRH

### Applications

- ◆ Automotive Applications
  - ◆ Autonomous vehicles
  - ◆ LiDAR systems
- ◆ High-Speed Communications
  - ◆ 5G, LTE, WiFi
- ◆ Industrial and Medical Applications
- ◆ Military and Civil Aerospace
- ◆ Internet-of-Things

### Contact us at:

P: +1 480-494-5618

E: [info@alphacoreinc.com](mailto:info@alphacoreinc.com)

### Visit us at:

304 S Rockford Dr  
Tempe, AZ 85288 USA

