

PANAMA GREEN Technical Specifications




PATENT
PENDING






Technical Specifications

		3 Door	2 Door
Technical Data			
Gross content	cu. ft.	88	59
Net Content according to EN 23953	cu. ft.	78	52
Total Display Area (TDA)	sq. ft.	29.28	19.48
Classification according to EN 23953		3L1	3L1
Ambient Temperature Range	°F	+61 to +77	+61 to +77
Inner Temperature Range	°F	0 to -13	0 to -13
Sound Pressure at 1m Distance	dB(A)	48	48
Electrical Data			
Nominal Voltage / Frequency	V / Hz	110-120 / 60	110-120 / 60
Nominal Power Cabinet	w	1450	967
Nominal Power LED Light	w	6 x 14	4 x 14
Nominal Current	A	16A	11A
Fuse Protection	A	20A	20A
Energy Consumption at 77°F according to EN 23953	kWh/24h	18.78	12.52
Length of Power Supply Cord (NEMA 5-20P - C19)	Inches	79	79
Refrigeration Data			
Refrigerant	Type	R290	R290
Gas Charge	oz	3x 2.3	2 x 2.3
Maximum Operating Pressure	PSI	435	435
Maximum Heat Output	W/h (Btu/h)	1800	1200
Dimensions			
Length Outside/ Inside	Inches	91 / 85	61/55
Depth Outside/ Inside	Inches	37 / 28	29/28
Depth of shelves	Inches	26	26
Number of shelves		4	4
Weight			
Net Weight (excl. packaging, incl. internal accessories)	Lbs	926	695
Gross Weight (incl. packaging & internal accessories)	Lbs	992	744

Panama Green External Dimensions



Panama Green Internal Dimensions



Professional HVAC/R Services, Inc.

32961 Pin Oak Parkway
Avon Lake
Ohio 44012

Phone (440)933-0033

www.prohvacr.com

NOVUM
Redefining refrigeration

