



INSPIRATION


LOW PROFILE

purecoldINSPIRATION

INSIPRATION2 LOW PROFILE (2CS7MA2) Open Multi-Deck - Medium Temperature

GRAB - N - GO | MEAT | DAIRY 75oF / 55%r.h.

Case Length	4ft (1220mm)	6ft (1830mm)	8ft (2440mm)
Physical Data			
TDA (Total Display Area) ft²	12.60	18.90	25.20
Refrigerated Volume (V _r) ft³*	22.20	51.60	44.40
Shelf Depth <i>Various</i> (in)	14" - 18"	14" - 18"	14" - 18"
Electrical Data (115v 60Hz)			
Case Load	0.5	1.0	1.0
Electrical Data (208v 60Hz)			
Condensing Unit	4.5	6.0	8.5
MOCP (per phase) Amps	10	10	15
Energy Data - Standard			
Total Heat Rejection THR (BTU/hr) <i>instantaneous</i>	6,554	9,831	13,108
Total Heat Rejection THR (BTU/hr) <i>average</i>	4,915	7,373	9,831
Daily Energy Use (kWh)	17.55	21.68	34.1



INSPIRATION2 LOW PROFILE (2CS7MA2) Open Multi-Deck - Medium Temperature
GRAB - N - GO | MEAT | DAIRY 75oF / 55%r.h.





Professional HVAC/R Services, Inc.[®]
32961 Pin Oak Parkway
Avon Lake, Ohio 44012

purecold