




INSPIRATION






purecoldINSPIRATION

INSPIRATION2 (2CS7MA2) Open Multi-Deck or Optional Door - Medium Temperature GRAB - N - GO | MEAT | DAIRY 75oF / 55%r.h.

Case Length	48", 2-Door or Open	72", 3-Door or Open	96", 4-Door or Open
Case Height	79"	79"	79"
Case Depth. (Add 6" for Setback)	36"	36"	36"
Total Display Area (ft2)	20.3	30.48	40.64
Refrigerated Volume (ft3)	30.45	45.72	60.96
Maximum Shelf Depth	20" (Door) 18" (Open)	20" (Door) 18" (Open)	20" (Door) 18" (Open)

Electrical Data (115v 60Hz)	Amps	Amps	Amps
Case Load	0.5	1.0	1.0
Electrical Data (208v 60Hz)			
Condensing Unit	4.5	6.0	8.5
MOCP (per phase) Amps	10	10	15
Energy Data - Standard			
Total Heat Rejection THR (BTU/hr) <i>instantaneous</i>	6,554	9,831	13,108
Total Heat Rejection THR (BTU/hr) <i>average</i>	4,915	7,373	9,831
Daily Energy Use (kWh)	17.55	21.68	34.1



purecold



INSPIRATION
open air





Professional HVAC/R Services, Inc.[®]
32961 Pin Oak Parkway
Avon Lake, Ohio 44012

purecold