



**Cannabest  
Labs**

# Certificate of Analysis



Cannabest Labs

OMMA LAAA-4YOC-PGXU OMMA Testing Laboratory

PJLA ISO/IEC 17025:2017 Accreditation #109204 Chemical and Microbiological Testing

## Good Luck Provisions

14815 US Highway 70  
Ardmore, OK 73401

License #: GAAA-VKXX-EYV4

Sample: C1G0061-01

Sample Name: Gelatti

Sample Type: Flower

Batch ID: H07.01GEL

## Summary

Method	Analyzed	Result	THC		CBD		Terpenes	
			Total (mg/g)	Percent	Total (mg/g)	Percent	Total (mg/g)	Percent
Metals Parameters	07/23/21	Pass						
Moisture Parameters	07/23/21	Pass						
Pesticide Parameters	07/24/21	Pass						
Mycotoxin Parameters	07/24/21	Pass						
Microbiological Parameters	07/26/21	Pass						
Potency Parameters	07/22/21	-	187	18.7	0	0		
Terpene Parameters	07/22/21	-					28.3	2.83

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. Pass/Fail results are evaluated against limits established in the OMMA Rules and Regulations, Title 310, Oklahoma State Department of Health, Chapter 681, Medical Marijuana Control Program.

James Vandersee For Russell Britten, President



Good Luck Provisions  
14815 US Highway 70  
Ardmore OK, 73401

Project: Full Panel  
Project Number: [none]  
Project Manager: Mr. Jackson Adair

Reported:  
07/28/21 17:11

### C1G0061-01 (Flower)

Sampled: 07/20/21 00:00  
Sample Name: Gelatti  
Batch ID: H07.01GEL

Analyte	Amount	Results %	Reporting Limit	Units	Analyst	Analyzed	Method	Qualifiers
<b>Potency Parameters</b>								
CBDV	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
CBDA	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
CBGA	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
CBG	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
CBD	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
THCV	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
CBN	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
Δ9-THC	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
Δ8-THC	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
CBC	<4.96	-	4.96	mg/g dry	JDS	07/22/21 16:59	CBL Potency	
<b>THCA</b>	<b>214</b>	<b>21.4</b>	<b>4.96</b>	<b>mg/g dry</b>	JDS	07/22/21 16:59	CBL Potency	
Solvent Extraction	Completed	-	-	N/A	JDS	07/22/21 16:59	CBL Potency	
<b>Totals</b>	<b>214</b>	<b>21.4</b>						
<b>Total THC</b>	<b>187</b>	<b>18.7</b>						
<b>Totals CBD</b>	-	-						
<b>Terpene Parameters</b>								
x alpha-Pinene	1.97	0.197	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x Camphene	0.250	0.0250	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x beta-Myrcene	1.30	0.130	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x beta-Pinene	1.98	0.198	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x alpha-Ocimene	1.67	0.167	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x delta-3-Carene	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x alpha-Terpinene	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x beta-Ocimene	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x delta-Limonene	8.00	0.800	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x p-Cymene	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x gamma-Terpinene	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x Terpinolene	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x Linalool	1.73	0.173	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x Isopulegol	0.369	0.0369	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x Geraniol	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x beta-Caryophyllene	6.55	0.655	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x alpha-Humulene	1.96	0.196	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x cis-Nerolidol	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x trans-Nerolidol	<0.0992	-	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x Guaiol	0.463	0.0463	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
x alpha-Bisabolol	2.02	0.202	0.10	mg/g dry	JDS	07/22/21 22:13	CBL Terpenes	
<b>Totals</b>	<b>28.3</b>	<b>2.83</b>						

Cannabest Labs



James Vandersee For Russell Britten, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety. Quality Control available upon request.



C1G0061

Good Luck Provisions  
14815 US Highway 70  
Ardmore OK, 73401

Project: Full Panel  
Project Number: [none]  
Project Manager: Mr. Jackson Adair

Reported:  
07/28/21 17:11

### C1G0061-01 (Flower)

Sampled: 07/20/21 00:00

Sample Name: Gelatti  
Batch ID: H07.01GEL

Analyte	Amount	Limits	Result	Units	Analyst	Analyzed	Method	Qualifiers
<b>Metals Parameters</b>								
x Mercury	<0.0901	0.100	PASS	mg/Kg dry	JDH	07/23/21 12:51	CBL Metals	
x Arsenic	<0.180	0.200	PASS	mg/Kg dry	JDH	07/23/21 12:51	CBL Metals	
x Cadmium	<0.180	0.200	PASS	mg/Kg dry	JDH	07/23/21 12:51	CBL Metals	
x Lead	<0.450	0.500	PASS	mg/Kg dry	JDH	07/23/21 12:51	CBL Metals	
Metals Digestion	Completed	-	-	N/A	JDH	07/23/21 12:51	CBL Metals	
<b>Moisture Parameters</b>								
<b>Moisture Content</b>	<b>7.25</b>	<b>15.0</b>	<b>PASS</b>	<b>%</b>	JDH	07/23/21 11:15	CBL Moisture	
<b>Water Activity</b>	<b>0.517</b>	<b>0.650</b>	<b>PASS</b>	<b>aw</b>	JDH	07/23/21 11:15	CBL Water	
<b>Pesticide Parameters</b>								
Imidacloprid	<0.121	0.400	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Imazalil	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Myclobutanil	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Malathion	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Azoxystrobin	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Bifenazate	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Spirotetramat	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Tebuconazole	<0.121	0.400	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Spinosad	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Abamectin	<0.121	0.500	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Spiromesifen	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Etoxazole	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Permethrin	<0.121	0.200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Pesticide	
Solvent Extraction	Completed	-	-	N/A	JDS	07/24/21 14:01	CBL Pesticide	
<b>Mycotoxin Parameters</b>								
Aflatoxin B1	<0.00485	0.00500	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Myco	
Aflatoxin B2	<0.00485	0.00500	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Myco	
Aflatoxin G1	<0.00485	0.00500	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Myco	
Aflatoxin G2	<0.00485	0.00500	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Myco	
Ochratoxin A	<0.00485	0.0200	PASS	mg/Kg dry	JDS	07/24/21 14:01	CBL Myco	
Solvent Extraction	Completed	-	-	N/A	JDS	07/24/21 14:01	CBL Myco	
<b>Microbiological Parameters</b>								
x Aspergillus niger	<1.00	1.00	PASS	CFU/g dry	DR	07/26/21 08:13	CBL Micro	
x Aspergillus fumigatus	<1.00	1.00	PASS	CFU/g dry	DR	07/26/21 08:13	CBL Micro	
x Aspergillus terreus	<1.00	1.00	PASS	CFU/g dry	DR	07/26/21 08:13	CBL Micro	
x Aspergillus flavus	<1.00	1.00	PASS	CFU/g dry	DR	07/26/21 08:13	CBL Micro	
E. Coli (STEC)	<1.00	1.00	PASS	CFU/g dry	DR	07/26/21 08:13	CBL Micro	
Salmonella	<1.00	1.00	PASS	CFU/g dry	DR	07/26/21 08:13	CBL Micro	
Yeast & Mold	<10000	10000	PASS	CFU/g dry	DR	07/26/21 08:13	CBL Micro	

Cannabest Labs



James Vandersee For Russell Britten, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety. Quality Control available upon request.



Good Luck Provisions  
14815 US Highway 70  
Ardmore OK, 73401

Project: Full Panel  
Project Number: [none]  
Project Manager: Mr. Jackson Adair

**Reported:**  
07/28/21 17:11

## Certifications

Code	Description	Number	Expires
OMMA	OMMA Testing Laboratory	LAAA-4YOC-PGXU	05/19/2022
PJLA	Chemical and Microbiological Testing	ISO/IEC 17025:2017 Accreditation #109204	08/31/2022

## Qualifiers and Definitions

Abbreviation	Description
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
x	Non-Certified analyte
NA	Not Applicable

  

Qualifier	Description
B-01	Target analyte detected in method blank at/or above the detection limit. This may cause a high bias to the reported result.
COM	Completed
L-01	The laboratory control spike recovery was lower than expected. This may cause a low bias to the reported result.
L-02	The laboratory control spike recovery was higher than expected. This may cause a high bias to the reported result.
M-05	The matrix spike recovery was outside of control limits.
R-01	The RPD between sample duplicates exceeded the method or laboratory control limit. This may indicate the results are not as precise as expected.

Cannabest Labs



James Vandersee For Russell Britten, President

*The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety. Quality Control available upon request.*



C1G0061