

Hemp Park Cannabis Co

393 Cummins Lane
Colbert, OK 74733
bdhughes003@yahoo.com
(940) 577-9635
Lic. #GAAA-EY90-I6K9

Sample: 2109HGL5442.21568

Strain: Mimosa

Sample Received: 09/08/2021; Report Created: 09/13/2021
Plant, Flower - Cured, Indoor

Mimosa

Lot#: M.09.08.21
Batch#: M.09.08.21
Batch Size: g



Cannabinoids

Complete


Total THC: 18.56%

Total CBD: 0.05%

Total Cannabinoids: 21.87%

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.05	20.57	205.7
Δ9-THC	0.05	0.52	5.2
Δ8-THC	0.05	ND	ND
THCV	0.05	ND	ND
CBDa	0.05	0.06	0.6
CBD	0.05	ND	ND
CBDV	0.05	ND	ND
CBN	0.05	ND	ND
CBGa	0.05	0.66	6.6
CBG	0.05	0.05	0.5
CBC	0.05	ND	ND
Total		21.87	218.7

■ CBG
 ■ CBDa
 ■ CBGa
 ■ THCa
 ■ Δ9-THC



Date Tested: 09/12/2021
 Analysis performed on Agilent Infinity II 1260 HPLC
 Total THC = THCa * 0.877 + d9-THC
 Total CBD = CBDa * 0.877 + CBD
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Hemp Park Cannabis Co

393 Cummins Lane
Colbert, OK 74733
bdhughes003@yahoo.com
(940) 577-9635
Lic. #GAAA-EY90-I6K9

Sample: 2109HGL5442.21568

Strain: Mimosa


Sample Received: 09/08/2021; Report Created: 09/13/2021
Plant, Flower - Cured, Indoor

Mimosa

Lot#:
Batch#: M.09.08.21
Batch Size: g




Terpenes



Analyte	LOQ	Mass	Mass
	%	%	mg/g
beta-Caryophyllene	0.01	0.46	4.6
Limonene	0.01	0.34	3.4
Farnesene	0.01	0.25	2.5
alpha-Pinene	0.01	0.18	1.8
Eucalyptol	0.01	0.15	1.5
alpha-Humulene	0.01	0.14	1.4
beta-Pinene	0.01	0.11	1.1
alpha-Terpineol	0.01	0.09	0.9
Linalool	0.01	0.08	0.8
Valencene	0.01	0.08	0.8
Endo-Fenchyl Alcohol	0.01	0.08	0.8
alpha-Bisabolol	0.01	0.07	0.7
Geranyl Acetate	0.01	0.06	0.6
Nerolidol	0.01	0.06	0.6
trans-Nerolidol	0.01	0.06	0.6
Nerol	0.01	0.06	0.6
beta-Myrcene	0.01	0.05	0.5
Cedrol	0.01	0.05	0.5
Isoborneol	0.01	0.05	0.5
Caryophyllene Oxide	0.01	0.04	0.4
Guaiol	0.01	0.04	0.4
Camphene	0.01	0.03	0.3
alpha-Cedrene	0.01	ND	ND
alpha-Phellandrene	0.01	ND	ND
alpha-Terpineol	0.01	ND	ND
Borneol	0.01	ND	ND
Camphor	0.01	ND	ND
cis-Nerolidol	0.01	ND	ND
cis-Ocimene	0.01	ND	ND
delta-3-Carene	0.01	ND	ND
Fenchone	0.01	ND	ND
gamma-Terpinene	0.01	ND	ND
gamma-Terpineol	0.01	ND	ND
Geraniol	0.01	ND	ND
Hexahydro Thymol	0.01	ND	ND
Isopulegol	0.01	ND	ND
Phytol	0.01	ND	ND
Pulegone	0.01	ND	ND
p-Cymene	0.01	ND	ND
Sabinene	0.01	ND	ND
Sabinene Hydrate	0.01	ND	ND
Terpinolene	0.01	ND	ND
trans-Ocimene	0.01	ND	ND
Total		2.52	25.2

Primary Aromas



Date Tested: 09/10/2021; Analysis performed on Agilent 7890A GCFID
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Powered by Confident Cannabis
3 of 4

Hemp Park Cannabis Co

393 Cummins Lane
Colbert, OK 74733
bdhughes003@yahoo.com
(940) 577-9635
Lic. #GAAA-EY90-I6K9

Sample: 2109HGL5442.21568

Strain: Mimosa

Sample Received: 09/08/2021; Report Created: 09/13/2021
Plant, Flower - Cured, Indoor

Mimosa

Lot#:
Batch#: M.09.08.21
Batch Size: g



Solvents

Not Tested

Analyte LOQ Limit Results

Microbials

Pass

Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Yeast & Mold	10000	5700	Pass
Shiga Toxin E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Date Tested: 09/13/2021
E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals

Pass

Analyte	LOQ	Limit	Results	Status
	PPB	PPB	PPB	
Arsenic	25	200	110	Pass
Cadmium	25	200	32	Pass
Lead	25	500	135	Pass
Mercury	10	100	ND	Pass

Date Tested:
Notes:

Foreign Matter

Pass

Notes:

Moisture
11.2%
Complete

Water Activity
0.54300 aw
Complete
Limit: 0.65 Aw

Date Tested: 09/10/2021
Analysis performed on Agilent 7800 ICP-MS
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Certificate of Analysis

Powered by Confident Cannabis
4 of 4

Hemp Park Cannabis Co

393 Cummins Lane
Colbert, OK 74733
bdhughes003@yahoo.com
(940) 577-9635
Lic. #GAAA-EY90-I6K9

Sample: 2109HGL5442.21568

Strain: Mimosa

Sample Received: 09/08/2021; Report Created: 09/13/2021
Plant, Flower - Cured, Indoor

Mimosa

Lot#:
Batch#: M.09.08.21
Batch Size: g



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 09/10/2021

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 09/10/2021

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01