



rousseau

The efficient way to store your tools

CNC Tool Storage System



Overview of Rousseau's products



1.866.463.4270
info@rousseaumetal.com
rousseaumetal.com



TEAM SUCCESS

Rousseau Metal Inc. was founded in 1950. Since that time, we have designed, manufactured and marketed industrial storage systems. As an example of our growth and vitality over the years, our installations are over 183,000 square feet and utilize the latest, cutting-edge technology.

Our Research & Development dept. along with our Sales & Marketing dept. are in constant evolution. This allows us to offer a wide range of products that respond to strict criteria, guaranteeing performances high enough to satisfy even the most discerning customer.

We offer you a complete and integrated storage solution: mobile carts, modular drawer systems for shelving and cabinets, industrial shelving system, mini-racking, toolbox system and workstations that are adapted to your reality; the cutting tool industry. These products are tailored to respond to your needs no matter how specialized they may be.

CNC Tool Storage System


The CNC tool storage system has been designed to ensure maximum protection of your CNC tools during handling, transport and storage.

With its original two-level design, the tool rack offers improved support and increased stability by preventing tools from falling out, even in an inclined position. The tool rack surface is made of sturdy PVC and protects tools against blows, corrosion and spattering molten metal while favoring coolant drainage and limiting contact surfaces with the tool.

The tool rack is offered with perforations to insert Taper, Straight, Sandvik Capto, HSK, KM and VDI. The tool rack is also available without perforations.




	Page(s)
Introduction	2
Overview	4-5
Tool Racks	6
Mobile Carts	7
Stationary Storage Systems for Tools	8-9
Stationary and Mobile Storage Cabinets	10
Spider® Shelving System	11
Workstation System	12-13
Computer Cabinet	14
Accessories	15



Regular operations

- Part and tool manipulation
- Temporary storage
- Data processing



NCW0528



NCW0101



Central stockroom

- Storage
- Preparation



NCS8016





NCW0101

Maintenance

- Sharpening
- Gauging
- Tip changing




NCW0585



NCW0101

The tool rack, the core of the CNC Tool Storage System, is compatible with the entire Rousseau product line. The compact and sturdy rack is equipped with practical, ergonomic handles making it easy to carry. However, its greatest advantage is the protection it can offer your tools. Made of sturdy PVC, the extruded part of the tool rack protects your tools against blows while allowing for coolant drainage. The contact point between tools and the rack help prevent corrosion.



Advantages:

- Avoids accidental contact between tools;
- Prevents corrosion and premature wear due to inappropriate storage;
- Minimizes your tool acquisition and reconditioning costs;
- The identification zone allows for quick retrieval of tools.

Equivalency Chart



Tool Type	Stand - Cabinet - Shelving				Mini-Racking			
	30" tool rack	number of holes	36" tool rack	number of holes	18" PVC platform	number of holes	24" PVC platform	number of holes
Blank rack	NC10-3000	-	NC10-3600	-	NC30-1800	-	NC30-2400	-
Taper 30	NC12-3001	10	NC12-3601	12	NC31-1801	8	NC31-2401	10
Taper 40	NC12-3003	7	NC12-3603	8	NC31-1803	7	NC31-2403	9
Taper 50	NC12-3005	5	NC12-3605	6	NC31-1805	4	NC31-2405	5
3/4" Straight	NC12-3010	20	NC12-3610	24	NC31-1810	14	NC31-2410	18
1" Straight	NC12-3011	20	NC12-3611	24	NC31-1811	14	NC31-2411	18
1 1/4" Straight	NC12-3013	20	NC12-3613	24	NC31-1813	14	NC31-2413	18
1 1/2" Straight	NC12-3015	8	NC12-3615	10	NC31-1815	5	NC31-2415	7
1 3/4" Straight	NC12-3016	8	NC12-3616	10	NC31-1816	5	NC31-2416	7
2" Straight	NC12-3018	6	NC12-3618	7	NC31-1818	4	NC31-2418	5
2 1/4" Straight	NC12-3019	6	NC12-3619	7	NC31-1819	4	NC31-2419	5
2 1/2" Straight	NC12-3021	6	NC12-3621	7	NC31-1821	4	NC31-2421	5
C4 Sandvik Capto	NC12-3031	22	NC12-3631	26	NC31-1831	18	NC31-2431	24
C5 Sandvik Capto	NC12-3032	10	NC12-3632	12	NC31-1832	7	NC31-2432	9
C6 Sandvik Capto	NC12-3033	7	NC12-3633	8	NC31-1833	7	NC31-2433	9
HSK 25 (A-C-E)	NC12-3040	22	NCR-3640	26	NC31-1840	18	NC31-2440	24
HSK 32 (A-C-E)	NC12-3041	22	NC12-3641	26	NC31-1841	18	NC31-2441	24
HSK 40 (A-C-E)	NC12-3042	22	NC12-3642	26	NC31-1842	18	NC31-2442	24
HSK 50 (A-C-E)	NC12-3043	10	NC12-3643	12	NC31-1843	8	NC31-2443	10
HSK 63 (A-C-E)	NC12-3044	7	NC12-3644	8	NC31-1844	5	NC31-2444	7
HSK 80 (A-C-E)	NC12-3045	5	NC12-3645	6	NC31-1845	4	NC31-2445	5
HSK 100 (A-C-E)	NC12-3046	4	NC12-3646	5	NC31-1846	3	NC31-2446	4
32 KM	NC12-3050	22	NC12-3650	26	NC31-1850	18	NC31-2450	24
40 KM	NC12-3051	22	NC12-3651	26	NC31-1851	18	NC31-2451	24
50 KM	NC12-3052	10	NC12-3652	12	NC31-1852	8	NC31-2452	10
63 KM	NC12-3053	7	NC12-3653	8	NC31-1853	5	NC31-2453	7
80 KM	NC12-3054	5	NC12-3654	6	NC31-1854	4	NC31-2454	5
VDI 30 mm	NC12-3060	6	NC12-3660	7	NC31-1860	7	NC31-2460	9
VDI 40 mm	NC12-3061	5	NC12-3661	6	NC31-1861	4	NC31-2461	5
VDI 50 mm	NC12-3062	4	NC12-3662	5	NC31-1862	3	NC31-2462	4

NOTE The number of tools that a tool rack can hold varies according to tool diameter and the width of the tool rack.

The Rousseau mobile carts have been designed to optimize your changing workspace set-up, carry your tools efficiently, facilitate moving your tools, and all of this, while providing adequate protection.

The carts are equipped with smooth-rolling, silent, 4" polyurethane casters that glide easily even over metal fragments and greasy surfaces.

The tool rack's PVC surface ensures protection against blows, corrosion and spattering molten metal. The racks are inclined 20° for easy access during handling.

36" Height Cart



NCW0101

8 - 30" W tool racks with ergonomic handles;
4" polyurethane casters that do not mark floors;
Shelf with aluminum handle.

Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
32"	27"	41 1/4" (with casters)	NCW0100	NCW0101	NCW0102	NCW0103	NCW0104	NCW0105
Maximum Tool Quantity: (8 racks)			56	40	80	56	80	56

54" Height Cart



NCW0217

12 - 30" W tool racks with ergonomic handles;
4" polyurethane casters that do not mark floors;
Aluminum side handle for moving the cart;
Document holder.

Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
32"	27"	59 1/4" (with casters)	NCW0216	NCW0217	NCW0218	NCW0219	NCW0220	NCW0221
Maximum Tool Quantity: (12 racks)			84	60	120	84	120	84

NOTE

If your tool type is not shown in the charts above, please refer to page 6, or contact our customer service department.

SEE
PAGE
6



Maximum capacity: 1200 lb.,
evenly distributed load.



Stationary Storage Systems for Tools

Whether for storing specialized materials for metal working, such as drill bits, collets, punches, tool holders or standard tools such as pliers, files, wrenches or various fittings and sockets, Rousseau offers a multitude of solutions: stationary stands, modular cabinets, shelving with drawers, mini-racking, etc. All of these possibilities mean that you are sure to find the storage solution that best fits your specific needs.

Our range of storage possibilities ensures ideal protection against corrosion and premature aging of your tools caused by inadequate storage. Your tools are precious; let Rousseau help you protect them!

54" Height Stand



NCW0248

- 8 - 30" W tool racks with ergonomic handles;
- 2 plastic bin rails (note: the red plastic bins are not sold by Rousseau);
- 2 shelves, each with 3 dividers.

Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
32"	27"	54"	NCW0247	NCW0248	NCW0249	NCW0250	NCW0251	NCW0252
Maximum Tool Quantity: (8 racks)			56	40	80	56	80	56

Tool Storage Cabinet



NCM0067

- 12 tool racks with ergonomic handles;
- 3 drawers that open 100%, 12" clearance between the drawers;
- 2" cabinet base allows the cabinet to be moved with a forklift;
- Includes the true one-at-a-time locking mechanism;
- Available without doors, with solid doors, or polycarbonate doors (standard lock included);
- The doors open 180° permitting full clearance space for easy tool handling;
- The polycarbonate surface of the doors is highly impact resistant.

Dimensions			Accessories	Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H							
30"	27"	60"	No doors	NCM0011	NCM0061	NCM0111	NCM0161	NCM0211	NCM0261
			Polycarbonate doors	NCM0012	NCM0062	NCM0112	NCM0162	NCM0212	NCM0262
			Solid doors	NCM0013	NCM0063	NCM0113	NCM0163	NCM0213	NCM0263
			Maximum Tool Quantity: (12 racks)	84	60	120	84	120	84
36"	24"	60"	No doors	NCM0017	NCM0067	NCM0117	NCM0167	NCM0217	NCM0267
			Polycarbonate doors	NCM0018	NCM0068	NCM0118	NCM0168	NCM0218	NCM0268
			Solid doors	NCM0019	NCM0069	NCM0119	NCM0169	NCM0219	NCM0269
			Maximum Tool Quantity: (12 racks)	96	72	144	96	144	96

Shelving with Drawers



NCS2266

- 8 tool racks with ergonomic handles;
- 1 - 3" H drawer with groove trays;
- 2 - 4" H drawers included: 1 drawer with foam for tools; 1 with compartments;
- 2 drawers with tool racks, 12" clear space between drawers;
- Drawers open 100%;
- Shelving with closed uprights;
- The 75" H shelving unit includes 2 shelf levels and 2 dividers; the 87" unit includes 3 shelf levels and 4 dividers.

Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
30"	24"	75"	NCS2251	NCS2261	NCS2271	NCS2281	NCS2291	NCS2301
30"	24"	87"	NCS2252	NCS2262	NCS2272	NCS2282	NCS2292	NCS2302
Maximum Tool Quantity: (8 racks)			56	40	80	56	80	56
36"	24"	75"	NCS2255	NCS2265	NCS2275	NCS2285	NCS2295	NCS2305
36"	24"	87"	NCS2256	NCS2266	NCS2276	NCS2286	NCS2296	NCS2306
Maximum Tool Quantity: (8 racks)			64	48	96	64	96	64



NOTE

If your tool type is not shown in the charts above, please refer to page 6, or contact our customer service department.

SEE
PAGE
6

Stationary Storage Systems for Tools

Shelving with Adaptors



NCS4025

9 - 36" W tool racks, with ergonomic handles;
The racks are inclined 20° to facilitate tool access and handling;
75" H shelving unit includes 1 shelf level and 2 dividers; the 87" unit includes 2 shelf levels each with 2 dividers.

Dimensions			Accessories	Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H							
36"	18"	75"	No doors	NCS4005	NCS4025	NCS4045	NCS4065	NCS4085	NCS4105
			Polycarbonate doors	NCS4006	NCS4026	NCS4046	NCS4066	NCS4086	NCS4106
36"	18"	87"	No doors	NCS4007	NCS4027	NCS4047	NCS4067	NCS4087	NCS4107
			Polycarbonate doors	NCS4008	NCS4028	NCS4048	NCS4068	NCS4088	NCS4108
Maximum Tool Quantity: (9 racks)				72	54	108	72	108	72

Mini-Racking for High-Density Storage



NCS6024

3 levels with platforms for tools;
Full-width label holders for tool identification;
75" Mini-Racking unit includes 1 steel decking level, the 87" unit includes 2 steel decking levels for bulk storage.



Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
60"	18"	75"	NCS6001	NCS6021	NCS6031	NCS6041	NCS6051	NCS6061
60"	18"	87"	NCS6002	NCS6022	NCS6032	NCS6042	NCS6052	NCS6062
Maximum Tool Quantity:			210	120	240	150	240	150
60"	24"	75"	NCS6003	NCS6023	NCS6033	NCS6043	NCS6053	NCS6063
60"	24"	87"	NCS6004	NCS6024	NCS6034	NCS6044	NCS6054	NCS6064
Maximum Tool Quantity:			270	150	300	210	300	210
72"	18"	75"	NCS6005	NCS6025	NCS6035	NCS6045	NCS6055	NCS6065
72"	18"	87"	NCS6006	NCS6026	NCS6036	NCS6046	NCS6056	NCS6066
Maximum Tool Quantity:			250	144	288	180	288	180
72"	24"	75"	NCS6007	NCS6027	NCS6037	NCS6047	NCS6057	NCS6067
72"	24"	87"	NCS6008	NCS6028	NCS6038	NCS6048	NCS6058	NCS6068
Maximum Tool Quantity:			324	180	360	252	360	252

Note: the platform can only receive tools with collets. It is not compatible with Straight Shank tools without collets.

Multipurpose Workstation



NCS8015

13 tool racks with ergonomic handles;
6 drawers included: 1 - 3" drawer, 2 - 4" drawers, 2 - 7" drawers and 1 - 9" drawer;
6 shelf levels and 8 dividers;
Laminated wood top, 60" W x 24" D;
Lamp and power outlet strip;
Perforated panel with 10 hooks;
Louvered panel for plastic bins (note: the red bins are not sold by Rousseau).

Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
120"	24"	87"	NCS8004	NCS8013	NCS8023	NCS8033	NCS8043	NCS8053
Maximum Tool Quantity: (13 racks)			91	65	130	91	130	91
132"	24"	87"	NCS8005	NCS8015	NCS8025	NCS8035	NCS8045	NCS8055
Maximum Tool Quantity: (13 racks)			103	77	155	103	155	103

*2 - 30" W shelving ** 2 - 36" W shelving


NOTE If your tool type is not shown in the charts above, please refer to page 6, or contact our customer service department.

SEE
PAGE
6

Stationary and Mobile Storage Cabinets

The Rousseau modular cabinet has a sturdy and distinct appearance that works in all sorts of different environments. It is characterized by the numerous dimensions available, its vast choice of accessories, its perfect modularity, but most of all, by its durability. Tests carried out at an independent laboratory proved that the Rousseau cabinet is the most durable on the market. The trials proved just how superior our drawer is. This allows us to be 100% confident in offering you a lifetime warranty on the drawer rolling mechanism. The cabinet features drawers with a 400 lb. capacity per drawer that open 100%.

Contact our customer service department for a personalized layout.



High-Density Storage Cabinet



R5AHE-5801

8 drawers with compartments : 1 - 3" drawer, 1 - 5" drawer, 2 - 6" drawers, 2 - 7" drawers, 1 - 8" drawer, and 1 - 12" drawer;
2" cabinet base allows the cabinet to be moved with a forklift;
Standard lock included;
Dimensions: 48" W x 24" D x 60" H.

Repair / Preparation Cabinet



NCM8131

2 - 30" W tool racks with ergonomic handles;
5 drawers with compartments: 2 - 4" drawers and 3 - 6" drawers;
All drawers equipped with integrated lock-in mechanism;
6" polyurethane casters that do not mark floors;
Wide-grip aluminum handle facilitates manoeuvring and turning the cabinet;
Standard lock included;
Laminated wood top, 36" W x 24" D;
Foldaway shelf.

Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
36"	24"	61 1/2" (with casters)	NCM8121	NCM8131	NCM8141	NCM8151	NCM8161	NCM8171
Maximum Tool Quantity: (2 racks)			14	10	20	14	20	14

Multi-Drawer Mobile Cabinet



R5GHE-3807

7 - 24" W drawers with compartments: 1 - 3" drawer, 3 - 4" drawers, 2 - 6" drawers and 1 - 8" drawer;
All drawers equipped with integrated lock-in mechanism;
1 single integrated door with lock;
6" polyurethane casters that do not mark floors;
Wide-grip aluminium handle facilitates manoeuvring and turning the cabinet;
Standard lock included on the cabinet;

60" W steel top with rubber mat;
Side hanging cabinet with single integrated door with lock.

Dimensions			
W	D	H	
62"	24"	45 1/2"	R5GHE-3807 (with casters)
62"	27"	45 1/2"	R5GHG-3807 (with casters)

NOTE

If your tool type is not shown in the chart above, please refer to page 6, or contact our customer service department.


SEE
PAGE
6

Spider® Shelving System



With sturdy construction and quick assembly, the Spider® Shelving System meets all of your storage needs. The advantage of being able to expand shelving in width, depth and height, along with a multitude of accessories, allows you to create practical storage solutions that meet both your current and future needs. Assembly is simple: the shelves are fastened to the posts using four compression clips. As a result, shelving layouts can be changed quickly.

Many layouts are possible, contact our customer service department for a customized solution.



Open or Closed Shelving



SHE1024

SHE2024

Box-type shelves with front and rear edges that are roll-formed and welded;
Shelves adjustable every inch c/c;
Welded uprights;
To order a open shelving, complete the product number by 1;
To order a closed shelving, complete the product number by 2.

Dimensions			Capacity per Shelf		Shelf Levels		
W	D	H		4	5	6	7
30"	24"	75"	575 lb.	SHE_103	SHE_109	SHE_115	SHE_203
30"	24"	87"	575 lb.	SHE_106	SHE_112	SHE_118	SHE_206
36"	24"	75"	625 lb.	SHE_003	SHE_009	SHE_015	SHE_021
36"	24"	87"	625 lb.	SHE_006	SHE_012	SHE_018	SHE_024

Mobile Shelving



SRE4003M

Models include one open shelving (uprights, braces and box shelves), the mobile base for Spider® shelving and 4 - 4" H casters, 2 swivels with total-lock brake system and 2 rigids;
Box-type shelves with front and rear edges that are roll-formed and welded;
Shelves adjustable every inch c/c;
Capacity: 1000 lb. per base;
Not compatible with modular drawers, roll-out shelves and doors;
Side-to-side combination are possible, contact our customer service department for a customized solution.

Dimensions			Useable Shelves	Open
W	D	H		
36"	18"	63"	6	SRE4001M
36"	24"	63"	6	SRE4002M
36"	24"	75"	6	SRE4003M
48"	18"	63"	6	SRE4007M
48"	24"	63"	6	SRE4008M
48"	24"	75"	6	SRE4009M

Shelving with Drawers



R5SEE-874809

Box-type shelves with front and rear edges that are roll-formed and welded;
Shelves adjustable every inch c/c;
Closed welded uprights with back panel;
7 drawers with compartments : 2 - 3" drawers, 3 - 4" drawers, 2 - 6" drawers;
1 front access roll-out shelf;
400 lb. capacity per drawer; 100% opening.

Dimensions			
W	D	H	
36"	24"	75"	R5SEE-754809
36"	24"	87"	R5SEE-874809
48"	18"	75"	R5SHC-754809
48"	18"	87"	R5SHC-874809
48"	24"	75"	R5SHE-754809
48"	24"	87"	R5SHE-874809



Whether you are looking for a basic workbench, with two legs and a top; or a specialized table, stationary or mobile, you will find a solution for each and every application. Rousseau offers you several work surface dimensions for each of the surfaces offered such as painted steel, laminated wood, wood composite and plastic laminate.

Many layouts are possible, contact our customer service department for a customized solution.

Open Workbench - Single or Double



WSA1904

Top of your choice;
Legs 27" D x 32" H;
24" D shelf surface under work surface.

Dimensions			Type of Top			
W	D	H	Painted Steel	Lam. Wood	Plastic Lam.	Acrylic/PVC
Single						
60"	30"	34"	WSA1019	WSA2019	WSA3019	WSA9019
72"	30"	34"	WSA1023	WSA2023	WSA3023	WSA9023
Double						
96"	30"	34"	WSA1902	WSA2902	WSA3902	WSA9902
120"	30"	34"	WSA1904	WSA2904	WSA3904	WSA9904
144"	30"	34"	WSA1906	WSA2906	WSA3906	WSA9906

Closed Workbench - Single or Double



WSA2971

Top of your choice;
Legs 27" D x 32" H;
24" D shelf surface under work surface;
Sliding doors with lock;
Note: the single workstation also includes a steel shelf 12" D.

Dimensions			Type of Top			
W	D	H	Painted Steel	Lam. Wood	Plastic Lam.	Acrylic/PVC
Single						
60"	30"	34"	WSA1070	WSA2070	WSA3070	WSA9070
72"	30"	34"	WSA1071	WSA2071	WSA3071	WSA9071
Double						
96"	30"	34"	WSA1971	WSA2971	WSA3971	WSA9971
120"	30"	34"	WSA1973	WSA2973	WSA3973	WSA9973
144"	30"	34"	WSA1975	WSA2975	WSA3975	WSA9975

Mobile Workbench



WSW1032

Painted steel top with back stop;
Legs 27" D x 32" H;
4" polyurethane casters that do not mark floors;
Dimensions: 60" W x 30" D x 35 1/2" H.

Workbench with Cabinet



R5WH5-2007

Laminated wood top;
 Legs 27" D x 32" H;
 Cabinet 24" W x 27" D with 4 drawers with compartments: 2 - 4" drawers, 1 - 6" drawer, and 1 - 12" drawer;
 Drawers open 100%;
 Dimensions: 60" W x 30" D x 34" H.

Workstation with Tool Racks



NCW0527

Painted steel top;
 3 - 30" W tool racks with ergonomic handles;
 The racks are inclined 20° to facilitate tool access and handling;
 Legs 27" D x 32" H;
 24" D shelf surface under work surface.

Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
60"	30"	58"	NCW0522	NCW0527	NCW0532	NCW0537	NCW0542	NCW0547
Maximum Tool Quantity: (3 racks)			21	15	30	21	30	21

Workstation with Storage Cabinet and Tool Racks



NCW0584

Laminated wood top;
 3 - 30" W tool racks with ergonomic handles;
 The racks are inclined 20° to facilitate tool access and handling;
 Accessories:
 - Perforated panel with 10 hooks;
 - Document holder with hinged arm;
 - Tiltable shelf with 3 dividers;
 - Power outlet channel;
 - Lamp;
 - Tool tray;
 Legs 27" D x 32" H;
 Cabinet 24" W x 27" D with 5 drawers with compartments: 2 - 3" drawers, 3 - 6" drawers;
 Drawers open 100%.

Dimensions			Taper 40	Taper 50	HSK 50	HSK 63	50 KM	63 KM
W	D	H						
60"	30"	82"	NCW0582	NCW0584	NCW0586	NCW0588	NCW0590	NCW0592
Maximum Tool Quantity: (3 racks)			21	15	30	21	30	21

NOTE

If your tool type is not shown in the charts above, please refer to page 6, or contact our customer service department.

SEE
PAGE
6



The Rousseau computer cabinet ensures maximum protection of the computer. The fan with filter will promote proper air circulation.

The polycarbonate doors are perfect for use with large monitors and does not reduce your field of vision. They are demagnetized in order to eliminate image distortion. A front access, 4" base allows the cabinet to be moved with a forklift or pallet-jack if required. It is also possible to add casters and have the cabinet mobile at all times. Plus, the back panel allows easy installation of your computer system and is equipped with a ventilator with filter to create a positive pressure inside the cabinet.

Many layouts are possible, contact our customer service department for a customized solution.

Basic Computer Cabinet

25 15/16" x 19" polycarbonate surface;
Integrated single door with 2 storage shelves for computer and printer;
Locks (doors and keyboard drawer);
The fixed cabinet has a recessed base that allows the cabinet to be moved with a forklift or a pallet-jack;
The mobile cabinet is equipped with 4" polyurethane casters that do not mark floors and glide smoothly and quietly.

Dimensions

W	D	H		
30"	27"	62"	Fixed	R5JDG-5801
30"	27"	63 1/4"	Mobile	R5JDG-5821



R5JDG-5801



R5JDG-5821

Computer Cabinet

25 15/16" x 19" polycarbonate surface;
Integrated single door, bottom shelf and roll-out shelf (computer and printer);
Locks (doors and keyboard tray);
The fixed cabinet has a recessed base that allows the cabinet to be moved with a forklift or a pallet-jack;
The mobile cabinet is equipped with 4" polyurethane casters that do not mark floors and glide smoothly and quietly.

Dimensions

W	D	H		
30"	27"	62"	Fixed	R5JDG-5815
30"	27"	63 1/4"	Mobile	R5JDG-5837



R5JDG-5815



R5JDG-5837



Rousseau offers you a wide range of accessories for varied storage solutions.

The drawers can be equipped with accessories such as foam that is oil resistant and non absorbent (foam for tools, collets or protection), and drawer partitioning accessories such as groove trays, plastic bins, partitions and dividers.

Rousseau shelving can be customized by adding accessories such as steel or polycarbonate doors to protect stored material as well as shelf dividers, perforated panels and louvered panels for plastic bins. Drawer in shelving applications can also be equipped with a vertical security bar.

The workstation system offers a multitude of accessories both above and below the work surface. A few of these include storage shelves, tack boards, marker panels and lighting.

Here are a few of the accessories we offer. Contact us; we have the products that will respond to your specific needs.

Partitions

RG00


PATENTED



Our front to back and left to right partitions have dividers that are clipped in place.

Dividers


RG10



The layout connection system (snap-on) keeps the dividers in place (clipped without screws) and reduces noise caused by vibrations.

Foam for Protection


RG41



Protects material stored in the drawers.

Groove Trays


RG35



Useful in the storage and protection of long objects such as drill bits, borers, sockets, lathe parts, files, tools, etc.

PVC Drawer Liner

RG40



Non-skid surface protects the material stored in the drawers.

Plastic Bins

RG20


PATENTED



Simplify storing, moving and managing small items. The 45° angle permits fast identification of bin contents and an easy grip when removing the bins. The bins are compatible with the 3" and 4" drawers as well as the louvered panel for workstations and shelving.

Foam for Tools

RG42



This oil resistant and non-absorbent drawer foam protects your tools and allows for fast identification. Foam sold uncut.

Solid and Glass Doors Shelving


SH41/43/91/93



Doors open 180° with locking mechanism and built in handle. The polycarbonate surface of the doors is highly resistant to impacts.

Foam for Collets

RG43



This oil resistant and non-absorbent drawer foam protects your collets and allows for fast identification. Foam sold uncut.

Vertical Security Bar

RE80



Allows you to lock your items stored in drawers in shelving.



For custom cut-outs, contact our customer service representatives.

End Users : 1.866.463.4270

Distributors : 1.800.463.4271



rousseau



Rousseau's main markets and product lines



General Brochure



Modular Drawer



Spider® Shelving



Toolbox




Workstation



Automotive
Service Equipment



Healthcare



CNC Tool



Mining Industry



Agricultural and
Small Engine
Equipment

Rousseau, working with you since 1950

Since 1950 Rousseau has been designing, engineering and manufacturing modular storage systems for a variety of markets. Our 183,000 square foot facility, a sign of our growth and vitality, is equipped with cutting-edge technology.

We offer complete and integrated solutions for all your storage needs: drawers for shelving and cabinets, industrial shelving, mini-racking, toolbox systems, workstations and much more.

Visit us at rousseau-metal.com for all the details.

Rousseau Metal Inc.

105 Avenue de Gaspé Ouest
Saint-Jean-Port-Joli
Quebec GOR 3G0
Canada

Telephone: 418.598.3381

Fax: 418.598.6776

info@rousseau-metal.com

Distributors:

Toll free: 1.800.463.4271

www.e-rousseau.com

End users:

Toll free: 1.866.463.4270

www.rousseau-metal.com

Standard Colors

	Avalanche Blue 055
	Everest Blue 051
	Classic Blue 052
	Midnight Blue 057
	Glossy Sapphire Blue 560
	Boreal Green 102
	Glossy EverGreen 1025
	Black 091
	Glossy Black 902
	Frost White 061
	Light Gray 071
	Modern Gray 745
	Charcoal Gray 072
	Glossy Yellow 208
	Sienna Orange 085
	Flame Red 081
	Glossy Carmine Red 806
	Glossy Cranberry Red 815
	White 616
	Beige 041

Colors may vary slightly from those shown.



Rousseau is continuously improving its products and reserves the right to make any modifications judged necessary.

For more information, please contact your local distributor: