


Industrial Shelving Accessories

Dividers

Shelf Divider

SH50



Dividers are attached one into the other;
2 nylon clips provided with each divider;
Nominal dimensions (c/c with shelves);
Offered in painted steel.



Product #	D x H
SH50-1206	12" x 6"
SH50-1209	12" x 9"
SH50-1212	12" x 12"
SH50-1215	12" x 15"
SH50-1218	12" x 18"
SH50-1506	15" x 6"
SH50-1512	15" x 12"
SH50-1806	18" x 6"
SH50-1809	18" x 9"
SH50-1812	18" x 12"
SH50-1815	18" x 15"
SH50-1818	18" x 18"
SH50-1824	18" x 24"

Product #	D x H
SH50-2406	24" x 6"
SH50-2409	24" x 9"
SH50-2412	24" x 12"
SH50-2415	24" x 15"
SH50-2418	24" x 18"
SH50-2424	24" x 24"

Dividers for X-ray Storage


SH50-1816	18" x 16"
SH50-1820	18" x 20"

Other sizes available. Contact your customer service representative for further information

Partial Divider

PATENTED

SH52



Innovative patented divider, facilitates easy position changes;
Height: 5 1/2";
Easy installation, without tools.

Product #	Divider Depth	For Shelves
SH52-1206	7 1/8"	12" D
SH52-1506	10 1/8"	15" D
SH52-1806	13 1/8"	18" D
SH52-2406	19 1/8"	24" D

Pictograms make installation easy



Dividing Rods

SH56



Sold in pairs;
Stainless steel rod with 1/4" diameter;
90° fold at one end to ensure it stays in place;
Superior rigidity to plastic rods currently used on the market for this type of application;
Excellent corrosion and chemical resistance.

Product #	Height
SH56-72	72"
SH56-84	84"
SH56-96	96"



SHE3062



SRP0410

Label Holders

Magnetic Label Holder

SH82



Magnetic plastic;
Comes in 6" lengths and can be cut with scissors or a knife;
Note: Paper strips are not included with label holder;
Note: Label must be 7/8" high

Product #	W x H
SH82-600	6" x 1"

Self-Adhesive Label Holder

SH81




Attaches to surface with self-adhesive strip;
To be used with paper;
Full width;
Note: Paper strips are not included with label holder.

Product #	W x H
SH81-36	36" x 1"
SH81-42	42" x 1"
SH81-48	48" x 1"

Industrial Shelving Accessories

Panels


Finishing Panel

SH37


Finishing panel for end of aisle unit;
Fast and easy hook-on assembly;
Polished look;
Compatible with certain multi-level shelving applications. Contact our customer service department;
Complete the product number by choosing the desired depth: 12", 15", 18" or 24".

Product #	Height
SH37-__075	75"
SH37-__087	87"


Perforated Panel

SH38


Perforated panel for end of aisle unit;
Holes at every 1" c/c;
Compatible with our light duty hooks: WM9F, WM9G, WM9H, WM9J and WM9L;
Compatible with WM9M and WM9N supports;
Fast and easy hook-on assembly;
Polished look;
Capacity: maximum 200 lb. per panel;
Compatible with certain multi-level shelving applications. Contact our customer service department;
Complete the product number by choosing the desired depth: 12", 15", 18" or 24".

Product #	Height
SH38-__075	75"
SH38-__087	87"

Full Height HD Utility Panel

SH69


Full height HD utility panel for end of aisle unit;
Holes at every 1" c/c;
Fast and easy hook-on assembly;
Polished look;
Available in 4 widths: 12" (9 holes), 15" (13 holes), 18" (15 holes) and 24" (21 holes)
Compatible with our light duty hooks: WM9F, WM9G, WM9H, WM9J, WM9L and our heavy duty hooks: WM9A and WM9B;
Also compatible with WM9C, WM9D, WM9M, WM9N supports and WM21 shelf;
Capacity: 50 lb./square foot, maximum of 500 lb. per panel, evenly distributed load;
Compatible with certain multi-level shelving applications. Contact our customer service department;
Complete the product number by choosing the desired depth: 12", 15", 18" or 24".

Product #	Height
SH69-__51	51"
SH69-__75	75"
SH69-__87	87"



Side Utility Panel

SH68


The SH68 side utility panel installs on either the inside or the outside upright;
Simple assembly, no tools required;
Available in 4 widths: 12" (8 holes), 15" (12 holes), 18" (14 holes) and 24" (20 holes);
Compatible with our light duty hooks: WM9F, WM9G, WM9H, WM9J, WM9L and our heavy duty hooks: WM9A and WM9B;
Compatible with WM9C, WM9D, WM9M and WM9N supports;
Compatible with WM21 shelf;
Capacity: 50 lb./square foot, maximum of 300 lb. per panel, evenly distributed load;
Complete the product number by choosing the desired depth: 12", 15", 18" or 24".

Product #	Height
SH68-__14	14"
SH68-__20	20"
SH68-__32	32"



SRE2155

Industrial Shelving Accessories

Back or Side Louvered Panel

SH65 / SH66



SH65 louvered panel for back of shelving: installs on the inside of the shelving unit, between two shelves;
 SH66 louvered panel for side of shelving: installs on either the inside or the outside of the upright;
 Simple assembly, no tools required;
 Used for hanging RG20 bins;
 Compatible with all brands of plastic bins offered on the market that are equipped with a hanging lip;
 Note: For SH65 installation, allow a minimum 2" c/c clearance between shelves.

Back	W x H	Side	D x H
SH65-3020	30" x 20"	SH66-1220	12" x 20"
SH65-3032	30" x 32"	SH66-1232	12" x 32"
SH65-3620	36" x 20"	SH66-1520	15" x 20"
SH65-3632	36" x 32"	SH66-1532	15" x 32"
SH65-4220	42" x 20"	SH66-1820	18" x 20"
SH65-4232	42" x 32"	SH66-1832	18" x 32"
SH65-4820	48" x 20"	SH66-2420	24" x 20"
SH65-4832	48" x 32"	SH66-2432	24" x 32"

Back Utility Panel

SH67




The SH67 back utility panel installs on the inside of the shelving unit, between two shelves;
 Simple assembly, no tools required;
 Available in 4 widths: 30" (26 holes), 36" (32 holes), 42" (38 holes) and 48" (44 holes);
 Compatible with our light duty hooks: WM9F, WM9G, WM9H, WM9J, WM9L and our heavy duty hooks: WM9A and WM9B;
 Compatible with WM9C, WM9D, WM9M and WM9N supports;
 Compatible with WM21 shelf;
 Capacity: 50 lb./square foot, maximum of 300 lb. per panel, evenly distributed load;
 Complete the product number by choosing the desired width: 30", 36", 42" or 48";
 Note: For SH67 installation, allow a minimum 2" c/c clearance between shelves.

Product #	Height
SH67-__14	14"
SH67-__20	20"
SH67-__32	32"

Perforated Back Panel

SR39



Perforated panel for shelving back;
 Easy to install;
 Compatible with SH31 back panels;
 Installs on the back of an existing shelving unit;
 Holes at every 1" c/c;
 Compatible with our light duty hooks: WM9F, WM9G, WM9H, WM9J and WM9L;
 Compatible with WM9M and WM9N supports;
 Panel combinations:
 – 75" H posts (39" + 39")
 – 87" H posts (39" + 51")
 – 99" H posts (51" + 51")
 Compatible with the SR upright which has a perforated surface;
 Complete the product number by choosing the desired width: 30", 36", 42" or 48".

Product #	Height
SR39-__39	39"
SR39-__51	51"



R5SEE-874817

LED Light

LED Light for Spider® Shelving

SH95



Eliminates shaded areas between shelves;
 Rigid aluminium housing;
 Can be installed under SH20 shelves;
 Casts brighter light than fluorescent tubes and is more energy efficient;
 Color temperature: 6000-7000 K (cold);
 Equipped with a 10 foot long cord.

Product #	Fits on
SH95-01	30" or 36" W shelves
SH95-02	42" or 48" W shelves



Industrial Shelving Accessories

Doors, Handle and Locks

Solid Doors with Frame

SH41



SRE3205

Doors open 180°, with recessed lock and handle;
Simple and fast assembly;
Frame spaced to allow for installation of Rousseau modular drawers;
Compatible with Rousseau Spider® shelving only;
Frame is 2" deep;
To receive a safety hasp instead of a standard lock, order SH41-WWHHL3 instead of SH41-WWHHL3;
Order by adding width and height to the product #. Ex.: SH41-30 75L3;
Available widths: 30", 36", 42" and 48";
Available heights: 39", 41", 51", 53", 63", 75", 87" and 99".

Product #
SH41-____L3



Polycarbonate Doors with Frame

SH43



SRE3204

Doors with polycarbonate panels ensure you can see contents;
Excellent impact resistance;
Doors open 180°, with recessed lock and handle;
Simple and fast assembly;
Frame spaced to allow for installation of Rousseau modular drawers;
Compatible with Rousseau Spider® shelving only;
Frame is 2" deep;
To receive a safety hasp instead of a standard lock, order SH43-WWHHL3 instead of SH43-WWHHL3;
Order by adding width and height to the product #. Ex.: SH43-30 75L3;
Available widths: 30", 36", 42" and 48";
Available heights: 39", 41", 51", 53", 63", 75", 87" and 99".

Product #
SH43-____L3



Stacked Doors, Solid or Polycarbonate

SH91/SH93



Solid stacked doors: SH91;
Polycarbonate stacked doors: SH93;
Doors open 180°, with recessed lock and handle;
Simple and fast assembly;
Compatible with Rousseau Spider® shelving only;
Available with a safety hasp or with an L3 lock.
Note: consult data sheet S64 to see all dimensions and possible configurations.



R5SEE-871811



R5SEE-871807

NOTE

Choose SH41/SH43 doors if doors are full height or start at the bottom and end at the center. Choose SH91/SH93 doors if doors start at the top and end at the center.
Consult data sheet S64 to see all dimensions and possible configurations.



Rotating handle

Door opens by turning handle to the left or the right.



Lock positioning

The hasp or lock are positioned so they do not impede the hand.



Double lock

Add a second lock to your door.



Provides two locks for maximum security;

Order by specifying the type of lock.

Ex.: SH43-3075L3+CZ06-LP to add an LP lock as well as the lock ordered;

Note: To add a second lock to an existing door, please contact customer service.

Product #	Description
CZ05-L3	To add an L3 lock
CZ06-LP	To add an LP lock

Industrial Shelving Accessories

Flipper Door

SH85



Full-width handle;
Standard lock included;
14" high c/c door for folder storage;
16" high c/c door for binder storage;
Installs between 2-SH20 shelves;
SH52 dividers can be installed;
Door heights available: 14", 16", 17" and 18";
Order by adding the door height to the part #. Ex.: SH85-361816L3.



Product #	W x D	Usable depth
SH85-3018_L3	30" x 18"	15"
SH85-3024_L3	30" x 24"	21"
SH85-3618_L3	36" x 18"	15"
SH85-3624_L3	36" x 24"	21"
SH85-4218_L3	42" x 18"	15"
SH85-4224_L3	42" x 24"	21"
SH85-4818_L3	48" x 18"	15"
SH85-4824_L3	48" x 24"	21"

Miscellaneous Rails and Supports

Clothes Hanging Rail

SH70



80 lb. capacity per rail;
Simple and fast installation;
Installs by hooking to the shelving posts;
Includes one bar with a 1" diameter and 2 adaptors;
Note: Because of space required under the clothes rail, it is not recommended for use on multi-level shelving installations;
Complete the product number by choosing the desired width: 30", 36", 42" or 48".


Product #	Depth
SH70-__18	18"
SH70-__24	24"

Spool Support

SH72




Optimizes storage of spools in shelving;
Offered with one or two rails;
50 lb. capacity per rail, 100 lb. total per double rail;
Rail(s) with 3/4" diameter, compatible with most spools;
Design allows for pivoting of rail to facilitate changing spools;
Combinations possible for different sized spools;
Complete the product number by choosing the number of rails: 01 or 02.



Product #	W x D
SH72-3012-01	30" x 12"
SH72-3018-__	30" x 18"
SH72-3024-__	30" x 24"
SH72-3612-01	36" x 12"
SH72-3618-__	36" x 18"
SH72-3624-__	36" x 24"
SH72-4212-01	42" x 12"
SH72-4218-__	42" x 18"
SH72-4224-__	42" x 24"
SH72-4812-01	48" x 12"
SH72-4818-__	48" x 18"
SH72-4824-__	48" x 24"

Plastic Bin Rail

SH62




Very useful at ends of aisles. Fast hook-on assembly;
Ideal for all brands of bins from 5" to 7" high;
Bins sold separately.

Product #	Depth
SH62-18	18"
SH62-24	24"

Support for Plastic Bin

WM9C



Clips onto SH67, SH68 or SH69 panels;
Very useful for hanging plastic bins, making it easy to store small parts;
Hook-on installation;
The side security notches ensure stability;
Ideal for plastic bins available on the market that are equipped with a hook-on edge;
Compatible with RG20 plastic bins;
Bins sold separately.
Available in 2 widths: 6" (7 holes) and 15" (16 holes).

Product #	W x H	Capacity
WM9C-06	6" x 3"	30 lb
WM9C-15	15" x 3"	60 lb

Plastic Bin

PATENTED

RG20




Makes storing, moving and inventory of small parts easier. Lightweight and resistant;
Edge at 45° angle for easy identification and easy removal of parts;
Compatible with louvered panels (SH62, SH66, SH67) plastique bin rails (SH62) and supports for plastic bin (SH62 and WM9C);
6" bins can be partitioned.

Dimensions			Product #		
W	D	H	Bin	Partition	Divider
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

Industrial Shelving Accessories


Tiltable Shelf for Utility Panel

WM21


Clips onto SH67, SH68 or SH69 panels;
Slotted to receive SH52 dividers at every 2" c/c;
Includes 2 side supports that may be placed at right angles or at an angle of 15°;
The shelf is reversible and its edge may serve as a back stop for plastic bins or binders;
Capacity: 50 lb., evenly distributed load;
Available in 3 widths: 13" (14 holes), 15" (16 holes) and 31" (32 holes);
The 15" wide shelf must be clipped onto a 18" wide panel minimum;
The 31" wide shelf must be clipped onto a 36" wide panel minimum.

Product #	W x H
WM21-1308	13" x 8"
WM21-1312	13" x 12"
WM21-1508	15" x 8"
WM21-1512	15" x 12"
WM21-3108	31" x 8"
WM21-3112	31" x 12"

Can Support

WM9D


Clips onto SH67, SH68 or SH69 panels;
Very useful for storing products of all kinds, such as cans of different sizes;
Hook-on installation;
The side security notches ensure stability.
Available in 2 widths: 6" (7 holes) and 15" (16 holes).

Product #	W x D x H
WM9D-06	6" x 3" x 4"
WM9D-15	15" x 3" x 4"


Vinyl Rub-on Identification Decal

WM91


Allows you to easily identify where tools are to be positioned on the perforated panel (SH38, SH39 and SR39) or on the utility panels (SH67, SH68 and SH69);
The contrasting color provides fast retrieval and shows if tools are missing, and which ones;
Efficient help for 5S management;
Sold in rolls 2 feet wide and 8 feet long.

Product #
WM91-01J


Heavy-Duty Square Hook

WM9A


Used with utility panels (SH67, SH68 and SH69) to hang accessories and tools;
Flat surface on top;
Raised end to prevent accessories or tools from sliding;
Hook-on installation;
The side security notches ensure stability;
Capacity: 50 lb.;
Sold by the unit;
1" wide (2 holes).

Product #	Length
WM9A-06	6"
WM9A-12	12"

Heavy-Duty Round Hook

WM9B


Used with utility panels (SH67, SH68 and SH69) to hang accessories and tools;
Tube measures 3/4" in diameter;
Allows accessories and tools to slide easily;
Hook-on installation;
The side security notches ensure stability;
Capacity: 50 lb.;
Sold by the unit;
Base of hook: 2" (3 holes) x 5".

Product #	Length
WM9B-06	6"
WM9B-12	12"

Pliers Holder

WM9M


Used with utility panels (SH67, SH68 and SH69) and perforated panels (SH38, SH39 and SR39) to hold pliers;
Can be used to store up to 6 pliers.

Product #	W x D x H
WM9M-01	9" x 2 1/2" x 2"

Screwdriver Holder

WM9N


Used with utility panels (SH67, SH68 and SH69) and perforated panels (SH38, SH39 and SR39) to hold screwdrivers.
Keeps 6 to 12 screwdrivers close at hand.

Product #	Version	W x D x H
WM9N-01	Single	9" x 1 1/2" x 2"
WM9N-02	Double	9" x 3 3/16" x 2"

Light Duty Hooks



Our family of hooks makes it possible for you to store several types of parts, tools and accessories adequately.
Compatible with the panels currently available on the market (1/4" holes), Rousseau perforated panels (SH38, SR39 and SH39), utility panels (SH67, SH68 and SH69).

Type / Package	Dimension	Product #
Straight hooks / 20	1 1/2" D	WM9F-150
Single hooks / 20	1 1/2" diameter	WM9G-150
Single hooks / 20	2" diameter	WM9G-200
Double back single hooks / 10	3" D	WM9H-03
Double back single hooks / 10	5" D	WM9H-05
Double back double hooks / 10	3" D	WM9J-03
Double back double hooks / 10	5" D	WM9J-05
Drill Holder	5" W x 3 1/2" D	WM9L-01

Industrial Shelving Accessories

Modular Drawers and Roll-out Shelves

Heavy-Duty Modular Drawer

RF32 / RF36


Drawer in painted steel: RF32;
 Drawer with stainless steel front
 and gray-painted interior: RF36;
 400 lb. capacity, 100% extension;
 Heavy-duty construction;
 Easy to install;
 Vast choice of accessories offered
 to adapt to your storage needs;
 Available drawer heights: 3", 4", 5", 6",
 7", 8", 9", 10", 12" and 14";
 Order by adding the drawer height to the part
 # and by specifying the type of drawer front
 (painted steel or stainless steel)
 Ex.: RF32-362406;
 For modular drawers with layouts;

 SEE
 PAGES
 214-219

 SEE
 PAGES
 196-213

Product #	W x D
RF__-3018__	30" x 18"
RF__-3024__	30" x 24"
RF__-3618__	36" x 18"
RF__-3624__	36" x 24"
RF__-4218__	42" x 18"
RF__-4224__	42" x 24"
RF__-4818__	48" x 18"
RF__-4824__	48" x 24"

Heavy-Duty Front Access Roll-Out Shelf

RF41


400 lb. capacity, 100% extension;
 Heavy-duty construction;
 Easy to install;
 Painted steel with 3" edges on sides and back;
 Height: 6";
 Full access to contents;
 Complete the product number by choosing the
 desired width: 30", 36", 42" or 48".

Product #	Depth
RF41-__18	18"
RF41-__24	24"


Heavy-Duty 3-Sided Access Roll-Out Shelf

RF45


400 lb. capacity, 100% extension;
 Heavy-duty construction;
 Easy to install;
 Galvanized steel with 1 1/2" edge on back;
 Height: 5";
 May serve as work surface;
 Complete the product number by choosing the
 desired width: 30", 36", 42" or 48".

Product #	Depth
RF45-__18	18"
RF45-__24	24"

Mounting Brackets for Spider® Shelving


RE30


Easy hook-on assembly;
 Standard heights: 18", 24", 30", 34", 36", 46"
 and 48";
 The mounting bracket kit is compatible with all
 drawer widths for Rousseau shelving (30", 36",
 42" and 48");
 Each kit includes 2 front and 2 rear mounting
 brackets and all necessary hardware;
 Holes at every 1" c/c for drawer adjustment;
 34" high mounting brackets are used
 with 39" posts or doors;
 Two mounting bracket sets may be
 stacked simply by installing a shelf
 between them;
 To order mounting brackets of non-standard
 heights, contact our customer service
 representative.


 SEE
 PAGE
 120

Product #	Height
RE30-18	18"
RE30-24	24"
RE30-30	30"
RE30-34	34"
RE30-36	36"
RE30-46	46"
RE30-48	48"

Shelving units with drawers
 must be anchored to
 the ground.



Filler

RE90


Installs with an adhesive strip under the bank
 of drawers;
 Meets aesthetic requirements of certain work
 environments (hospitals, offices, etc.);
 Offered for Rousseau Spider® and Spacesaver
 shelving only;
 For Spacesaver shelving, order RE90-WW02
 instead of RE90-WW01.

Product #	W x H
RE90-3001	30" x 5/8"
RE90-3601	36" x 5/8"
RE90-4201	42" x 5/8"
RE90-4801	48" x 5/8"

Industrial Shelving Accessories

Locking and Security Mechanisms

Vertical Security Bar

RE80


Locks a bank of drawers in shelving with either a key or a padlock;
 Lock or safety hasp for padlock are located at the top of the bar to facilitate access;
 Covers a bank of drawers from 18" to 48" high;
 Easy hook-on assembly;
 Possible to install more than one bar on the same bracket for different users;
 Installs on the right side;
 36" high bar is compatible with 34" high mounting brackets and 48" high bar is compatible with 46" high mounting brackets;
 Offered for Rousseau Spider® shelving. For Spacesaver shelving, order RE81-HHL3A instead of RE80-HHL3A;
 Order by specifying the type of lock required. Complete with LP for a safety hasp or with L3 for a standard lock.



Product #	Height
RE80-18_A	18"
RE80-24_A	24"
RE80-30_A	30"
RE80-36_A	36"
RE80-48_A	48"

Integrated Lock-in Mechanism


PATENTED


Activated by tilting the handle up;
 Allows user to open the drawer and the roll-out shelf with one hand only;
 Close by simply pushing it;
 Stops drawer and roll-out shelf from opening on their own;
 Easy to retrofit;
 Order by adding A to the drawer or partitioning model number or roll-out shelf. Ex.: RF32-362406A;
 For replacement parts or to retrofit this mechanism, order RY08-WWA.

Product #

A

Econo Lock-in Mechanism



Activated with the right hand by sliding the mechanism with thumb;
 Drawer and roll-out shelf closes without having to reactivate the slide mechanism;
 Stops drawer and roll-out shelf from opening on their own;
 Easy to retrofit;
 Order by adding B to the drawer or partitioning model number or roll-out shelf. Ex.: RF32-362406B;
 For replacement parts or to retrofit this mechanism, order RY01-B.

Product #

B


Lock-out Mechanism

RF85


For both drawers and roll-out shelves;
 Locks drawers and roll-out shelves in open position;
 Activated manually, only when required;
 Compatible with all drawer accessories;
 Plastic bins positioned in the back row, may make it more difficult to activate mechanism.

Product #
 RF85

Security Panel


RF91


Blocks access between two drawers or two banks of drawers;
 Usable space in the bank of drawers is reduced by 1";
 Installed between two drawers;
 Complete the product number by choosing the desired width: 30", 36", 42" or 48".

Product # **Depth**

 RF91-__18 18"
 RF91-__24 24"

Drawer Lock



Compatible with all drawer dimensions;
 Does not affect usable drawer space;
 Easy to retrofit;
 Order by adding L3 to drawer or partitioning model number. Ex.: RF32-362406L3;
 For replacement parts or to retrofit this mechanism, order RY01-L3.


Product #
 L3
