



IP Phone AX-500W



Enterprise HD IP Phone - WiFi/Bluetooth AX-500W

Executive assistants and managers will admire the integrated WiFi and Bluetooth found in the AX-500W. The top of the line AX-500W supports 5-way conference calling and EHS integration. The phone comes to life with a colorful 3.5" TFT LCD with a 480x320 pixel display and intuitive design comforting the most demanding users.



WiFi & Bluetooth
inside

www.axtelphones.com

Phone Features

Up to 12 SIP accounts
Call hold, mute, DND
One-touch speed dial, hotline
Call forward, call waiting, call transfer
Redial, call return, auto answer, direct IP call
5-way conferencing
Group listening, SMS, emergency call
Ring tone selection/provisioning
Set date time automatically or manually
Dial plan per account
RTCP-XR (RFC3611), VQ-RTCPXR (RFC6035)
Electronic hook switch capable

Voice Codecs Features

HD voice, HD handset, HD speaker
Codecs: iLBC, G.722, G.711(A/μ), Opus
G.723, G.729AB, G.726-32
DTMF: In-band, RFC 2833, SIP INFO
Full-duplex hands-free speakerphone with AEC
VAD, AGC, CNG, AEC, PLC, AJB

Directory

Local phonebook up to 1000 entries
XML/LDAP remote phonebook
Intelligent search method
Phonebook search/import/export
Call history: dialed/received/missed/forwarded
Black list

IP-PBX Features

Busy Lamp Field (BLF), bridged Line Appearance(BLA)
Anonymous call, anonymous call rejection
Message Waiting Indicator (MWI), voice mail
Intercom, paging
Call park, call pickup
Music on hold
Hot-desking

Display and Indicator

3.5" 480x320-pixel color display with backlight
16 bit depth color
LED for call and message waiting indication
Dual-color white or orange illuminated
feature keys
Wallpaper, national language selection
Intuitive user interface with icons and soft keys
Caller ID with name, number and photo
WiFi/Bluetooth supported

Feature keys

8 line keys with LED
8 line keys can be programmed up to
28 various features (4-page view)
8 feature keys: voice mail, headset, mute,
speaker, transfer, redial,
4 context-sensitive "soft" keys
6 navigation keys, volume control keys
Illuminated speaker key/headset key/mute key

Interface

Dual-port Gigabit Ethernet
Power over Ethernet (IEEE 802.3af), class 3
1xRJ9 (4P4C) handset port
1xRJ9 (4P4C) headset port
Support up to 6 Expansion Modules

Physical Features

Stand with 2 adjustable angles
Wall mountable
External universal AC adapter (Mandatory for WiFi use/
not included in package):
AC 100~240V input and DC 5V/1.2A output
Power consumption (PSU): 2.0~4.6W
Power consumption (PoE): 2.5~5.5W
Operating humidity: 10~95%
Operating temperature: -10~50°C

Management

Configuration: browser/LCD-Menu/auto-provision
Auto provision via HTTP/HTTPS FTP/TFTP
Auto-provision with PnP
Reset to factory, restart, reboot
Local tracing log export, system log
Phone lock for personal privacy protection

WiFi/Bluetooth

WiFi: Network Standard: IEEE802.11b/g/n
Transmission Rate: 150 Mbps
Frequency Range: 2.4GHz
Bluetooth: Bluetooth specification: V4.0+HSsystem
Enhanced Data Rate (EDR) compliant for both 2Mbps and
3Mbps supported
Bluetooth frequency range: 2.402GHz-2.480GHz
Compatible with Bluetooth specification V4.0 , back
compatible with Bluetooth1.1 1.2 2.0 and 3.0
for wide-ranging use

Network and Security

SIP v1 (RFC2543), v2 (RFC3261)
SIP server/proxy redundancy
NAT Traversal: STUN mode
DHCP/static/PPPoE/IEEE802.1X/open VPN
HTTP/HTTPS web server
Time and date synchronization by SNTP
DNS-NAPTR/DNS-SRV(RFC 3263)
QoS: 802.1p/Q tagging (VLAN),
Layer 3 ToS DSCP
TLS(Transport Layer Security), SRTP, ZRTP
HTTPS certificate manager
AES encryption for configuration file
Digest authentication using MD5/MD5-sess
IPv6 supported

Package content

Axtel AX-500W phone
Handset with handset cord
Stand
Quick Reference guide
Ethernet cable (1.5m Cat 5E)



Who We Are

SITEC has established itself as a leading Value-Added Distributors and Service Providers of information and communication technology. SITEC is a customer focused company serving the Middle East and Africa, with physical offices in Dubai, Jeddah, Riyadh, Amman and Cairo. SITEC works through more than 400 channel partners in over 18 countries.



Sitec Information Technology

Dubai Investment Park 1, Dubai, UAE

Tel: +971 4 881 1324 or +971 4 881 1342 ext. 8303

www.sitec.ae

