


NEW STYRENE-MALEIC ANHYDRIDE (SMA) POLYMERS

Detergent-free system for structural and functional studies of membrane proteins

What is it?

- Polymer-forming planar lipid bilayer nanodiscs for membrane protein reconstitution
- Direct, detergent-free reconstitution of membranes
- Stable in a broad pH range and in proximity to divalent cations
- Good for structural and functional studies of membrane proteins
- Easy nanodisc size control — adjust by changing polymer:lipid ratio
- Capable of reconstituting MPs with large, charged, soluble domains




Protein in SMA nanodisc, adapted from [4].

Why use it?

- Part of Anatrace's new SMA portfolio
- Stable at higher pH
- Can successfully reconstitute well-folded Cytochrome P480, a protein with a large, positively charged domain [1]
- Increased stability towards divalent cations: up to 200 mM Ca²⁺ or Mg²⁺ [2]
- Nanodiscs of diameter 10 to 30 nm can be produced by changing polymer:lipid ratio [3]




pH stability of SMA-QA, adapted from [2]. Stabilizing pH range shown in green.



Nanodisc size variance with respect to polymer:lipid ratio [2].

Background

- Styrene:Maleic anhydride 1:1
- Molecular Weight ~9.0 kDa
- Solubility (Water) ≤20%
- pH (1% in water) 5.3



Structure of SMA-QA, with quaternary amine functionalization

Applications

- Studies of membrane proteins in native lipid environments
- Structural studies of large membrane proteins and complexes
- Studies of protein:lipid interactions
- Work with proteins unstable in detergents
- Solubilization of membrane proteins with large, positively charged domains

Ordering Information

Item #	Description	UOFM	UOM 2021
SMA-QA 1 G	SMA-QA	EA	\$2,375
SMA-QA 500 MG	SMA-QA	EA	\$1,310
SMA-QA 250 MG	SMA-QA	EA	\$725

Supporting Documentation: SDS • CoA

References

- [1] Ravula, T. et al. Effect of polymer charge on functional reconstitution of membrane proteins in polymer nanodiscs. *Chem Commun* 54, 9615–9618 (2018).
- [2] Ravula, T., Hardin, Nathaniel. Z., Mauro, G. M. D. & Ramamoorthy, A. Styrene maleic acid derivatives to enhance the applications of bio-inspired polymer based lipid-nanodiscs. *Eur Polym J* 108, 597–602 (2018).
- [3] Ravula, T., Hardin, N. Z. & Ramamoorthy, A. Polymer nanodiscs: Advantages and limitations. *Chem Phys Lipids* 219, 45–49 (2019).
- [4] Chen, A., Majdinasab, E. J., Fiori, M. C., Liang, H. & Altenberg, G. A. Polymer-Encased Nanodiscs and Polymer Nanodiscs: New Platforms for Membrane Protein Research and Applications. *Frontiers Bioeng Biotechnology* 8, 598450 (2020).